

Kaltura Management Console (KMC) User Manual

Version: Gemini

Kaltura Business Headquarters

5 Union Square West, Suite 602, New York, NY, 10003, USA

Tel.: +1 800 871 5224

Contents

- Preface 11
 - About this Manual 11
 - Audience 11
 - Document Conventions..... 11
 - Related Documentation 12
- Chapter 1 KMC Overview 13
 - What Can I Do with the KMC? 13
 - Media Management and Workflow 13
 - Widget and Application Studio 14
 - Getting Started 14
- Chapter 2 Uploading and Ingestion 16
 - What is a Kaltura Entry? 16
 - Browser-based Ingestion 16
 - The Kaltura Uploader 16
 - The Upload Tab 16
 - Upload Media 17
 - Upload from Desktop 17
 - Record from a Webcam 18
 - Import from Web 18
 - High-Speed Upload..... 19
 - Prepare Entry 19
 - Prepare Video/Audio Entry 20
 - Prepare Live Stream Entry 20
 - Creating Draft Entries 20
 - Key Benefits and Functionality 21
 - Hosting Videos at your Preferred Location and Linking to Kaltura 22
 - Replacing Video Assets for a Kaltura Entry 22
 - Uploading and Modifying Related Files 22
 - Bulk Upload and FTP Upload 23
 - What is Bulk Upload? 24
 - Entries XML Bulk Upload 24
 - Submit Bulk Options 25
 - Downloading Bulk File Samples 26
 - Automated Content Ingestion via a Drop Folder 26
 - Using a Drop Folder 26
 - Drop Folder Control Panel 26
 - The Dashboard Tab 28

Contents

Uploading Content Using the Content Tab	28
Tracking Your Uploads	28
Your Uploads	28
Bulk Upload Log	29
Chapter 3 Transcoding and Processing	31
Converting Videos into Multiple Flavors (Optimized Output Files)	31
Editing and Creating Transcoding Profiles	32
Adding a Transcoding Profile	34
Quick Publishing	35
Editing Options for Flavors in a Transcoding Profile	36
Assigning a Transcoding Profile to a Bulk Upload	37
Useful Tips for Working with Transcoding Profiles	37
The Flavors Tab	38
Add Video/Audio	39
Upload Files	40
Import Files	40
Link to Remote Storage	41
Match Files from Drop Folder	42
Replacing Media	42
Supported Source Formats	44
Supported Source Codecs	44
Target Formats/Codecs	45
Chapter 4 Creating and Customizing Playlists and Players	46
What is a Playlist?	46
Playlists Tab	46
Creating a Manual Playlist	46
Creating a Rule Based Playlist	48
Defining a Rule	48
Multiple Rules Based Playlist - Advanced Mode	49
Additional Playlist Configuration	52
Creating a Player with Multi-tab Playlists	52
Deleting a Playlist	53
Removing Videos from a Playlist	53
Customizing Additional Features for Playlists	53
Designing and Configuring a Player	54
Player List	54
Select the Type of Player	55
Configuring the Player Basics Settings	55
Editing a Player	55
Adding Content to a Player	56
Duplicating a Player	56

Contents

Deleting a Player.....	57
508-Compliant Video Player	57
Configuring the Player Advertising Settings	58
Configuring the Player Features	58
Features List	59
Configuring the Player Style	67
Chapter 5 Managing Metadata	68
Entry Metadata.....	68
Types of Metadata	68
Metadata Actions	69
Uploading Content and Setting Metadata.....	69
Upload a Media File and Set Its Metadata	69
Ingest a Media File Bundled with Metadata (CSV, XML, API)	70
Prepare a Metadata-only "Draft" Entry for Future Ingestion of Media Files	71
Metadata and Related Files	71
Kaltura Custom Metadata Functionality.....	71
Managing Schemas	73
Adding a Schema.....	73
Adding Custom Data Fields	74
Setting Values for Custom Metadata Fields - Per Entry	75
Setting Values for Metadata Fields - Per Category	77
Related Videos Gallery	78
Related Videos Source	79
Configure Autoplay for Related Videos.....	79
Chapter 6 Locating Content in the KMC	81
Searching Through Entries	81
Filtering Content in the Entries Table	81
Using Categories as Filters.....	82
Using Additional Filters	83
Performing a Search Based on Metadata Fields.....	83
Entries Table Filter Indications	84
Searching Through Categories.....	84
Filtering Categories in the Categories Table	85
Using Categories as Filters.....	85
Using Additional Filters	86
Categories Table Filter Indications	87
Searching Playlists.....	87
Chapter 7 Managing Access Control Profiles	88
Access Control Profiles	88
Creating an Access Profile.....	89
Editing an Access Profile	90

Contents

Restricting Domains.....	91
Restricting Countries for Viewing.....	92
Restricting Views by IP Address.....	93
Restricting Views with a Kaltura Session.....	94
Pay-Per-View.....	95
Assigning an Access Control Profile to an Entry.....	95
Assigning an Access Profile to a Bulk Upload.....	95
Content Scheduling.....	96
Chapter 8 Managing Content Entitlement.....	97
Kaltura's Entitlement Model.....	97
Category's Entitlements Tab.....	97
Setting the Entitlement Settings.....	98
Content Privacy.....	99
Visibility of Content Associated with Multiple Categories.....	100
Visibility of Content in Outside of the Application.....	100
Category Listing.....	101
Contribution Policy.....	101
Specific End-User Permissions.....	101
Managing Categories' Specific End-User Permissions.....	102
Bulk Actions for Managing Categories Specific End-User Permissions.....	103
Additional Category Entitlement Settings.....	104
Chapter 9 Managing Categories.....	106
Defining and Assigning Entry Categories.....	106
Categories Table.....	106
Adding/Editing a Specific Category.....	106
Adding Metadata to a Category.....	108
Editing the Entitlement Settings of a Category.....	109
Reordering Sub Categories.....	110
Editing Multiple Categories in Bulk.....	111
Add Tags to Categories.....	112
Remove Tags from Categories.....	113
Move Categories.....	113
Change Content Privacy.....	114
Change Contribution Policy.....	115
Change Category Listing.....	116
Change Category Owner.....	116
Delete Categories.....	117
Updating Categories' State.....	117
Chapter 10 KMC Users and Roles.....	119
Roles and Permissions.....	119
Adding a User.....	119

Contents

Editing a User	120
Deleting and Blocking Users.....	120
Purchasing a License for Additional Users.....	121
Creating Custom Roles.....	121
Role Management.....	122
Chapter 11 Moderation and Editorial Workflows	124
Content Moderation Workflows.....	124
The Moderation Tab.....	124
Previewing Content using the Moderation Tab.....	125
Rejecting Content using the Moderation Tab	125
Chapter 12 Using Subtitles and Captions	127
Caption File Types	127
Searching within Captions	127
Subtitles and Captions Terminology	127
Adding Captions to an Entry	128
Editing a Captions File.....	129
Setting Up Captions for Display.....	129
Viewing an Entry with Captions in a Player	130
Captions Options	132
Chapter 13 Live Streaming	133
Live Streaming Using the KMC.....	133
Workflow for Setting up Live Streaming.....	133
Setting up the Hardware and Software.....	133
Creating a Live Streaming Entry in the KMC.....	134
Multiple Bitrate Encoding	135
Configuring the Live Stream Parameters in the KMC.....	136
Setting up the Broadcasting Computer.....	137
Viewing the Broadcasting Setup (Optional).....	138
Advanced Live Streaming Configuration Options.....	139
Chapter 14 Content Authoring Tools	141
The Content Tab	141
Entries Tab.....	141
Entries Table.....	141
Set Scheduling.....	142
Set Access Control	143
Edit - Add Tags to and Entry.....	144
Edit - Remove Tags from an Entry	144
Edit - Add Categories.....	145
Edit - Remove Categories.....	146
Add to New Category.....	147
Add to New Playlist.....	147

Contents

Change Entry Owner	147
Download Files	148
Delete Multiple Entries	148
Preview and Embed	149
Editing Entries	149
Edit Entry Tabs	150
Clipping and Trimming Media Files	151
Troubleshooting Trimming and Clipping	153
Users Tab	153
Choosing a Thumbnail for your Video	154
Chapter 15 Publishing to your Site	156
Embedding a Player with a Single Entry on your Site	156
Embedding a Player with a Playlist on your Site	157
Video Delivery Settings	159
Kaltura Auto	159
HTTP Progressive Download Delivery	160
HTTP Streaming (Based on Akamai's Technology)	161
HTTP Dynamic Streaming (HDS) Based on Adobe	162
RTMP Streaming	163
Secure Transport RTMPE	165
Adding the Flavor Selector Module	166
Mobile Support	167
Chapter 16 Distribution and Syndication	168
Kaltura Distribution Module	168
Key Benefits:	168
How Does Distribution Work?	169
Adding a Distributor to an Entry	170
Scheduling a Video Package	171
Validating a Video Package	173
Removing a Distributor from a Video Package	177
Managing Distributor Details	178
Content Syndication	178
How Does Syndication Work?	179
Syndicating to a Standard MRSS Feed (Yahoo)	179
Search Engine Optimization (SEO)	180
Key benefits	180
Setting Up Syndication	180
Syndicating to Google	181
Google Webmaster Tasks	181
KMC Publisher Tasks for Google Syndication	182
Syndicating to TubeMogul	184

Contents

KMC Publisher Tasks for TubeMogul Syndication	184
TubeMogul Webmaster Tasks	186
Syndicating to iTunes	186
KMC Publisher Tasks for iTunes Syndication	186
Syndicating to Yahoo	188
KMC Publisher Tasks for Yahoo Syndication	189
Yahoo Webmaster Tasks	189
Flexible Feed Format	191
Chapter 17 Advertising and Ad Networks	192
Overview of Advertising with Kaltura	192
Player Branding	192
Connecting with an Ad Server	192
Kaltura Player and Ad Plugins	193
Supported Ad Servers	193
Ad Terminology	193
Creating Kaltura Video Ads	193
Adding the VAST Ad Server	194
Configuring VAST Ads	194
Configuring VAST Pre-roll Ads	194
Configuring VAST Post Rolls	195
Adding a Midroll	196
Adding an Overlay	198
Creating Bumper Ads	199
Configuring Third Party Ad Plugins	201
Tremor Media	201
Tremor Media Added Functionality	202
AdapTV	204
Configuring Companion Ads	205
Companion Ads in HTML	206
Companion Ads in Flash	207
Targeting with an Ad Server	210
Targeting per Viewer	211
Ad Targeting via ad plugin	212
Ad Targeting with Tremor	212
Advertising for Mobile Devices	213
DFP	213
AdapTV (via VAST)	214
Connecting with Ad Servers and Networks via adap.tv	215
Connecting with Tremor Media	216
Different Types of Ad Servers	218
Kaltura Player Additions Related to Ads	218

Contents

Troubleshooting	218
Chapter 18 Creating and Tracking Analytics	221
Content Reports	221
Top Content Reports	221
Specific Entry Report	223
Content Drop-off Reports.....	224
Specific Entry Content Drop-off Reports	225
Content Interactions Reports	226
Specific Content Interactions Report	227
Content Contributions Report	228
Specific Entry Media Source Contributions Report	229
User and Community Reports.....	230
Top Contributors Report	231
Geographic Distribution Reports.....	231
Top Syndications	233
Specific Syndicator Reports.....	234
User Engagement Reports	234
Specific User Engagement Report	235
Bandwidth Usage Reports	236
Publisher Bandwidth and Storage Report	236
End Users Storage Report.....	237
Storage Report for a Specific User	238
Date Ranges for Analytical Reports.....	239
Exporting Analytics to a CSV File	240
Sending Analytics Events to Third Parties.....	240
Kaltura Player Supported Plug-ins.....	240
Chapter 19 Account Information	241
Account Settings	241
Integration Settings	242
Account Info	242
Entitlement Settings	243
Notifications	245
Access Control	246
Transcoding Settings	246
Custom Data	246
My User Settings.....	246
Account Upgrade	247

Preface

This preface contains the following topics:

- [About this Manual](#)
- [Audience](#)
- [Document Conventions](#)
- [Related Documentation](#)

About this Manual

This document provides an in-depth description of the KMC basic concepts and usage.



NOTE: Please refer to the official and latest product release notes for last-minute updates. Technical support may be obtained directly from: [Kaltura Support](#).

Contact Us:

Please send your documentation-related comments and feedback or report mistakes to the [Knowledge Management Feedback group](#).

We are committed to improving our documentation and your feedback is important to us.

Audience

This guide is primarily intended for content managers and Kaltura Management Console users and also contains useful information for developers, integrators, and operations and site administrators using the Kaltura platform.

Document Conventions

Kaltura uses the following admonitions:

- Note
- Workflow



NOTE:



Workflow: Provides workflow information

- 1.
- 2.

Related Documentation

In addition to this guide, product documentation is available on the [Kaltura Knowledge Center](#).

KMC Overview

The Kaltura Management Console (KMC) is a media asset management front-end application to the Kaltura Platform. The KMC provides publishers all the tools necessary to manage and publish their media assets, in one intuitive interface.

What Can I Do with the KMC?

You can:

- Upload content and perform bulk ingestion
- Transcode and manipulate media assets
- Manage metadata profiles and high-precision temporal-metadata
- Design and customize branded media players
- Control and manage end-user entitlements to content in applications such as Kaltura MediaSpace
- Create static and dynamic rule-based playlists
- View analytics and gain insights about how well your content is performing
- Configure live streaming web broadcasts
- Syndicate and distribute content across the web
- Configure ads and leverage ad networks
- Manage access control profiles and limit access to published media
- Manage your Kaltura account settings
- Create Kaltura users, roles and assign permissions and more...

Media Management and Workflow

The KMC provides full media management so that you can organize and track your online video system, functions and rich-media content. The following presents a simple workflow to manage content.

- [Uploading and Ingestion](#) - upload and ingest video, audio, images and docs, bulk or individual file uploads, via browser, desktop applications, email or mobile.
- [Transcoding and Processing](#) – convert videos into multiple flavors (optimized output files) and create transcoding profiles to ensure optimal viewing experience on all devices.
- [Creating and Customizing Players and Playlists](#) - control player size, color, fonts and branding. Add or remove buttons, enable subtitles, sharing, and more. Create manually or dynamically generated playlists.
- [Managing Metadata and Categories](#) - leverage metadata fields to tag, manage, search and expose content. Populate out-of-the-box fields, or create your own custom metadata schema. Create content packages, including a set of video transcodes, multiple thumbnails in different

sizes, metadata, subtitles, scheduling data, and more.

- [Locating Content in the KMC](#) - use categories, tags, and any of your custom metadata fields to locate any file, or search caption files for phrases [within the video](#).
- [Managing Access Control Profiles](#) - control exactly when and where your content is published; decide who can do what within the KMC.
- [Configuring KMC Users and Roles](#) - use out-of-the-box roles and permissions or create your own custom roles with granular permissions.
- [Managing Content Entitlement](#) - control and manage end-user entitlements to content in applications such as Kaltura MediaSpace.
- [Managing Categories](#) - provide a logical structure for your site and assist with content management.
- [Moderation and Editorial Workflows](#) - [review content](#) to eliminate spam and abusive content in UGC portals. Implement complex editorial workflows for your various team roles.
- [Using Subtitles and Captions](#) - upload multiple caption files (SRT, XML) and transcripts (TXT), or reference an external link. Viewers can toggle between different language captions.
- [Live Streaming](#) - schedule and [broadcast live events](#). Includes all the features of on-demand video.
- [Content Authoring Tools](#) - trim videos, string videos or clips together, add subtitles and cue points.
- [Publishing to your Site](#) - manage content, create playlists, preview and [embed to your sites](#). Provide the optimal viewing experience across all devices with seamless mobile and tablet support.
- [Distribution and Syndication](#) - distribute content to your channels on partner sites such as YouTube, Hulu, and DailyMotion, or create video feeds for third-party platforms such as Google, Yahoo! and iTunes.
- [Advertising and Ad Networks](#) - advertise, integrate with ad networks, and enable payment models.
- [Creating and Tracking Analytics](#) - get the insight you need on viewer behavior with built-in reports.
- [Account Information](#) - modify user information, integration settings and registration information

Widget and Application Studio

Kaltura's application studio enables you to configure your player instances. The application studio is accessed through the KMC Studio tab. \

- Player designs - design your player skin - select the size, color, fonts, etc.
- Player branding - include your logo on the player as a watermark.
- Player functionality and added features - decide what buttons to display on the player, create your own custom buttons, and decide what features to enable as part of playback (for example, subtitles, sharing, etc.)
- Player templates - select pre-defined player templates, or create your own.

Getting Started

To login to the KMC

1. Go to the Kaltura Management Console (KMC) at: <http://www.kaltura.com/index.php/kmc>.

2. Log-in with the credentials you received in the “Kaltura Registration Confirmation” email. The KMC Dashboard is displayed.

Welcome to the Kaltura Management Console. You are logged in as a Publisher Administrator user in the Kaltura Writers Team account.

Upload Content

Easily import content already hosted on the web (bulk upload) [Submit CSV/XML](#)

Upload media files from your computer [Upload from Desktop](#)

[User Manual](#) | [Download CSV/XML Samples](#)

Tip: Upload, import and create entries from any page with the Upload Menu in the top navigation. [Learn More](#)

Embed Content on Your Site

Select a video and embed a player on your site [Embed Player](#)

Create and embed a playlist (or multiple playlists) on your site [Embed Playlist](#)

[User Manual](#)

Customize Features and Design

Customize feature set and design of a pre-defined player or create a new player from scratch [Customize Players](#)

[User Manual](#)

Top Content Last 30 Days

Plays

100
80
60
40
20
0

9/23/12 9/27/12 10/1/12 10/5/12 10/9/12 10/13/12 10/17/12 10/21/12

[View Reports](#)

Account and Billing

Current monthly storage usage so far: 0.00 GB

Monthly bandwidth consumption so far: 8.61 GB

Contact us to learn more about different packages and added-value services

[Contact Us](#)

Uploading and Ingestion

What is a Kaltura Entry?

A Kaltura Entry is a logical reference to your media asset. An entry encapsulates all physical media files generated during ingestion (source, “flavors” and thumbnails), standard and custom metadata, captions, scheduling settings, advertising cue points, specific access control settings and all other components relating to the content. An entry is generated immediately, and your source media file starts uploading and transcoding begins. For more information, see the [Entries Table](#).

Browser-based Ingestion

You can upload files from your computer, record a video with your webcam, or import from a selection of online repositories, or submit a bulk upload request via Kaltura formatted CSV/XML all from within the Kaltura Management Console. See [The Upload Tab](#).

The Kaltura Uploader

You can use the Kaltura Uploader, also known as the Kaltura Contributor Wizard (KCW) to upload any type of rich-media file, from any location (computer, websites, record from webcam).

You can upload content through the:


- [Upload Tab](#)
- [Dashboard](#)
- [Content Tab](#)

The Upload Tab

The Upload tab presents a list of ingestion options and capabilities to choose from and is used to upload content to Kaltura. The Upload tab opens over any page within the KMC.

You can upload content using the following options:

- [Upload Media](#)
- [Prepare Entry](#)
- [Submit Bulk](#)



Upload Media


- [Upload from Desktop](#): Opens a file browser and allows you to select multiple files.
- [Record from a Webcam](#): Allows you to capture video content from a webcam connected to your computer.
- [Import from Web](#): Allows you to search for videos to ingest from video repositories such as Metacafe and others, depending on the feature set enabled in your account.
- [High-Speed Upload](#): Uses Kaltura's High-Speed Upload option powered by Aspera™.

Upload from Desktop


Use this option to quickly upload files. You can continue working on other tasks while files are uploading, and resume the file upload in case of connection failure.

To upload media files from your desktop

1. Select the Upload tab.
2. Click Upload from Desktop (or click Upload from Desktop in the Dashboard.)
3. Select one or more media files. Use the Ctrl key to select multiple files.



The Upload Settings window is displayed.



4. Select the Transcoding Profile. See [Transcoding and Processing](#).
5. Modify the Media Type if needed. The media type is automatically detected from file name extension. The media types allowed are: video, audio or image.
6. Click Add Files. (Optional).
7. Click Upload.

Record from a Webcam


You can upload media that you record from your webcam via the easy-to-use Kaltura Uploader.

To upload media files recorded from a webcam

1. Select the Upload tab.
2. Click Record from Webcam.
3. Select the Transcoding Profile and click Next. See [Transcoding and Processing](#).
4. Select a webcam from the dropdown list and click Allow.
5. Press Record to record your media file.
6. When done, click Next.
7. Enter a Name and all other relevant information for the webcam recording and click Next.
The recording is processed and added to the Entries table.

Import from Web

You can import video, audio and photos from common online media websites and applications. The Metacafe option for importing videos, may address your needs if you are searching for specific content quickly and easily assuming you want to import videos that are hosted in Metacafe. The video's properties (description, running time, brief summary, etc.) can be revealed by mousing over the thumbnail.



The audio options are Jamendo and CCMixer; the photo options are Flickr and NYPL.

To import content from the web

1. Select the Upload tab.
2. Click Import from Web in the Upload tab.
3. Select the Transcoding Profile and click Next. See [Transcoding and Processing](#).
4. Click Search to search through videos on Metacafe, or select the Audio or Photo tab and search through your data.
5. Select the content to upload and click Next.
6. Enter or modify the descriptive information and click Next.

High-Speed Upload

Kaltura's High-Speed Upload option powered by Aspera™ is targeted at content administrators (KMC users) that upload media to their KMC account. The High-Speed Upload option is particularly useful for content administrators uploading large source files or time sensitive content on a regular basis.

Aspera's patented FASP™ Transport Technology is a proven standard for the high-speed movement of large files over IP Networks. It achieves speeds that are significantly faster than FTP and HTTP. Please refer to [Aspera's FASP Benchmark](#) information to learn more.

The High-Speed Upload option is activated by Kaltura when the High-Speed Upload option is included or added to your service agreement. For more information, see the [Kaltura High-Speed Upload User Guide](#).

Prepare Entry

You can prepare a video entry without including the media content in advance. Creating a No Media entry may be useful when metadata settings and media perpetrations are managed separately and possibly by different operational teams This scenario is used for media that may be included at a later stage, for example, in a drop folder. See [Using a Drop Folder](#).

The following options are available:

- [Prepare Video Entry](#)
- [Prepare Audio Entry](#)

- [Prepare Live Stream Entry](#)

Prepare Video/Audio Entry

Use this option to prepare metadata and publishing settings for a video/audio entry before its related files are ready for upload. This option enables a flexible entry preparation workflow and is especially useful when video files are:

- Transcoded by a local transcoder
- Processed while content editorial work is being done in the KMC
- Processed after content editorial work is completed in the KMC



Preparing a Draft Entry Workflow:

1. Prepare a draft entry in the KMC and fill in its metadata and publishing settings. See [Prepare a Metadata-only "Draft" Entry for Future Ingestion of Media Files](#).
2. Add the media source file or the locally generated Transcoding Flavors to the entry. Use the entry's Flavors tab to add files or flavors. See [The Flavors Tab](#).

The ingestion status of an entry that you create with the **Prepare Video/Audio Entry** option automatically is set to No Media. The status remains **No Media** until one or more media files are added to the entry.

An entry that you create with the Prepare Video/Audio Entry option is saved as a Draft entry in the Kaltura system until you add content.

A Draft entry remains available in the **Content** tab Entries table for further editing.

Prepare Live Stream Entry

Use the **Live Stream Entry** option to provision a live stream on the CDN. The live stream should be configured with your encoder IP address.

After the live stream is provisioned, you can set the entry metadata and specific broadcasting settings in the KMC's **Content** tab Entries tab.

For more information see [Workflow for Setting up Live Streaming](#).

Creating Draft Entries

Draft entries are entries created without actual content, and are used as a container for adding content.



Note: You can add or attach content at a later time, by using the `BaseEntry->addContent` action and use one of the `KalturaResource` resources. See [Kaltura API documentation](#).

To create a Draft Entry

1. Select the Upload tab.
2. Select **Video Entry** or **Audio Entry**.
3. In the New Entry Window:
 - a. Name (required).
 - b. Description
 - c. Tags

- d. Categories – use the pencil icon to select a category from the existing category list.

- If you have Custom Data for entries, you can edit the Custom Data fields for the entry. For multiple schemas, use the drop down Jump To menu to select the schema for the entry. See [Managing Schemas](#) for more information.
- Click Save and Close.

The ingestion status for a Draft entry is No Media. The following is an example of a Draft entry in the KMC.

Thumbnail	ID	Name	Type	Plays	Created On	Duration	Status	Actions
	0_k57bpsk3	Draft Entry	Video	0	07/05/12 13:41	00:00	No Media	Select Action
	0_r82thfpc	The Killer Inside Me Ne...	Video	0	06/23/12 10:32	02:30	Ready	Select Action

Key Benefits and Functionality

You can control the order of ingestion, create a No Media entry with metadata and attach video later. You can prepare a Kaltura media entry and add the relevant media files after uploading content, to enable an efficient and fast paced content ingestion operation. You can create a new media entry in the KMC and set its metadata and publishing information beforehand, or in parallel, to the actual media processing. You can then add the related files to the existing entry when ready. For more information see [Metadata and Related Files](#).

You can use your own transcoders, and ingest the output flavors to Kaltura. See [The Flavors Tab](#).

Publishers can ingest media assets/files that have already been transcoded locally into multiple flavors

and then ingest the files into a Kaltura entry managed from the KMC. This is a Premium option that can be configured by your Account Manager. Ingestion can be done via uploading through the KMC UI, linking to an existing hosting site, submitting an XML with file links or using the Kaltura API.

Hosting Videos at your Preferred Location and Linking to Kaltura

This use case is typically combined with transcoding performed on the publisher's side, after which the output files are pushed directly to CDN hosting, or to a local intranet delivery source.

In this case, Kaltura essentially only manages the metadata while media files themselves are delivered directly from the publisher through a CDN to the viewer.

Linking between the files and a Kaltura entry can be done through the KMC, API, or drop folder XML ingestion. See [Using a Drop Folder](#).

Replacing Video Assets for a Kaltura Entry

Publishers can replace media files of an existing media entry when needed.


This feature:

- Is especially useful when media assets need to be re-edited by the publishers following ingestion to Kaltura.
- Enables seamless replacement of media even if media is already published/syndicated/distributed – media is replaced in all published instances.
- Replaces all multiple-bitrate media assets flavors **in one transaction**.
- Allows review and approval of new media prior to the actual replacement.
- Is an integral part of the entry life-cycle and content management workflow

For more information see [Replacing Media](#).

Uploading and Modifying Related Files

You can attach files (documents, media) to your entries. Uploaded files will not create new entries but will receive a unique Kaltura Asset ID. Use the **Related Files** tab to upload files associated to entries. Related files are not stored with the entries on the Kaltura platform and are referenced using an Asset ID.



To upload related files

1. Select the Content tab and click on an entry.
2. Select the Related Files tab and click Add More Files.
3. Select a file and click Open.
4. Select the File Type from the drop down menu.

The related file will immediately begin uploading. After the upload is complete, you can edit the file details (title, description), download the file, or remove it.

5. Click Save.

To edit related files

1. Select the Content tab and click on an entry.
2. Select the Related Files tab.
3. Select a File and select Edit, Download, or Remove.

Bulk Upload and FTP Upload

You can import multiple files per session via a simple comma separated file (CSV) or an XML file. With these options, you can also ingest files from your own FTP server, or any publicly accessible file's host. Metadata fields can be populated from CSV/XML.

The CSV Bulk Upload file is a simple format. You can use the CSV format for simple content ingestion based on imported source media files and their related metadata. Each entry is added from a single line in the CSV file. Each line includes a path to a media file that will be uploaded and each uploaded media file creates an entry. We recommend a maximum of 500 lines/uploaded media files included within one CSV file.

The XML Bulk Upload file is based on Kaltura's MRSS format schema for content ingestion. The XML format enables bulk ingestion of complex video or audio packages.

Complex packages may include:

- Multiple bit-rate Transcoding Flavors already transcoded by a local transcoder
- Multiple thumbnails
- Related metadata and publishing options

What is Bulk Upload?

Bulk Upload enables you to ingest multiple entries and files to the Kaltura server in a single action using a single file. The greatest benefit for bulking uploads is:

- Importing multiple files in one action thus automating the ingestion process.
- Ingesting large files which you cannot upload from the desktop via the KMC (larger than 2GB).
- Populating metadata fields with no need to enter them from the KMC.

Bulk upload streamlines publishing, providing the basis for automated bulk ingestion of files and metadata and overcomes browser and client upload limitations allowing for larger file size ingestion.

There are two methods to upload bulk content: the simple method where you use a CSV file (Comma Separated Value) and the advanced method where you use an XML file, which has many extensive bulk upload features. You can customize the structure to the metadata and elements that are part of your account specific workflow. Using the XML file bulk upload is the recommended method due to its structured hierarchy, allowing for nested objects and metadata and is easily extended.

For information on how to download bulk file samples see [Downloading Bulk File Samples](#).

Entries XML Bulk Upload

XML Bulk Upload supports full CRUD (Create, Read, Update, and Delete) operations, allowing for ingestion of entries, updates to existing entries, and deletion of bulk entries using an XML format. XML Bulk Upload is the recommended bulk upload option.

In addition, XML supports a hierarchical structure while CSV does not. You can define a complete content package using the XML Bulk Upload feature that includes the video source file, its metadata, its custom metadata profiles, distribution profiles, set of transcoding flavors (for cases when you are using your own transcoders), thumbnails and other additional relevant data.

The advantages of using XML Bulk Upload are:

- Simplified integration with other systems (for example, migrating media files including their complete metadata from one server to another).
- A streamlined ingestion mechanism, by using XML it is easy to create automated processes to ingest content.
- More comprehensive ingestion models that allow you to manipulate all of the media entry object attributes and their related objects (such as flavors, custom metadata, access control and distribution profiles, etc.).

The full sets of features supported by the XML Bulk Upload are described in the [XSD](#) (the XML template).

An example XML file can be found [here](#) (or downloaded from the KMC Upload tab).

The bulk upload status is monitored through the Bulk Upload Log, see [Tracking Your Uploads](#). A log file and a copy of the CSV file are made available for troubleshooting or for historical records of uploaded content.

Whether you are a medium sized video publisher or if you're a media giant, you should consider the Bulk Upload option.

Submit Bulk Options

Kaltura provides bulk services and CSV formatted schemas for enabling automatic setup and on-going updates for end-user's details and content entitlement settings. Bulk services can be used to streamline the setup and administration of Kaltura MediaSpace™ based media portals, and may also be used for convenient submission of bulk operations on the following entities.

There are four types of CSV files available:

- Entries CSV – use to upload multiple entries.
- Categories CSV – use to create, update or delete a large amount of categories. See [Categories CSV](#) for more information.
- End Users CSV – use to upload multiple end-user account. See [End Users CSV](#) for more information.
- End-User Entitlements CSV – use to set, update or delete specific end-user permissions to categories. End-user entitlements can be set to multiple categories through a single CSV file. See [End User Entitlements CSV](#) for more information.

Although CSV bulk uploads are less structured and have fewer features than the XML bulk upload, CSV bulk upload is easy to use for simply ingesting video files and their related metadata.

CSV files are easy to edit using Microsoft Excel, Google Docs or similar spread sheet applications.


To specify the fields and their order in the CSV file, the first line in the CSV file should start with an '*' (asterisk sign) followed by the list of field names, separated by a commas. Lines with '#' (hash sign) will not be processed, as these are essentially comment lines.

Each line after the fields definition line (which starts with an '*' sign) represents an entry to be ingested and should include the values of every field. Every line is a new entry. All entry fields are processed according to the definition line and according to the order of the fields.

A full list of fields and example CSV file can be downloaded from the KMC Upload tab. See [Downloading Bulk File Samples](#).

To submit a CSV or XML file

1. Select the Upload tab.
2. Select the type of CSV/XML file from one of the following,



or click Download/Submit CSV/XML in the Dashboard.

3. Click Open.
A message stating that your import request has been submitted is displayed.

To track bulk uploads

- See [Tracking Your Uploads](#).

Downloading Bulk File Samples

To download a sample bulk file

1. Select the Dashboard tab.
2. In the Upload Content section click Submit CSV/XML Samples.
or
1. Select the Upload tab.
2. Click Select CSV/XML Samples.

The samples include specific format descriptions and guidelines.

Automated Content Ingestion via a Drop Folder

You can add your media and metadata to a drop folder (on-premise or on the Kaltura servers) and the Kaltura system will activate an ingestion workflow tailored to your needs.

You can also upload metadata only and deliver media directly from your CDN, or on-premise storage.

Using a Drop Folder


The Kaltura Drop Folders are used to automate the ingestion of content into the Kaltura platform. The Drop Folder service constantly watches each drop folder for new content, and activates automatic ingestion of new content to the specific account.

Kaltura offers multiple configuration options for setting each drop folder to a specific workflow. To learn more read about Drop Folders see [Kaltura Drop Folder Service for Content Ingestion](#).

Drop Folder Control Panel

This section applies only after the Kaltura Drop Folder service is set up.

In the KMC Content tab, publisher administrators can use a control panel to monitor and troubleshoot media files in drop folders. Access to the Drop Folders control panel can be granted to specific administrators through the administrator's user role definition.



The Drop Folders control panel includes the status of each file in the drop folder, and an option to filter the file display for a specific drop folder, status and creation date range.

An additional option to manually delete files from the drop folder can be granted separately only to authorized administrators.

Drop Folders Table

The Drop Folders Files table in the Drop Folder Control page lists all media and/or XML files currently available in the account's drop folders. Current details of each file are available within the table. In the filter bar on the left side of the page, you can filter the files by:

- Search criteria
- Drop folder
- File creation date
- Drop folder status

If you need to delete files from the drop folder, click Delete.

Drop Folder Statuses

The following statuses describe the different stages and possible error cases that may apply to a specific file in the drop folder:

- **Parsed from XML** – A reference to the media file was parsed from the XML. The media file is expected but is not yet available in the drop folder.
- **Uploading** – File is currently uploading to the drop folder.
- **Pending** – File upload is completed - Waiting for drop folder processing to start.
- **Waiting for Related Files (Formerly “Matched”)** – Processing of this file should continue when all related files are available in the drop folder (for example, XML file, other media files referenced in the same XML, or other flavors expected for the same entry).
- **Waiting for Matched Entry (Formerly “Not Matched”)** – Processing of this file should continue when a matched entry is found (applicable only in specific drop folder workflows settings)

- **Processing** - Drop folder engine is currently processing this file.
- **Downloading** - The file is currently importing from the drop folder to Kaltura.(applicable only in drop folders hosted on-premise by customers)
- **Done** – Drop folder processing was completed for this file.
- **Error** – Drop folder engine processing failed.
- **Download Failed** - Failed to import the file from the drop folder to Kaltura. .(applicable only in drop folders hosted on-premise by customers)
- **Delete Failed** - Failed to delete the file from the drop folder.

Commercial users, please contact your account manager to enable this feature in your account.

The Dashboard Tab

You can upload data, video, audio or photo files through the Dashboard.

To upload media files from your desktop

1. Click Upload from Desktop in the Dashboard.
2. Select the files to upload and click Open.
3. Select the Transcoding Profile. See [Editing and Creating Transcoding Profiles](#).
4. Select the Media Type and click Upload.

Uploading Content Using the Content Tab

You can upload data through the Content tab. You can add video or audio media to an entry you prepared (when the entry status is No Media, add new transcoding flavors, add metadata, or replace content information. See [The Flavors Tab](#).

Tracking Your Uploads

You can track the upload processing in the Content tab.

Your Uploads

The Your Uploads table lists all the in-progress and pending upload tasks. The list only shows media file uploads from the desktop that you performed during the current KMC session.

For each uploaded file, you can view details such as:

- File name
- File size
- ID of the Kaltura entry that this file is added to

You can use the table to:

- Track the progress of each upload task.
- Reorder upload tasks that are waiting to be processed.
- Retry failed tasks.

Uploading and Ingestion


Since file uploads are controlled by the KMC web application, closing or refreshing the browser page terminates all upload tasks that currently are in progress.

To track the upload progress from your desktop


1. Click the Content tab.

The Upload Control feature, located on the upper right of the screen, indicates the number of uploads in progress.

2. Click **Upload Control**.



The Your Uploads window is display the file uploads and additional information.



Bulk Upload Log

The Bulk Upload Log table shows the completed and in-progress bulk upload jobs for your KMC account. You can:


- View information related to each bulk upload job.
- Download original bulk upload files.
- Download a results log file of each bulk upload job.

To track the Bulk Upload progress from your desktop

You can display completed and in-progress bulk upload jobs. (optional)

1. Click the Content tab.

Click **Bulk Upload Log**.



The Bulk Upload Log is displayed.

The screenshot displays the Kaltura Bulk Upload Log interface. At the top, there is a navigation bar with tabs for 'Entries', 'Moderation', 'Playlists', 'Syndication', and 'Categories'. The 'Bulk Upload Log' page is active, showing a sidebar with filters and a main table. The sidebar includes a 'Created Between' date range selector, a 'Clear Data' button, and a list of checkboxes for 'Uploaded Items' (checked), 'Entries', 'Categories', 'End-User Entitlements', 'End-Users', 'All Statuses' (checked), 'Finished Successfully', 'Finished with Errors', 'Failed', and 'All other statuses'. The main table has columns: 'Type', 'Uploaded Items', 'Original File Name', 'Uploaded By', 'Uploaded On', 'Number of Items', 'Status', 'Notification', and 'Action'. The table is currently empty.

You can track the bulk jobs as well as download bulk job related files (original CSV and log files).

To download bulk job related files

1. Click the Content tab and select the Entries tab.
The Upload Control feature, located on the upper right of the screen, indicates the number of uploads in progress.
2. Click **Upload Control** to display the file uploads and to view additional information.
3. Click **Bulk Upload Log**.
4. In the Actions column select **Download Log File** or **Download Original CSV/XML**.

After the upload process is complete, media is managed through the **Content** tab.

Transcoding and Processing

When a video is uploaded to the KMC, the video is associated with a conversion profile, also known as a Transcoding Profile. A Transcoding Profile may be comprised of a single flavor or multiple flavors. For each upload session, you should select the Transcoding Profile. You can also set a default Transcoding Profile.

A transcode is made from taking an encoded piece of video and converting it into one or more newly compressed streams that can then be played in a player on a computer or mobile device depending on the settings and methods used. The main purpose of the reconversion is to create a match for the required target platforms and distribution methods,

Kaltura flavors represent the required renditions of the source file with distinct codecs, frame sizes and bitrates. You can select to generate or add multiple flavors to an entry, including flavors geared towards displaying media on mobile devices (low bandwidth, small screens, and/or HTML5 supporting devices). An asset is a single output file with its specific file type, video/audio codecs, bit-rate, GOP size, that may be used for playback, download or editing.

The Kaltura platform supports ingestion of all forms of rich media (including video, images, audio, PDF, an others), and allows you to define different transcoding profiles, depending on your publishing needs.

Additional transcoding flavors can easily be added for publishing across different devices, network bandwidths and screen sizes. Kaltura's transcoding decision layer engine supports more than 60 video and image formats as well as 140 video and audio codecs.

When you upload content you determine what type of flavors you want to associate with your output.

There are three transcoding profiles that are automatically created for new accounts:

- **Default** - the flavors included in the default transcoding profile of the account. These flavors appear in the main Transcoding Settings page.
- **Source Only** - uploads the source file, but does not transcode it; the source is the original file uploaded as is. Other flavors will not be created.
- **All Flavors** - transcodes uploaded files into all of the flavors defined in the main Transcoding Settings page. See [Transcoding Settings Page](#).

Converting Videos into Multiple Flavors (Optimized Output Files)

Kaltura's player provides optimal playback by using adaptive bitrate technology that automatically selects the most appropriate flavor asset for playback, based on the viewer's specific connection and other parameters.

Getting content onto the platform is the first step and transcoding processing is part of the upload session. For a quick and simple upload, use the default flavors that are provided and that can be enabled/disabled from the transcoding profile you want to use.



To display the default flavors for transcoding your content

- Select the Settings tab and then select Transcoding Settings.

The Default Transcoding Flavors window is displayed which contains the flavor selection of the Default Transcoding profile.

Each file uploaded to the system is transcoded into the flavors that are checked.

Default Transcoding Flavors

Kaltura's player provides optimal playback by using adaptive bitrate technology and automatically selecting the most appropriate file for playback based on the viewer's specific connection and other parameters. Each video or audio file uploaded to the system will be transcoded to the default flavors selected below.

ID	Conversion Flavor	Description	Format	Codec	Bitrate(kbps)	Dimensions
<input checked="" type="checkbox"/>	0 Source	Maintains the original format and settings of the file - duplicate of the source file			0	[auto] x [auto]
<input checked="" type="checkbox"/>	1 HD	High Definition	flv	vp6	4192	[auto] x 1080
<input checked="" type="checkbox"/>	2 High - Large	High web quality, large frame	flv	vp6	2628	[auto] x 720
<input checked="" type="checkbox"/>	3 Standard - Large	Standard web quality, large frame	flv	vp6	1446	[auto] x 720
<input checked="" type="checkbox"/>	4 Standard - Small	Standard web quality, small frame	flv	vp6	846	[auto] x 352
<input checked="" type="checkbox"/>	5 Basic - Small	Basic web quality, small frame. To be used for low resource environments.	flv	vp6	496	[auto] x 352
<input type="checkbox"/>	6 HQ MP4 for Export	MP4 format, to be used for download or syndication	mp4	h264	2628	[auto] x 720
<input type="checkbox"/>	7 Editable	Good web quality, to be used for editable content	flv	vp6	764	[auto] x 480
<input type="checkbox"/>	301951 Mobile (H264) - Basic	iPhone,android	mp4	h264b	464	480 x [auto]
<input type="checkbox"/>	301961 Mobile (H264) - Standard	Mobile (H264) - Standard	mp4	h264b	864	480 x [auto]
<input type="checkbox"/>	301971 iPad	iPad	mp4	h264m	1628	1024 x [auto]
<input type="checkbox"/>	301991 Mobile (3GP)	Nokia/Blackberry	3gp	mpeg4	864	480 x [auto]

[Switch to Advanced Mode](#) Save Changes

Editing and Creating Transcoding Profiles

To edit a Transcoding Profile

1. Select the Settings tab and then select Transcoding Settings.
The Default Transcoding Flavors window is displayed showing the flavors you selected for the Default Transcoding profile.
2. On the lower left corner, click Switch to Advanced Mode.

Transcoding and Processing

Default Transcoding Flavors

Kaltura's player provides optimal playback by using adaptive bitrate technology and automatically selecting the most appropriate file for playback based on the viewer's specific connection and other parameters. Each video or audio file uploaded to the system will be transcoded to the default flavors selected below.

ID	Conversion Flavor	Description	Format	Codec	Bitrate(kbps)	Dimensions
<input checked="" type="checkbox"/>	0 Source	Maintains the original format and settings of the file - duplicate of the source file			0	[auto] x [auto]
<input checked="" type="checkbox"/>	1 HD	High Definition	flv	vp6	4192	[auto] x 1080
<input checked="" type="checkbox"/>	2 High - Large	High web quality, large frame	flv	vp6	2620	[auto] x 720
<input checked="" type="checkbox"/>	3 Standard - Large	Standard web quality, large frame	flv	vp6	1446	[auto] x 720
<input checked="" type="checkbox"/>	4 Standard - Small	Standard web quality, small frame	flv	vp6	646	[auto] x 352
<input checked="" type="checkbox"/>	5 Basic - Small	Basic web quality, small frame. To be used for low resource environments.	flv	vp6	496	[auto] x 352
<input type="checkbox"/>	6 HQ MP4 for Export	MP4 format, to be used for download or syndication	mp4	h264	2620	[auto] x 720
<input type="checkbox"/>	7 Editable	Good web quality, to be used for editable content	flv	vp6	764	[auto] x 480
<input type="checkbox"/>	301951 Mobile (H264) - Basic	iPhone, android	mp4	h264b	464	480 x [auto]
<input type="checkbox"/>	301961 Mobile (H264) - Standard	Mobile (H264) - Standard	mp4	h264b	864	480 x [auto]
<input type="checkbox"/>	301971 iPad	iPad	mp4	h264m	1620	1024 x [auto]
<input type="checkbox"/>	301991 Mobile (3GP)	Nokia/Blackberry	3gp	mpeg4	864	480 x [auto]

Switch to Advanced Mode Save Changes

The Transcoding Profiles window is displayed.

Transcoding Profiles


In advanced mode, you can define additional transcoding profiles, each containing a different set of transcoding flavors.

ID	Name	Description	Flavors Included	Actions
<input type="checkbox"/>	4721	Default	The default set of flavors. If no Source_Basic - Small, Editable, Standard - Small (H264), Standard - Large (H264), High - Large (H264), HD (H264)	

Delete 1 1-1 of 1 Show rows: 10 Add New Profile

Switch to Simple Mode

- Click a Transcoding Profile (Name) to edit or click Delete to remove a transcoding profile.



4. Use the checkbox to select flavors to add or remove.
5. Enter the Default Metadata Settings Entry ID (Optional). This feature is useful if you want to set default metadata settings such as tags/categories to files you ingest. See [Upload a Media File and Set Its Metadata](#). If your account is used and configured to ingest content from Remote Storage- select the remote storage name from the menu (Optional).
6. Click Save Changes.

Adding a Transcoding Profile

To create a Transcoding Profile

1. Select the Settings tab and then select Transcoding Settings.
2. On the lower left corner, click Switch to Advanced Mode.
3. Click Add Profile.

Add New Transcoding Profile

*Name: New Transcoding profile

Description: Profile Contains All Flavors

*Flavors:

	ID	Conversion Flav	Description	Format	Codec	Bitrate(kbps)	Dimensions
<input checked="" type="checkbox"/>	0	Source	Maintains the origin			0	[auto] x [auto]
<input checked="" type="checkbox"/>	1	HD	High Definition	flv	vp6	4192	[auto] x 1080
<input checked="" type="checkbox"/>	2	High - Large	High web quality, le	flv	vp6	2628	[auto] x 720
<input checked="" type="checkbox"/>	3	Standard - Large	Standard web qua	flv	vp6	1446	[auto] x 720
<input checked="" type="checkbox"/>	4	Standard - Small	Standard web qua	flv	vp6	846	[auto] x 352
<input checked="" type="checkbox"/>	5	Basic - Small	Basic web quality,	flv	vp6	496	[auto] x 352

Default Metadata Settings: Entry ID

Ingest from Remote Storage: N/A

Create New

The Add New Transcoding Profile window is displayed. You can view the available transcoding flavors, or add new Transcoding Profiles and create profiles for different use cases.

4. Enter a Name and Description for the Transcoding Profile.
5. Select the flavors out of the available flavors on your account, to apply to the source video you upload.

The flavors you select become active.

6. Edit the flavor's options. (Optional). Click an active flavor name to open the flavor settings in this Transcoding Profile.
7. For extra fast publishing, set the Impact On Entry Readiness field to Required, for the minimum set of flavors and the rest of the flavors to Optional.(optional)

Use this option to publish your content even faster. See [Quick Publishing](#) .

8. Enter the Entry ID for the Default Metadata Settings. (optional) See [Uploading Content and Setting Metadata](#).

The entry's metadata fields are added to the transcoding profile. Each new entry that is transcoded using the profile will include those metadata fields. (You can create a "Metadata template".) You can use The Metadata entries as "metadata templates" for adding metadata to multiple files. See [Useful Tips for Working with Transcoding Profiles](#).

9. Select the Remote storage name, for linking new entries to media assets located on your CDN or remote storage, if applicable, to your workflow. Otherwise this feature is disabled with a N/A indication. See [Link to Remote Storage](#).
10. Click Create New to create the profile or Save changes if you are editing the profile.

Quick Publishing

A popular requirement for news websites and video publishers is to publish videos as quickly as possible. Kaltura allows you to control video asset readiness speed by allowing you to configure the ingestion process to your needs.

By default, a video entry is not at the 'Ready' status (for publishing) until all of the required flavors (by default the required set of flavors is the minimal set of flavors required for web playback) are created. If

many flavors are included in the transcoding profile, the conversion process may take many minutes, which is often not fast enough for breaking news videos.

You can configure whether a certain flavor's readiness is required or not, so that you can publish your content quickly.

For example, assuming the source flavor is a web-playable entry created using h264 for web and mobile. You can configure h264 as the required flavor, while all other flavors are optional. The entry will receive the "Ready" state for publishing immediately after the upload is complete. The other flavors will then be processed and added to the entry in the background subsequently, after a short processing period. Failure of a required flavor causes failure for the entire entry.

See <http://blog.kaltura.org/extra-fast-publishing> for more information.



NOTE: The same flavor may have different settings in a different transcoding profile, which allows for greater publishing flexibility).

Editing Options for Flavors in a Transcoding Profile

The following options may be edited for each transcoding flavor selected in a Transcoding Profile:

- **Impact on Entry Readiness** –Determines the impact of each specific transcoding flavor on entry readiness for publishing. See [Quick Publishing](#). The options are:
 - **Required** – The entry will not be set to a Ready state until the processing of the specific transcoding flavor is complete. To expedite video readiness we recommend applying the 'Required' setting to a single flavor that is required for playback on each required environment. For example, if the source file is an MOV that cannot be played on the web, flagging only one lowest quality FLV or MP4 flavor as 'Required' will ensure the video will be published as quickly as possible while the other flavors are being prepared.
 - **Optional** – The entry may be set to a Ready state before the processing of the specific transcoding flavor is complete. When no other Transcoding Flavor within the Transcoding Profile is set as required, completion of the processing of any Optional flavor sets the entry to the Ready state. We recommend using this option for most flavors to increase speed of readiness.
 - **No Impact** – Determining entry readiness is not affected by the presence of this transcoding flavor. This is usually the default setting for the "Source" transcoding flavor.
- **Use Kaltura Transcoding** – Determines whether to use the Kaltura transcoding engine for generating each specific transcoding flavor. This option is enabled only when your account is set to support the ingestion of multiple bit-rate transcoding flavors generated by your local transcoder. If Kaltura performs transcoding of all flavors except the 'source' file, this option should be set to **Always**. The options are:
 - **Always** – Kaltura's transcoding engine always is used for generating the specific Transcoding Flavor.
 - **Never** – The Kaltura transcoding engine will not generate the specific transcoding flavor. This is a fixed setting for the "Source Flavor" which always is added to the entry with no additional processing. This option should also be used when your account's content ingestion workflow relies on a local transcoding engine and when the ingestion of the previously transcoded Flavor to Kaltura should always take place, bypassing Kaltura's conversion processing.
 - **As a Fall-back** – The system expects to add this transcoding flavor from a local transcoding engine, but will use Kaltura's transcoding engine as a fall-back to convert to this flavor when the flavor is not received as part of the ingestion request. This option adds flexibility when you

want to use your local transcoding engine while utilizing Kaltura's transcoding engine as a fall-back option.

- **System Name (Optional)** – The system name is used to identify the flavor in client-side applications. For example, to mark a specific flavor as suitable for playback on iPad devices, the system name was set to iPad.
- **Flavor Generation Policy** – You can bypass Kaltura's transcoding optimization, and force specific flavors to be generated even when they are detected as redundant by the Kaltura transcoding optimization module. The options are:
 - Use Kaltura's Optimization - Kaltura's optimization routine decides whether it is worth-while to create a flavor (For example if the source video is of lesser quality than the flavor, the optimization routine will not create the flavor).
 - Force Flavor generation –Select this option to override the Kaltura optimization routine and create a flavor regardless of whether or not it is redundant quality wise (For example, when a publisher has to distribute the video through a broadcast channel that requires specific flavor specifications, the flavor must be created.)

Assigning a Transcoding Profile to a Bulk Upload

A default Transcoding profile is included with the KMC. After you create a Transcoding Profile, an ID is created and listed in the Transcoding Profiles page.

To assign a transcoding profile other than the default profile, to a bulk upload

- Set the ID from the Transcoding Profiles to the conversionProfileId in your CSV.
- Set the ID from the Transcoding Profiles List to the conversionProfileId in your XML file.

Useful Tips for Working with Transcoding Profiles

If you want to configure your KMC account to support automated content ingestion workflows, you can optionally add default metadata settings from an existing entry. The default entry metadata setting automatically will populate the new content when using each specific transcoding profile.


For example, you want to target two distinct audiences with your videos, the first is public facing videos and the second is internal company videos.

You can create two transcoding profiles, one for each of your target audiences, even though you might convert them to the same flavors you can use different “default metadata settings” so your public facing videos will have their specific metadata values, while the internal company videos can have different fields or data. All this is done automatically after you prepare one template entry for the process.

To use metadata settings with transcoding profiles

1. Create the template entry you want to use:
Create a “Draft” entry, using the Upload tab. See [Creating Draft Entries](#).
2. Prepare the metadata. See [Prepare a Metadata-only "Draft" Entry for Future Ingestion of Media Files](#).

For example: Template Entry for Transcoding Profile X”.



3. If you use custom metadata, edit the entry metadata fields. For example you can enter data that reflects the template data for your company, such as your “company name” field since your company name is unlikely to change.
If you do not use custom metadata, click [here](#) to learn more about it.
You next have to set the template entry on the transcoding profile.
4. Go to the Settings tab and select the Transcoding Profiles tab.
5. Select the flavors of your default transcoding profile.
6. Click Switch to Advanced Mode link at the bottom of the page.
7. Edit the transcoding profile you wish to create a template entry for, by clicking on it.
8. In the Edit Transcoding Profile window, enter the Entry ID you want to set as the template entry in the Default Metadata Settings field.

The Flavors Tab

The Flavors tab in the Edit Entry window allows you to manage the *flavors* that are available as well as replace media files and their transcoding flavors.

Edit Entry - Draft Entry
?
✕

- Metadata
- Thumbnails
- Access Control
- Scheduling
- Flavors
- Custom Data
- Distribution
- Captions
- Advertisements
- Related Files

Current state: No Transcoding Flavors available for this entry. Entry is not ready for publishing.

Add Video: Upload File/s Import File/s Link to Remote Storage Match from Drop Folder

Click the Action dropdown menu below to manage the Transcoding Flavors for this entry. Refresh

Asset ID	Transcoding Flavor	Format	Codec	Bitrate(kbps)	Dimensions	Size(KB)	Status	Action
	Source				null x null			Select Action ▼
	HD				null x 1080			Select Action ▼
	High - Large				null x 720			Select Action ▼
	Standard - Large				null x 720			Select Action ▼
	Standard - Small				null x 352			Select Action ▼
	Basic - Small				null x 352			Select Action ▼
	HQ MP4 for Export				null x 720			Select Action ▼
	Editable				null x 480			Select Action ▼
	Mobile (H264) - Basic				480 x null			Select Action ▼
	Mobile (H264) - Stand				480 x null			Select Action ▼
	iPad				1024 x null			Select Action ▼

Save
Save & Close
Previous Entry
Next Entry

Use the Flavors tab to:

- Add video or audio media to a new entry you created (when the entry status is No Media).
- Replace the media of an existing entry (when the entry status is Ready or Error).
- View the list of flavors that the system created for an entry and apply the following actions:
 - Preview or delete a flavor.
 - Download the transcoded file to your desktop.
 - Upload a file from your desktop you that transcoded on your own, to serve as a flavor for an entry.
 - Upload a file from a drop folder to set as the transcoding flavor
 - Import the flavor from a URL.
 - Convert or reconvert to transcode an entry to additional flavors.

After the transcoding process is complete, the new file replaces the old file and the original file is deleted.

When your KMC account supports direct ingestion of multiple bit-rate Transcoding Flavors, you can use the Action menu to add or replace a single Transcoding Flavor in an entry.

Add Video/Audio

The Flavors tab displays several Add Video/Audio options when an entry is not yet associated with any media that is, the entry status is No Media. See [Prepare Entry](#). For more information see [Replacing Media](#).

Upload Files

Use this option to add media to an existing entry by uploading one or more files from your desktop.

To upload content and flavors to a Draft entry

1. Click on the Draft Entry and then select the Flavors tab.
2. Click Upload File/s to open a standard desktop file selection window.
The uploaded file is treated as the source for generating the required Transcoding Flavors in Kaltura. When your KMC account supports direct ingestion of multiple bit-rate Transcoding Flavors, you can select multiple flavor files for the Transcoding Profile.
3. Select the files from your desktop, confirm your selection, and set the relevant Transcoding Flavor that the uploaded file will be transcoding by.
The Transcoding Flavor options in the menu are set from the selected Transcoding Profile and its flavor settings.
4. Click Upload to confirm your upload request.

The KMC immediately starts processing the file uploads. The uploaded file is added to the entry and flavor conversion processing starts.

Import Files

Use this option to add media to an existing entry by importing a media file from your existing web host or FTP server. The option is displayed when the entry status is No Media.

To import content and flavors to a Draft entry

1. Click on the Draft Entry and then select the Flavors tab.
2. Click Import Files to set your media file URL.
The imported media file is treated as the source for generating the required Transcoding Flavors in Kaltura. When your KMC account supports direct ingestion of multiple bit-rate Transcoding Flavors, you can set multiple URLs.
3. Set the relevant Transcoding Flavor that the imported file will be transcoded by. The Transcoding Flavor options in the menu are set from the selected Transcoding Profile and its flavor settings.
4. Click Import to confirm your import request.

Update Video ? x

Transcoding Profile: Default ▼

File URL

Import

An import request is submitted to the Kaltura server. The imported file will be added to the entry and flavor conversion processing starts.

Link to Remote Storage

Kaltura's Remote Storage and Delivery solution enables publishers to manage their video assets and account settings on Kaltura's hosted video platform while actually storing the content on their own remote network storage location, and delivering the content from the same remote location. Kaltura's remote storage and delivery capabilities are fully integrated with the platform's ingestion, transcoding and publishing workflows, and provide system flexibility for addressing publishers' specific storage and delivery needs.

You can link content to remote storage from the KMC User Interface. The Link to Remote Storage option is useful for partners that use their own transcoder and also host and deliver content on/from a remote storage (e.g. CDN storage, internal organization storage). The partner's transcoder generates the flavors. After the files are uploaded directly to the remote storage it is only necessary to indicate which flavors to link to an entry in Kaltura. The connection of the remote storage profile to the transcoding profile is used for this purpose.

Update Video
? ×

Transcoding Profile: Default ▼

Remote Storage Name: | ID:

Storage URL: | Storage Base Directory:

File Pathname

Note: When conversion by Kaltura is required, the file defined as Source will be imported to Kaltura.

Link

Contact your Kaltura account manager to learn more about how this feature can simplify your workflow, and to activate and configure remote storage on your account.

Match Files from Drop Folder

Use this option to match media to an existing entry from your account's drop folder. This option is displayed when your account is set with a drop folder configuration. For more information see [Kaltura Drop Folder Service for content Ingestion](#).

Replacing Media

You can replace media content when an entry is ready for publishing or when a media processing error occurred. The entry itself, with its current metadata, entry ID, and analytics information, remains unchanged.

All Transcoding Flavors are replaced as one unit to ensure that inconsistency errors do not occur between old and new Transcoding Flavors at any given time.


You can review the Transcoding Flavors of the new media file in a temporary entry that is available for this purpose only. After you approve media replacement, all of the entry's existing Transcoding Flavors are deleted and are replaced by the new ones.

To replace media

1. Select the **Content** tab and click on an entry.

Transcoding and Processing

2. Select the Flavors tab and click on an entry.
3. Select the replacement method.



Edit Entry - Excellent web quality video (1200kbps)


Current state: All required Transcoding Flavors are available. Entry is ready for publishing.

Replace Video:

Click the Action dropdown menu below to manage the Transcoding Flavors for this entry. [Refresh](#)

Asset ID	Transcoding Flavor	Format	Codec	Bitrate(kbps)	Dimensions	Size(KB)	Status	Action
0_0jq91m85	Source	flv			640 x 480	4710	OK	Select Action ▼
	HD				null x 1080			Select Action ▼
	High - Large				null x 720			Select Action ▼
	Standard - Large				null x 720			Select Action ▼
	Standard - Small				null x 352			Select Action ▼
	Basic - Small				null x 352			Select Action ▼
	HQ MP4 for Export				null x 720			Select Action ▼
	Editable				null x 480			Select Action ▼
	Basic - Small (H264)				null x 352			Select Action ▼
	Standard - Small (H264)				null x 352			Select Action ▼
	Standard - Large (H264)				null x 720			Select Action ▼

See [Upload Files](#), [Import Files](#), [Link to Remote Storage](#) or [Match Files from Drop Folder](#). After you trigger the action, a link to review the new Transcoding Flavors generated for the new media becomes available on the Flavors tab.



Edit Entry - kisses_NEW

Current state: All required Transcoding Flavors are available. Entry is ready for publishing. Video replacement is in process

Video Replacement Details: All current flavors will be replaced upon replacement approval. Any time based metadata may be effected as well.

Temp Entry ID: 1_cbeasng3 | Status: Processing - [Click here to review](#) | /

Click the Action dropdown menu below to manage the Transcoding Flavors for this entry. [Refresh](#)


4. Click on Processing - Click here to review to see the transcoding process.

Edit Entry - Excellent web quality video (1200kbps) (Media Replacement)

Flavors

Current state: Transcoding Flavors are currently being processed. Entry will be ready in a few minutes.

Click the Action dropdown menu below to manage the Transcoding Flavors for this entry. [Refresh](#)

Asset ID	Transcoding Flavor	Format	Codec	Bitrate(kbps)	Dimensions	Size(KB)	Status	Action
0_1fqijje	Source	avi	mp42	1329	720 x 1280	17612	OK	Select Action ▼
0_9glm1gm8	Basic - Small	flv	h.263	510	192 x 352	6748	OK	Select Action ▼
0_ycw0dg2u	Editable	flv	h.263	788	256 x 480	10444	OK	Select Action ▼
0_18vguxu2	Standard - Small (H26	mp4			null x null	0	Conver	
0_c86cg78u	HD (H264)	mp4			null x null	0	N/A	Select Action ▼
0_npjo1hl0	High - Large (H264)	mp4			null x null	0	N/A	Select Action ▼
0_6lr8o9xr	Standard - Large (H26	mp4			null x null	0	N/A	Select Action ▼
	HD				null x 1080			Select Action ▼
	High - Large				null x 720			Select Action ▼
	Standard - Large				null x 720			Select Action ▼
	Standard - Small				null x 352			Select Action ▼
	HQ MP4 for Export				null x 720			Select Action ▼

- Click Approve Replacement. All current flavors are replaced when you approve the replacement or click Cancel Replacement to cancel your actions.

When you trim an entry, you trigger a similar process that replaces existing flavors with the trimmed version.

Supported Source Formats

The following source formats are supported and may be ingested by the Kaltura platform:

FLV/F4V, MOV/MP4/QT/M4V, AVI, 3GP, ASF/WMV, MPG/M1V/M2V/MPEG-TS, MKV, Ogg, RM, WEBM

Additional formats may be supported as well but have not been verified.

Supported Source Codecs

The following codecs are supported (Additional codecs may be supported as well but have not been verified):

Input Video Codecs

Dvix (Div3/4/5)/DX50, DV, H263, H264/AVC, MPEG-4 Visual, MPEG-1/2, MJPG, MP42/3, IV40/50 (Indeo codecs), RV30/40, RMVB, FLV1/4, VP3/5/6/7/8, SVQ1/3 (Sorenson), XVID, Theora, WMV1/2/3, VC1, VP8, ProRes 422, ICOD, DVCPRO. PXL

Input Audio Codecs

MP3, MP1/2, AC3, AAC, Vorbis, AMR, PCM, WMA7/8/9, WMSpeech, FLAC, QDM2, RA, Nellymoser,

Cook, GSM, SPEEX.

Target Formats/Codecs

The following target formats and codecs are supported– i.e. formats and codecs that can be managed and/or displayed using the Kaltura platform:

Target Formats

FLV, MP4, AVI, 3GP, OGG, MKV, WMV, Silverlight Smooth Streaming, WEBM, MPEG, MPEG TS

Target Video Codecs

H264, H263/FLV1, Theora, MPEG-4 Visual, WMV1/2, VC1, VP6, VP8, MPEG-2

Target Audio Codecs

MP3, AAC, Vorbis, WMA/Pro, AMR NB, AC3

Delivery-specific Formats

In addition to Progressive Download and RTMP delivery methods, Kaltura supports RTSP streaming (for Blackberry devices), Akamai HD Network and Apple HTTP Live Streaming as well. Akamai HD Network and Apple HTTP Live Streaming require specially adapted target formats, which Kaltura supports as well.

Creating and Customizing Playlists and Players

This chapter describes how to create and customize playlist and players.

What is a Playlist?

A playlist is a list of media items (videos, audios, images) that can be embedded with a player in your website. Playlists can serve as the basis for RSS feeds, content feeds to over the top devices or integrations such as Roku, Boxee. See [Content Syndication](#).

Playlists Tab

There are two types of playlists available in the KMC:

- Manual
- Rule Based

Manual playlists allow you to select a static list of items, while Rule based playlists are dynamic, and automatically update based on what's currently available in your media library and what rules define the playlist. After you've created your playlist, you can assign a playlist to a player. See [Designing and Configuring a Player](#).


A manual playlist can have a maximum of 150 entries. A rule based playlist may have a maximum of 50 entries, however, when the playlist is used in a syndication feed the limitation is 10,000 entries.

Creating a Manual Playlist


To create a manual playlist, you manually select a group of videos to be played in the desired order. The order in which videos are played can be changed in manual playlists at any time, by using the up down arrows to set the video to the desired location within the playlist.

To create/add a manual playlist


1. Select the Content tab and then select the Playlists tab.
2. Select Add Manual Playlist.



3. Enter an informative **Name** for your playlist.
4. Use the Filters to search for entries you want to include. See [Locating Files – Content Search](#). The results are displayed in the Entries Table.



5. Add entries to your playlist by moving the desired entries from the Entries Table to the Playlist Entries. Use the horizontal arrows.
6. Set the order of the entries using the vertical arrows.
Highlight the entry and then use the up down arrows to place the entries in their appropriate order. Clicking on the entry will open it for editing.
7. Click **Save** to complete the process.



Creating a Rule Based Playlist

A rule based playlist is a dynamic playlist that is automatically updated when content is uploaded or edited. To create a rule based playlist, you create a rule that selects the videos to include in the playlist. The rules may be based on the tags assigned to the videos, or you can create rules for ordering the videos and for the maximum number of videos to include. For example, you can create a “Most Viewed” playlist, a “Most Recent” playlist, as well as a playlist based on single or multiple filters, such as “videos tagged with “dogs” and created during January 2010”.

As you upload videos that match the rule, they are automatically added to the playlist.

Defining a Rule

You can define a rule that will result in your playlist content. You can use any number of filters: you can define a list of clips that all have the same tag (for example, if you enter the term "dog" into the search box and click search, a new rule-based playlist is created for all the clips that have the "dog" tag). This list will dynamically change each time a clip is added or deleted to/from your account.

For example, you can define a rule-based playlist that consists of all the 0-4 minute video clips that were created in the past week. In addition to filtering, at the bottom of the window, you can define a preferred order for your playlist. You can order it by Most Viewed (overall, last week or last 24 hours) or Most Recent (for example, most recently added to the KMC).

If, for example, you would like to create a dynamic playlist that at any given moment consists of the most viewed clips in the last week, all you need to do is create a new filter and select the "Most Viewed 7 Days" option from the "Order by" drop-down menu.

On the bottom of the playlist you can see the number of entries in the playlist and their total length. You can automatically limit the number of entries that are included in the playlist by adjusting the counter positioned to the right of the "Order by" drop-down menu.

Your playlist can be based on a single rule or multiple rules. If you want to apply more than one rule to

your playlist, click the "Switch to Advanced Mode" link at the bottom of the window. Note that this will clear all previous information that you have saved in your playlist.

To create/add a single rule playlist

1. Select the Content tab and then select the Playlists tab.
2. Select Add Rules Based Playlist.
3. Enter an informative Name for your playlist (required).
4. Using the Filters, search for the entries you would like to include.

The results are displayed in the Entries Table.

You can choose more than one type of filter (for instance, text search + date + media type), the logical relationship between fields will be an "AND" relationship.

5. Select your preferred video order from the Order By drop-down menu.
6. Select the total number of entries you would like to include in the playlist via the Limit Playlist result box.
7. Click Save Changes to complete the process.

My new playlist 2
?
×

Name:

Description:

Filters

Animals

Additional Filters

Created between:

-

[Clear Dates](#)

All Media Types

Video

Image

Audio

Video Mix

Categories

Playlist Entries

Name	Type	Plays	Duration
Big Buck Bunny		0	09:56
Car racing 3 (H2		1	03:49
Trailer 3 (H264)		0	02:21
dartmoor		0	02:13
Elephants Dream		0	10:58
Big Buck Bunny		0	00:33
Companies to w		0	02:30

Entries: 20 Duration: 01:21:18

Order by **Most Recent** Limit Playlist Result

[Switch to Advanced Mode](#)

Multiple Rules Based Playlist - Advanced Mode

Use the Advanced Mode to create playlists based on multiple rules.

New Rule Based Playlist ? x

***Name:**

Description:

Filters

Search Entries

Additional Filters

Movies

Test_my_girls

My boys

Distribution

Categories

- All (30)
- Aquarium (1)
- children kids (2)
- examples (9)
- example1 (9)

Playlist Entries

Name	Type	Plays	Duration
boys shoes NEW		10	00:52
Girls swinging NEW		3	00:54
My test-webcam video		1	00:11
zoe beach		0	00:00
my cuties		0	00:00
The Biggest Runner!		0	00:33
Titanic in 5 Seconds		0	00:11

Entries: 20 Duration: 10:54

Order by Most Played Limit Playlist Result 20

[Switch to Advanced Mode](#)

To create/add a multiple rules based playlist

1. Select the Content tab and then select the Playlists tab.
2. Select Add Rules Based Playlist.
3. Click Switch to Advanced Mode.
4. Enter a Name for your playlist (required).
5. Click Add Rule to create a new playlist rule. (See [Creating a Rules Based Playlist](#) to learn about creating rules.)

New Rule Based Playlist

*Name:

Description:

Type	Order by	Limit

Length Entries Count 0

6. Add additional rules.
7. Use the Remove Rule and Edit Rule buttons to make changes to your list of rules.

My new playlist 2
?
×

Name:

Description:

Type	Order by	Limit
Media Type VideoVideo MixAudioImage	Most Viewed	20
Media Type VideoVideo MixAudioImage	Highest Rated	33
Media Type VideoVideo MixAudioImage	Most Recent	15

Add Rule
Remove Rule
Edit Rule

↑

↓

Length 01:16:23
Entries Count 17

Save

Rules are applied to the playlist in the order they appear. Use the arrows to change the order of the rules.

Additional Playlist Configuration

Other actions that you may apply to playlists include:

- [Creating Multi-tab Playlists](#)
- [Deleting a Playlist](#)
- [Removing Videos from a Playlist](#)
- [Customizing Additional Features for Playlists](#)

Creating a Player with Multi-tab Playlists


A Multi-tab Playlist contains multiple tabs, each containing a different playlist.

To create a multi-tab playlist

1. Select the Studio Tab and then select New Player – Multiple Horizontal Playlist or Multiple Vertical Playlist.
The **Basics** tab is displayed.
2. Design and configure your playlist. See [Designing and Configuring a New Player or Playlist](#).
3. Select the Content tab and add pre-existing playlists to your new Multiple Playlist.

Use the arrows to select from the list of All playlists and move them to the Playlist tabs list.

4. Save Changes to complete the process.



The players will appear in the Multiplayer List. Each playlist is displayed in a new tab.

Deleting a Playlist

To delete a playlist

1. Go to the Content tab and then select the Playlists tab.
2. Select the playlist in the workspace and click Delete.

Removing Videos from a Playlist

To remove videos from a manual playlist:

1. Go to the Content tab and then select the Playlists tab
2. Select the playlist.
3. Select one or more videos from the Playlist Entries and use the horizontal arrows to move them to the Entries table.

Removing a video from a playlist does not delete it from your content library.

You cannot remove a video from a rules based playlist directly. Instead, you can:

- Modify the tags of the video so that the video no longer has any of the rules based playlist's tags.
- Modify the tags of the playlist so that they no longer include any of the video's tags.
- Delete the video.

Customizing Additional Features for Playlists

When creating a player (either with one or multiple tabs) you will see additional configuration options under the Playlist Items section. Various types of information for each of the playlist items, such as number of plays, tags, rank etc. are displayed.

Use options in the Features section to customize the player's design.


Designing and Configuring a Player

Use the Studio tab to create configurations and design players and playlists. You can add, remove and adjust multiple buttons and features, and create a look to match your site. A playlist is a collection of videos that are grouped together in a particular order for playback in the Kaltura Player. After you've created your playlist, you can assign your playlist to a player.

Player List

The Studio tab displays the list of the players defined in the system. The default players that are included within the system, as well as players defined and created by administrators via the KMC are displayed. A default playlist is automatically created for a new player based on the most played entries for the Partner ID.

The Studio contains the following templates of players:



A studio template is a collection of features of a specific Kaltura Player configuration. The template is actually a collection of the player uiConf and another .xml file called features.xml. For more information, see [here](#).



Workflow:

1. [Select the Type of Player.](#)
2. [Configure the Player Basics Settings](#)
3. [Configure the Player Features.](#)
4. [Configure the Player Style.](#)

Select the Type of Player

 **To create a player**

1. Select the Studio tab.
2. Select the type of player to create.
The Create New Player window is displayed.

Configuring the Player Basics Settings

 **To configure the player's Basics settings**

1. Select the Basics tab and enter an informative Player Name (required).
2. Set the Video Ratio – select to keep or stretch your media to fit the player when the media and player aspect ratios are different.
3. Select Auto-play features.
4. Select the Playlist's [controls](#).

If you are creating a Player and a Playlist you will also see the Playlist Controls. Check Automatically continue to the next entry, to play the playlist media consecutively.

For playlists with images, set the duration for images to be displayed during the continuous play of the playlist.


Playlist controls do not apply to the 508 Player.

Editing a Player

The changes you make to an existing player will propagate to all sites where the player has been embedded, including syndicated players on other sites.

 **To edit a player**

1. Select the Studio tab.
2. Click on the relevant player in the Player List.
Players created manually through Kaltura's professional services cannot be edited in this area.
3. Select Edit from the Select Action drop down.




The player configuration Features tab is displayed. See [Player Control Options](#).

4. Check the control options for the player and then Save Changes.

Adding Content to a Player

To add content to a player

1. Select the Studio tab.
2. Highlight the relevant player in the Player List and select Select Content from the Select Action drop down.




The Entries table from the Content tab is displayed.

3. Select an Entry. You can preview the entry using the player you started off with.
4. Click Preview and Embed and then grab the embed code and copy it to publish the player to your site.
5. Click Save and Close.

Duplicating a Player

To duplicate a player

1. Select the Studio tab.
2. Click on the relevant player in the Player List.
Players created manually through Kaltura's professional services cannot be edited in this area.
3. Select Duplicate from the Select Action drop down.



The player configuration Features tab is displayed. See [Player Control Options](#).


4. Check the control options for the player and then Save Changes.

Deleting a Player

Deleting a player eliminates it from all the locations where the player has been previously embedded. For example, if you have embedded a player using this design on your site or an external site, after you delete it from the Player List, the player will no longer appear and a blank area is displayed on the website.

To delete a player

1. Select the Studio tab.
2. Click on the relevant player in the Player List.
3. Select Delete from the Select Action drop down.




508-Compliant Video Player

The 508 compliant video player includes functionality and interface design that support federal accessibility requirements as outlined in the Voluntary Product Accessibility Template. Please note that the 508 compliant player has limited functionality.

To create the 508 player

1. Select the Studio tab.
2. Select 508 Single player Video,
The Create New Player window is displayed.
3. In the Basic tab:
 - a. Enter an informative Player Name (required).
 - b. Set the Video Ratio – select to keep or stretch your media to fit the player when the media and player aspect ratios are different.
 - c. Select Auto-play features.
4. In the Features tab:
 - a. Select the Player Controls.
 - b. Select the Subtitles and Transcriptions Options.



The player includes:

- Support for captions file in timed text or SRT formats for the video/audio file
- Support for an audio description in a standardized format for the video/audio file
- Hidden text elements for every non-text element (for screen readers)
- Tooltips
- Keyboard tabbing and controls
- No color coding information
- High contrast controls
- No draggable controls

Configuring the Player Advertising Settings

 **To configure the player advertising settings**

1. Select the Studio tab and then select the Advertising tab.
2. Select the Player.
3. Toggle on Yes to Request ads for this player. See [Advertising and Ad Networks](#).
4. Fill in the fields that define how the player handles advertisements, and click Save Changes.

Configuring the Player Features

The **Features** tab is made up of different sections, controlling the various features of the player.

Use the options in this tab to select the features (buttons, layers and modules) to be included in your player. The main screen is divided into the Features List on the left and the Preview Pane on the right. As you select your features from the list, you can preview the changes in real time in the preview pane on the right.

Features List

The Features List contains the list of configurable features (buttons, layers and modules) available for this player. Checking the box next to any feature allows you to preview it in the Preview Pane. Most of the features have in-depth configuration options.


To view and customize the player different features

1. Select the Studio tab and then select a player.
2. Select the Features tab.
3. Click the options link next to each feature name.

Features are grouped by their type/usage:


Controls

The Controls area includes basic player features, such as title text, play, scrubber and more. You can also access each of these features using the JavaScript API.




Viral & Distribution

The Viral & Distribution area includes features that assist in content distribution, such as the download and share buttons. Note that the download button only supports downloads of single video files and does not support mix downloads - [contact Kaltura Professional Services](#) to enable download of mix content.



UGC & User Interaction

The UGC & User Interaction area includes participatory features such as media uploading and remixing.



Subtitles and Transcriptions

In the Subtitles and Transcriptions area, you can select the type of captions files to use. See [Setting Up Captions for Display](#).

Controls		
Viral & Distribution		
UGC & User Interaction		
Subtitles & Transcriptions		
<input checked="" type="checkbox"/>	Subply Component*	Options
<input type="checkbox"/>	Captions on video	Options
<input type="checkbox"/>	Captions for accessibility	Options

Related Videos Gallery

Displays a gallery of related videos. See [Related Videos Gallery](#).

Custom Buttons

The Custom Buttons area requires a higher level of expertise, and enables you to customize your player via JavaScript. Buttons evoke pre-defined JavaScript functions.

Additional Parameters and Plugins

To simplify the management of many of the player features, Kaltura has implemented the “UIVars” to override and configure player features.

Kaltura UIVars are an incredibly powerful feature of the Kaltura Players that h allows publishers to pre-set or override the value of any FlashVar (object level parameters), show, hide and disable existing UI element, add new plugins and UI elements to an existing player and modify attributes of all the player elements. For more information see [How to use the Kaltura Player Studio's Additional parameters and plugins](#).

Additional parameters and plugins

Add additional parameters to your player

Paste your plug-in line here:

Key-value table:

[Add](#) [Remove](#) [Delete all](#)

key	value	<input checked="" type="checkbox"/> Override flashvar of the same name
key	value	<input checked="" type="checkbox"/> Override flashvar of the same name

Playlist Items (For players with playlist)

The Playlist Items area allows you to select which information is presented for each item on the playlist (for example, show thumbnail, rank, tags and more).

Preview Pane

The Preview Pane enables you to preview the selections you make in the Features List area as well as define the player size and preview the player in different states (during play, pause, end, etc.).

Player Size

Set the player size by selecting the width. The player height will adjust accordingly based on the width and the video screen ratio selected in the Template Tab.

Auto Preview

In the Studio tab the player is automatically rendered every time you change a control. Uncheck Auto-preview to discontinue this behavior.

Preview States Buttons

These buttons enable you to preview the player in different states: before play, during play, paused and end screen. Alternatively you can simply play the demo content within the player, pause the video manually, etc.

To configure the player's features

1. Select the Features tab.

Select Features from List:

Controls
Viral & Distribution
UGC & User Interaction
Subtitles & Transcriptions
Custom Buttons*
Additional parameters and plugins

2. Expand the menus to configure your player.
Any changes you make will appear in the preview area. (Click the Preview button to see the changes.)
3. Click Save Changes.

Examples

The following player displays an example of the default player design with a watermark display.




NOTE: This sample presents only one of many set-up scenarios. There are many configuration options within this section.

To change where the watermark is displayed in a player


1. Select Controls, see [Player Control Options](#), check Your Watermark and then click Options.
2. In the Watermark Location on the video drop-down menu select Top Left.
3. Click Preview and then Apply to confirm your choice.

Creating and Customizing Playlists and Players




To change the label of the Share button

1. Select Viral & Distribution; see [Player Viral and Distribution Options](#).
2. Check the Share button and click Options.
3. In the Label field, enter new text (for example, Share Now!).
4. (Optional) In the Tooltip field, enter new text.
5. In the Preview area, click the Preview button to see the changes.
6. On the Share Button pane, click Apply to confirm your choice and return to the Features list.
7. Click Save Changes.




To add a download button to the video area only

1. Select Viral and Distribution.
2. Check Download button feature and click Options.
3. Clear the Controls Area option.
4. Under Location & Playing States, check Video Area.
5. Under Video Area, check or clear playing states to determine when to display the download button in the video area.
6. In the Preview area, click the Preview button to see the changes.
7. On the Download Button pane, click Apply to confirm your choice and return to the Features list.
8. Click Save Changes.



To change a Full Screen button in the control area of a player to text button

1. In the Edit Player or Create New Player window, select the Features tab.
2. On the Controls menu, check Full Screen Button and then click Options.
3. On the Full Screen Button pane:
 - o Check Controls Area.
 - o In the Display in controls area drop-down menu, select Label.
 - o (Optional) In the Button Label field, enter new text.
4. (Optional) In the Tooltip fields, enter new text.
5. In the Preview area, click the Preview button to see the changes.
6. On the Full Screen Button pane, click Apply to confirm your choice and return to the Features list.
7. Click Save Changes.




Configuring the Player Style

Use the Style tab to select the theme, colors and fonts for your player.

To configure the player style


1. Select the Style Tab.
2. Under Style and Color, select **Dark** or **Light** in the Select theme drop-down menu.
3. Under Control bar buttons and On-video buttons, click the small colored square next to each option to open a color picker.
For each option, select a color or enter a color value.



The screenshot shows the 'Create New Player' configuration interface. The 'Style' tab is selected, and the 'Style and Color' section is active. The 'Select theme' dropdown is set to 'dark'. The 'Control bar buttons' section includes options for 'Color of icons and labels', 'Mouse over color', and 'On-video buttons'. The 'On-video buttons' section includes options for 'On-video buttons color', 'On-video mouse over color', and 'On-video icons and labels color'. A color picker is open over the 'On-video buttons color' option, showing a grid of color swatches. The 'Font' section has a dropdown menu set to 'Arial'. The 'Preview' area shows a video player with a 'Kaltura creating together' logo and control buttons like 'Play', 'Share Now!', and 'download'. The video player also displays a progress bar and a 'fullscreen' button.

4. Under Font, select a font in the drop-down menu.
5. In the Preview area, click the **Preview** button to see the changes.
6. Click **Save Changes**.
7. After you define your player template, features and style, click Save Changes to complete your player configuration and design.

Your new player is displayed in the Players List.



The screenshot shows the 'Players List' table in the Kaltura Management Console. The table has columns for Name, ID, Save Date, Size, Mode, Basics, and Actions. It lists four players: 'My Player', 'My New Player', 'test', and 'Chromless'.

Name	ID	Save Date	Size	Mode	Basics	Actions
My Player	1257402	2010-02-22 10:52:47	370x300	vizard	Player	Select Action
My New Player	1257342	2010-02-22 10:24:59	700x290	vizard	Playlist	Select Action
test	1251602	2010-02-18 15:00:56	400x330	vizard	Player	Select Action
Chromless	1251442	2010-02-18 14:08:12	400x300	vizard	Player	Select Action

Managing Metadata

This section contains the following topics:

- [Metadata](#)
- [Creating and Managing Content Categories](#)
- [Uploading Content and Setting Metadata](#)
- [Metadata and Related Files](#)
- [Kaltura Custom Metadata Functionality](#)
- [Managing Schemas](#)

Entry Metadata

Entry Metadata fields are used to tag, manage, search and expose content. You can populate out-of-the-box fields, or create your own custom metadata schema. Kaltura provides extensive asset management and metadata capabilities. Each media entry has a list of predefined metadata fields including: Name, Description, Tags, Categories, Thumbnails, Duration, Views, and other fields.

Types of Metadata

Kaltura supports three types of metadata for its media assets.

1. Technical metadata (read only) – includes the technical attributes of the media file. For example, the file type, duration, file format. See [KalturaMediaInfo](#) in the API Documentation, for a full list of predefined fields.
2. Basic metadata – includes Name, Description, Tags, and Categories' fields. In addition, Kaltura allows referencing the media entry using an external identifier which can be stored in the Reference ID field.
3. Custom metadata – includes custom fields, defined under one or more schemas, which allow enhancing any media object into a custom business object.

Commercial users, please contact your account manager to enable this feature in your account.

Technical metadata, also known as system metadata, is generated automatically during ingestion and encoding of the file. All technical metadata information can be accessed through the Kaltura APIs.

Basic metadata is the information you input to the KMC through the Metadata tab. The Reference ID field allows storing an external identifier for supporting integrations with systems external to Kaltura or can be used to match a filename to an entry using the Drop Folder feature. See [Automated Content Ingestion via a Drop Folder](#). Tags are comma separated and can be used as filters for searching through your content. Categories allow assigning media objects to taxonomies.

Custom metadata, also referred to as Custom Data is stored in a schema, also known as a metadata profile. You can create multiple schemas and assign them to any Kaltura object. The KMC supports schemas for entries and categories only. To extend the metadata of an entry, you need to create a custom schema for entries. See [Adding a Schema](#).

Custom data is stored as an XSD schema that you can use to create, edit, and manipulate data. You can

also use the XSD schema to generate you own metadata interface. Custom data XSDs are account specific.

Metadata Actions

You can manage assets and metadata through the:

- KMC UI - You can edit basic and custom metadata for a single asset, or apply a change of a few basic metadata fields to multiple selected assets.
- KMC Entries Bulk upload (CSV/XML) – You can add assets in batch, combining both media files and associated metadata. (See [Bulk Upload and FTP Upload](#)).
- Kaltura APIs – All metadata-related functionality available through the KMC can also be performed using the Kaltura APIs. The APIs also expose additional functionality not available through the KMC. For more information see [here](#).

Uploading Content and Setting Metadata



Uploading Content and Setting Metadata Workflow:

1. [Upload a media file then set its metadata.](#)
2. [Ingest a media file bundled with metadata \(CSV, XML, API\)](#)
3. [Prepare a metadata-only "draft" entry for future ingestion of media files.](#)

Upload a Media File and Set Its Metadata

To upload a media file and set its metadata

1. Go to the Upload tab.
2. Upload a media file. See [The Upload Tab](#).
3. Go to the Content tab and select the Entries tab.
4. Select a Video/Audio entry.
5. In the Metadata tab, add or edit the following metadata information.

- a. Name
 - b. Description (Optional)
 - c. Tags
 - d. Categories
 - e. Reference ID (Optional).
6. If you have Custom Data for entries, you can edit the Custom Data fields for the entry. For multiple schemas, use the drop down Jump To menu to select the schema for the entry. See [Upload a Media File and Set Its Metadata](#).
 7. Click Save & Close.

The Entry ID assigned to a metadata entry can be used to assign metadata to multiple files. See [Editing and Creating Transcoding Profiles](#).

Ingest a Media File Bundled with Metadata (CSV, XML, API)

To enable more advanced content ingestion options, the provided CSV/XML samples can be extended to include multiple/custom metadata items, account specific settings, update action and advanced content ingestion options (for example, ingestion of multiple transcoding flavors, multiple thumbnails etc.) Each item element within the XML, and each line in the CSV, represents a single entry created in the publisher account. Each entry will be populated with the metadata listed in its item element and the content referenced from it. When submitted, the bulk upload XML/CSV is validated on the Kaltura server. The validation includes an inspection of the XML structure, and verification of elements' structure and order compliance with Kaltura's bulk upload XSD (XML schema). For more information see [Bulk Upload and FTP Upload](#).

To ingest a media file bundled with Metadata

1. Select the Upload tab.
2. Click Download CSV/XML Samples.
3. Enter the metadata in the relevant fields.
4. For more information on the XML Custom data upload see the following:
http://www.kaltura.com/api_v3/xsdDoc/?type=bulkUploadXml.bulkUploadXML#element-customDataItems
http://www.kaltura.com/api_v3/xsdDoc/?type=bulkUploadXml.bulkUploadXML#element-customData

Prepare a Metadata-only "Draft" Entry for Future Ingestion of Media Files

To create a draft entry

1. Go to the Upload tab.
2. [Prepare a Video/Audio Entry](#).

To add the content (media source file) into the metadata entry

1. Go to the Content tab and select the Entries tab.
2. Select a Draft (No Media) entry.
The Edit Entry- Draft Entry form is displayed.
3. Select the Flavors tab.
4. Add the media source file. Select from one of the following options:
 - **Upload Files** – upload from your desktop
 - **Import Files** – import from the web.
 - Enter the File URL and select the Transcoding Flavor.
 - Click Import.

Metadata and Related Files

Related Files are relevant to metadata in relation to transcript and captions/subtitles. Captions and Subtitles files are considered as metadata files that are time based and related you an entry. For more information, see [Uploading and Modifying Related Files](#).

Kaltura Custom Metadata Functionality

You can create a unique metadata schema. The entire schema management is done via the KMC UI. You can add fields of the following types:

- **Text field** – values are free text
- **Text select list** – this is similar to the text field, also known as List of Values, This option allows the publisher to define a predefined list of fields to be used. After you enter the values, you are presented with a select box element to select a value from the existing list (for example countries,

Managing Metadata

months)

- **Date** - a date field
- **Entry ID list** - a list to a different entry (asset) that can be used to create compound structure. Examples of this would be, Related Videos, linking trailer to full-length film etc.

The following is an example of a Custom Metadata Schema.

New Metadata Schema

Name*

Description

Apply To*:

Download XSD schema:

System Name	name	Description	Full Description	Type	Max Values	Searchable	Position
TeaserTitle	Teaser Title			Text	1	Yes	↑ ↓ ✕
FullTitle	Full Title			Text	1	Yes	↑ ↓ ✕
ArticleText	Article Text			Text	1	Yes	↑ ↓ ✕
PublishDate	Publish Date			Date	1	No	↑ ↓ ✕
PublishStatus	Publish Status			Text Select List	1	Yes	↑ ↓ ✕
Copyright	Copyright			Text	1	Yes	↑ ↓ ✕
Authors	Authors			Text	Unlimited	Yes	↑ ↓ ✕
RelatedLinks	Related Links			Text	Unlimited	Yes	↑ ↓ ✕
YouTubeDistribut...	You Tube Distribut...			Text Select List	Unlimited	Yes	↑ ↓ ✕
RelatedEntries	Related Entries			Entry-id List	Unlimited	Yes	↑ ↓ ✕

Using Custom Data for Entries

As a best practice we recommend richly mapping your media assets with metadata to make your assets more findable and better used as business objects.

You can fill in the values for the defined schema for each media asset (entry). The UI elements are built per the field type supporting text fields, checkboxes for multiple selections (from predefined values list), date selector (for date fields), text list (for multiple value fields), and linked entries (for creating structure).

The schemas you customize may be used for viewing and editing, as well as for filtering, search, and syndication rules. Custom data may be used as a condition for distributing content. For example if you are trying to distribute data and a custom data field has been defined and expected by the distribution channel, if the custom data is not received, the content will not be distributed.

Searching (and creating syndication rules) by a custom field is integrated into the KMC UI and workflows.

Using Custom Data for Categories

Using Custom Data for categories is useful when you need to set the category itself with non-standard metadata. You can manage metadata for display on the channel page in your application, within the category object and not through entries' metadata. You can create complex filters to control which categories and channels to display in different areas of your website, and specify other options.

Creating and managing categories' custom data is identical to how entries' custom data schemas and values are managed and set in the KMC. Custom Data schemas should be set to apply on entries or on

categories and cannot apply on both.



NOTE: The categories' custom data is not inherited by the entries associated with each category. Categories' custom data is solely related to the category object and applies on category related Kaltura API calls only.


Managing Schemas

A schema is a model for describing the structure of information. Each data schema holds a list of customized fields. An XSD (XML Schema Definition) provides a way to describe and validate data in an XML environment.

Adding a Schema

To add a schema

1. Select the Settings tab and then select the Custom Data tab.
2. Click Add New Schema.
The New Metadata Schema window appears.
3. Enter a Name and Description.
4. Select what entity to apply the metadata to. The options are Entries or Categories.
5. Enter the System Name (optional). This field is required if you are uploading content using Bulk XML files or if you need access to the schema via the API.
6. Click Add Field.
7. [Add custom data fields.](#)




System Name	name	Description	Full Description	Type	Max Values	Searchable	Position

Adding Custom Data Fields

To add custom data fields

1. Select the Settings tab and then select the Custom Data tab.
2. Add a schema. See [Adding a Schema](#).
3. Click Add Field.

The New Field window appears.



New Field ? X

Field Name:

Field Type: ▼

Max Number of Values:

Searchable?

Description:

Full Description:

4. Select the Field type. See [Kaltura Custom Metadata Functionality](#).
5. Enter values for the field or list.
6. (Optional) Add a Description, or Full Description.
7. Click Save. The Custom Fields List is displayed.
8. Use the up and down arrows to change the order of the fields.

The following is an example of entering data as a Text Select list for the field Publish Values.

New Field
?
✕

Field Name:

Field Type: ▼

Optional Values:

Submitted for review
 Pending review
 Approved
 Flagged

enter the values, one per line

Max Number of Values: ▼

Searchable? ▼

Description:

Full Description:

The following screen displays a schema with an entry ID chosen.

Edit Entries Metadata Schema
✕

Name*

Description

Apply To*: ▼

[Download XSD schema](#)

System Name	Name	Description	Full Description	Type	Max Values	Searchable	Position
PublishValues	Publish Values			Text Select List	Unlimited	Yes	▲ ▼ ✕
RelatedEntries	Related Entries			Entry-id List	1	Yes	▲ ▼ ✕

Setting Values for Custom Metadata Fields - Per Entry

To add values to the custom metadata fields

1. Select the Content tab and select Entries.
2. Click on entry in the Entries table.

The custom data is displayed in the Metadata tab.

3. Add or modify the Custom Data values and click Save & Close.

The following screen demonstrates the values insertion page within a specific schema. Use the scroll to view the entire schema information.

Edit Entry - open_shut

Metadata

Name:

Description:

Tags:

Categories:

Reference ID:

User Manual Demo

Teaser Title:

Full Title:

Article Text:

Publish Date:

Publish Status:

Copyright:

Authors: [X Remove](#)

[+ Add](#)

Related Links: [X Remove](#)

Entry ID: 0_2rn0a468

[Preview & Embed](#) [Clip This](#) [Trim This](#)

Creator: debbie.zioni@kaltura.com

Created on: 06/05/2012

Landing Page:

Type: Video Duration: 00:34

Moderation: Auto approved Clipped from: [0_ehtb0...](#)

Plays: 0

[< Previous Entry](#) [Next Entry >](#)

[Save](#) [Save & Close](#)

To add or remove related entries

1. Create a schema and add the Related Entries field. See [Adding Custom Metadata Fields](#).
2. Select an Entry and select the Metadata tab.
3. Scroll to the Related Entries field and click +Add/remove Linked Entries.

4. Move the Related Entries from the Entries table to the Selected Entries list and click Save.

Setting Values for Metadata Fields - Per Category

Custom Data values are set to categories in a similar way they are [set for entries](#), but from the metadata tab of the Edit Category window.

 **To add values to the custom metadata fields**

1. Select the Content tab and select Categories.
2. Click on a category in the Categories table.
The custom data is displayed in the Metadata tab.
3. Add or modify the Custom Data values and click Save & Close.
The following screen demonstrates the values insertion page within a specific schema. Use to scroll to view the entire schema information.

Edit Category - My Channel

Metadata

Category ID: 162911

Name:


Description:

Tags:

Reference ID:

Channel Type:

Channel Rules:

Expiration Date: 

[Back to Top](#)

[Previous Category](#) [Next Category](#)

Related Videos Gallery

The Related Videos feature can be used to display and share related videos to your viewers. Related videos are displayed according to your selection, either when a video is completed. When you select a related video, the viewer is either redirected to the specified URL, or the related video is loaded in the player.

 **To configure Related Videos**

1. [Select the source.](#)
2. [Configure Autoplay for Related Videos.](#)

Related Videos Source

The source of the related videos display may be from one of the following:

Automatic- Automatically generated by Kaltura (default). The player will fall back to this option if you specify another Source that does not return a minimum of 12 related items.

You can view this information regarding how Kaltura will generate the Related Videos for all videos watched using this player. Please note: in order to define which Entries will be used when Kaltura is searching for related videos, you can change the configuration in the below specified Playlist

To select automatically generated related videos

- Enter the Playlist Id.
Reference Ids - Related videos are contained in a list of Reference Ids from either pre-defined in a custom metadata field or passed to the Player at the application page level as a Flashvar or via the KDPs JavaScript API.

To select related videos using the Reference ID fields

- Enter the Reference Ids fields as follows:
{mediaProxy.entryMetadata.ReferenceIds}

Global Playlist - For all videos played with this player, use the same playlist as the source of the related videos.

To use the global playlist as the source for related videos

- Enter the Playlist Id.
Entry Id List - For each video, a list of Entry Ids is manually entered in a custom metadata field of type 'Entry-id List'.

To use the Entry Ids as the source for related videos

- Fill out the following fields:
{mediaProxy.entryMetadata.EntryIds}

Configure Autoplay for Related Videos

Automatically begin playing the related videos

After the current video has finished playing, the player automatically begins to play the related videos. Auto-play begins if the user did not interact with the player for the set number of seconds, and this option is enabled.

To configure autoplay for related videos

1. Enable the feature Select True.
2. Enter the number of seconds to wait until the related video is played.
3. Select which related video should be auto-played.
 - First in Gallery

Managing Metadata

- Random from Gallery
- 4. Specify the Actions for when you select a related video from a gallery.
 - Load video in player
 - Load URL in Browser – enter the URL patter
 - Call JavaScript on page – enter the JavaScript function name
- 5. Click Apply.

Locating Content in the KMC

This section contains the following topics:

- [Searching Through Entries](#)
- [Filtering Content in the Entries Table](#)
- [Searching Through Categories](#)
- [Filtering Categories in the Categories Table](#)
- [Searching Playlists](#)

You can use categories, tags, or any of your custom metadata fields to locate content in the KMC.

Searching Through Entries

The search box in the Entries page enables you to search for specific entries existing in your account.

To search for any word in the entry name, tags or text fields

1. Go to the Content tab and select the Entries tab.
2. Enter your search criteria and click the magnifying icon on the right, or press Enter.

The search will apply on textual metadata fields, on the entry ID and on the User ID of the entry's owner. For canned lists use the Metadata Filters.

You can search for content and then create playlists containing the filtered content.

To create playlists based on filtered content

1. Search for content based on a filter.
2. Click Add Playlist to create a playlist.

To clear the search box

- Click the X icon on the right.

Filtering Content in the Entries Table

The list of entries can be filtered according to the parameters that are specified in the filter bars on the left side of the page. You can filter entries using the search criteria, specific categories, [Additional Filters](#), or custom metadata based filters




NOTE: You can sort the Entries Table by clicking on the various columns or using the scroll bar. You can also select how many items to display per page (10 to 500).

Using Categories as Filters



You can filter the entries in the Entries Table by selecting specific categories in the categories filter bar on the left side of the page.

You can open the Categories Filter Preferences from the preferences icon at the top right corner of the categories filter area. Your preferences will impact the behavior of the category filter.



You can navigate within the categories tree to select the categories you want to filter entries by. Each category selection refreshes the Entries Table.

You may also use the Search Categories field to search for categories you want to filter by, instead of navigating to these categories from the categories tree.





NOTE: When a category has more than 1000 sub categories, the category cannot be expanded in the category tree. Use the Search categories option.

Using Additional Filters


To use additional filters

- Click "Additional Filters" to open more filter options, including:
 - Between any two specific dates
 - By media type (Audio, Video, Image, Video Mix, Live Stream)
 - By Ingestion Status (Ready, No Media, Pending, Uploading, Transcoding, Error)
 - By duration — Short clips (up to 4 minutes), Medium clips (4 to 20 minutes), Long clips (more than 20 minutes)
 - By Original or Clipped entries – original media, entries created by clipping
 - By Scheduling status (Past, Live now, Scheduled to go live at a later date, Scheduled between specified dates)
 - By moderation status
 - By Media Replacement Status
 - By Access Control Profile (See [Access Control Profiles](#) for more details.)
 - By video quality (Transcoding Flavor)
 - By Distribution Destination (See [Distribution and Syndication](#) for more details.)

You can filter content using a single or multiple criteria.

Performing a Search Based on Metadata Fields


You can use custom fields to search for content and create playlists. To search textual fields, use the search box, for canned lists use the custom Metadata Filters. See [Searching Playlists](#).



Footnote	Label	Specification
1	Search text	Search text to apply to all textual custom data, for example teaser title, authors
2	Search filter for Publishing Status	For publishing status
3	Search filter for Distribution settings	For content based on distribution channel's settings

Entries Table Filter Indications

When the Entries table is filtered by categories, filters and/or search criteria, indications for the selected filters are displayed above the Entries Table. You can remove a filter directly from this display by clicking on the x on the name of the filter.



Searching Through Categories

When managing your categories, the search box in the Categories page enables you to search for specific categories existing in your account.

-  To search for any word in the category name, tags or text fields

1. Go to the Content tab and select the Categories tab.
2. Enter your search criteria and click the magnifying icon on the right, or press Enter.
The search is applied on textual metadata and custom data field. For canned lists, use the Categories Metadata Filters.


Filtering Categories in the Categories Table

When managing categories, the Categories Table can be filtered according to the parameters that are specified in the filter bars on the left side of the page. You can filter categories using the search criteria, by categories. For listing categories under a specific parent category, use [Additional Filters](#) or use the custom data based filters.

Using Categories as Filters


When managing categories, you can filter the categories in the Categories Table by selecting specific categories in the categories filter bar on the left side of the page.

You can open the Categories Filter Preferences from the preferences icon at the top right corner of the categories filter area. Your preferences impact the behavior of the categories filter.



You can navigate within the category tree to select the categories you want to filter the Categories Table by. Each selected category refreshes the Categories table.

You may also use the Search Categories field to search for categories you want to filter by, instead of navigating to the categories from the categories tree.



NOTE: When a category has more than 200 sub categories it cannot be expanded in the category tree. Use the Search categories option.


Using Additional Filters

To use additional filters

- Click "Additional Filters" to open more filter options, including:
 - Created Between any two specific dates
 - By content privacy options (available with entitlement configuration only)
 - By category listings(available with entitlement configuration only)
 - By contribution policy(available with entitlement configuration only)
 - By the availability of specific end –user permissions(available with entitlement configuration only)

Categories Table Filter Indications

When the Categories table is filtered by categories, metadata filters or search criteria, indications for the selected filters are displayed above the Categories Table. Click on the X to remove a filter directly from this display.



Searching Playlists

Use the Filters pane to search for playlists in your account. You can search for any word in the playlist name, tags or both. You can also filter by date by select a date range or by clicking the calendar icons on the Created between fields.

Managing Access Control Profiles

This section contains the following topics:

- [Access Control Profiles](#)
- [Creating an Access Profile](#)
- [Assigning an Access Control Profile to an Entry](#)
- [Content Scheduling](#)

Access Control Profiles

Kaltura supports several publication restrictions allowing limited access to content when business requirements dictate it. These restrictions can be placed on the entry level but can also be streamlined to be set automatically or on demand, on a group of items based on a set of criteria, during upload via a bulk upload CSV file, or during an update transaction using Kaltura's APIs. See [Kaltura API documentation](#).

An Access Control Profile defines authorized and restricted domains where your content can or cannot be displayed, countries from which it can or cannot be viewed, white and black lists of IP addresses and authorized and unauthorized domains in which your media can be embedded. Use the Access Control tab to view existing profiles and create new ones.


Controlled access provides authentication and authorization capabilities. Developer authentication is done using a combination of the Partner ID and one of two "secrets", each providing a different set of authorization capabilities. In return, a Kaltura Session token ("KS") is generated, through which API calls can be made.

You can segregate your content based on your various user groups and audiences. You can create content channels to be accessed only by certain users, and allow other content items to be available to all. Access profiles also allow you to manage groups and users on your own identity.

To view Access Control settings

- Select the **Settings** tab and then select the **Access Control** tab.


The Access Control Profiles window is displayed. A default access control profile that permits access to all is configured automatically.



Creating an Access Profile

To create an access control profile

1. Select the Settings tab and then select the Access Control tab. The Access Control Profiles window is displayed.



2. Click Add Profile. The New Access Control Profile window is displayed.

New Access Control Profile
?
✕

Access Control Profile Details

*Profile Name:

Description:

Authorized Domains

Which DNS domains are able to access the video?

All domains

Only in the following domains:

Domains:

+ Add another domain - Remove selected domains

Block from the following domains:

3. Enter an informative Profile Name and Description for the profile.
4. Configure the Authorized Domains. See [Restricting Domains](#).
5. Configure the Authorized Countries. See [Restricting Countries for Viewing](#).
6. Configure the Authorized IP Addresses. See [Restricting Views by IP Address](#).
7. Configure the Advanced Security. See [Restricting Views with a Server Side Secret](#)
8. Click Create New.

Editing an Access Profile

To edit an access control profile

1. Select the Settings tab and then select the Access Control tab.
The Access Control Profiles window is displayed.
2. Select the access profile you want to edit.
The Edit Access Control Profile window is displayed.
Modify the profile according to the sections described in [Creating an Access Profile](#).

Restricting Domains

Kaltura's Access Control mechanism provides the means to restrict content playback from specific domains. This is useful to prevent scraping of content from your website or re-sharing of content on other sites that are not yours.

Domain restrictions allow you to define a “white list” of domains that allow only playback attempts of content placed on these domains to be granted. Any playback attempt via the Kaltura Dynamic Player placed on a domain *not* on this list will be denied. In the same manner a “black list” can be defined performing the opposite constraint. Any playback attempt from these domains will be denied. You can create a combination of both “white listed” and “black listed” domains.

To restrict content to specific domains.

In the **Authorized Domains** section, select one of the following options:


- Toggle All Domains – content will display in all domains.
- Toggle Only in the following domains - enter a site or list of approved sites that are allowed to display Kaltura content. See [Add or Remove a Domain](#).
- Toggle Block from the following domains - enter a domain or list of approved of domains that are not allowed to display Kaltura content. See [Add or Remove a Domain](#).

Adding or Removing a Domain

To add a domain

In the **Authorized Domains** section, select one of the following options:


1. Click + Add another domain.



2. Enter the domain name in the format of *company.com*

To remove a domain

1. Select a domain from the listed domains.
2. Click the - Remove selected domains.



3. Click Yes.

Restricting Countries for Viewing

Geographic restrictions, similar to domain restrictions, allow you to define a “white list” or a “black list” of specific geographical locations, limiting or enabling playback attempts of content for users located in these locations. For example, a Kaltura Player entry assigned with geo-restrictions where the white list contains only Spain can be placed on any domain but will only be playable by viewers located in Spain.

To restrict content to specific countries


In the New/Edit Access Control Profile window, scroll down to the **Authorized Countries** section. Select one of the following options:

- Toggle Anywhere— content will be displayed in all countries.
- Toggle Only from the following countries- select a country or list of approved countries that will display content. See [Add or Remove Geographic Regions \(Countries\)](#) .
- Toggle Block from the following Countries - enter a country or list of approved of countries to exclude. See [Add or Remove Geographic Regions \(Countries\)](#).

Adding or Removing Geographic Regions (Countries)

To add a geographic region


1. Click + Add Remove Countries.



2. Use the scroll (Ctrl button for multiple selections) and select the countries from the Countries List.
3. Use the arrow buttons to transfer the selected countries to the Allowed Countries.
4. Click Save.

To remove a geographic region

1. Click+ Add Remove Countries.



2. Use the scroll (Ctrl button for multiple selections) and select the countries from the Restricted Countries.
3. Use the arrow buttons to transfer the selected countries to the Allowed Countries.
4. Click Save.

Restricting Views by IP Address

You can restrict content view by IP addresses or ranges and determine which IP ranges will be allowed to view the content.

To restrict Views by IP Address


In the New/Edit Access Control Profile window, scroll down to the **Authorized IPs** section. Select one of the following options:

- Toggle All IPs – content will be displayed for all IP addresses.
- Toggle Only from the following IPs- select a range of approved IPs that will display content. See [Add or Remove IP Addresses](#).
- Toggle Block from the following IPs- enter a range of approved IPs that should be excluded from content viewing. See [Add or Remove IP Addresses](#).

Adding or Removing IP Addresses

To add or block IP addresses

1. Click + Add Another IP.



2. Use the notation indicated to enter IP addresses.
3. Click Save.

To remove IP addresses

1. Highlight the IPs you want to remove from the restricted list.
2. Click +Remove Selected IPs.
A warning message is displayed.
3. Click Yes.

Restricting Views with a Kaltura Session

Often, the user authentication/entitlement mechanism that decides whether a user is entitled to access a specific media entry or not, will reside outside of Kaltura. When the authentication mechanism resides outside Kaltura, we recommend that you use an Advanced Kaltura Session (KS) based Access Control mechanism, that permits access to the media only when a valid Kaltura Session is provided. The external entitlement mechanism will then generate the valid Kaltura Session when users should be permitted to view the content.

The session is created using a secret. The external entitlement mechanism will then generate the valid KS when users should be permitted to view the content. Common examples include -

When implementing paid content where the payment gateway is not Kaltura, the server processing the payment will be the mechanism deciding on entitlement. After the payment is processed, the payment server creates a valid Kaltura Session by calling the Kaltura API and passes that KS to the Kaltura player.

When implementing a single-sign-on and permissions mechanism using LDAP or other authentication mechanism outside of Kaltura, the server responsible for user authentication contains the entitlement logic. The authentication server will call the Kaltura API and generate a valid KS when appropriate.

A Kaltura Player marked with tokenized access requires a “session token” to be created and provided during every playback. A session token can only be created by a developer possessing valid credentials and expires after a limited amount of time. Thus, even if an attempt to grab the item’s direct URL is successful, the playback session will soon expire and without possession of the valid credentials, regeneration of a new token will not be possible.

This option is useful to prevent scraping of content from your website or re-sharing of content on other

sites that are not yours and provides an additional amount of security to content display.

Pay-Per-View

You can enable paid programming with a video preview, and easy, on-the-fly payment options for full video access.

To create a Kaltura Session restriction to view content

- Check Secure viewing of this video with Kaltura Session (KS).

To enable a free preview


1. Check Free Preview.
2. Enter the amount of time in seconds for the free preview display.

Assigning an Access Control Profile to an Entry

You can assign an Access Control Profile to an entry.

To assign an access control profile to an entry

1. Go to Content tab and select the Entries tab.
2. Click on the entry to which you want to assign an Access Control Profile.
3. Go to the Access Control tab and select an existing profile from the drop-down menu.
4. Click Save & Close to complete the process.



Assigning an Access Profile to a Bulk Upload

A default access profile is included with the KMC. After you create an Access Profile, an ID is created and listed in the Access Control page.

To assign an access profile to a bulk upload


- Set the ID from the Access Control List to the accessControlProfileId in your CSV
- Set the profile ID from the Access Control List to the accessControlId in your XML file.

Content Scheduling

Content Scheduling determines when your media entries will be permitted for viewing (“sunrise”) and when access should be automatically discontinued (“sunset”). You can set specific scheduling parameters for your content. You can set the entry to be available for display at any time (for example, no schedule limitations) or you can set the entry to be available during a limited timeframe (for example, display this video starting on X date with no end time, or display this video only between X date and Y date). Note that when users try to access a video that is no longer valid (in terms of its scheduling), they will receive an error message explaining that this content is no longer valid.

To configure content scheduling

1. Go to Content tab and select the Entries tab.
2. Click on an entry.
3. Select the Scheduling tab and select and set your specific time range.
4. Click Save & Close to complete the process.



Metadata

Thumbnails

Access Control

Scheduling

Flavors

Distribution

Captions

Advertisements

Related Files

Clips

Users

Any Time

Specific Range

Note: Time Zone used is (GMT+3)

Start Date: 12:00 am

End Date: 12:00 am

[Clear Dates](#)

[◀ Previous Entry](#) [Next Entry ▶](#)

Managing Content Entitlement

Kaltura provides a built-in infrastructure for controlling and managing end-user entitlements to content. This infrastructure includes the required attributes and permission controls as well as the server utilities for enforcing those controls.

Using Kaltura's entitlement services, end-user facing applications such as Kaltura MediaSpace can be extended to add the following capabilities:

- **Groups' media channels** - Provides the ability to set media channels that limit access and contribution of content to members of a specific group of users.
- **Granular control over user permissions to content** - Provides the ability to define different privacy and permission levels for accessing and managing content in media channels.
- **Personalized global search engine** - Provides the ability for users to easily search and find relevant content from the entire set of media they are entitled to access.

Kaltura's Entitlement Model

Kaltura's entitlement model relies on the extension of Kaltura's categories. Categories may hold entitlement settings as well as specific end-user permissions. These entitlement settings and end-user permissions are inherited by media entries associated with these types of categories.

The entitlement model provides a direct association between end-users and the collection of media items they are entitled to access, and enables a simple and efficient way to add entitlement controls to both flat and hierarchal application/website navigation layout.

Category's Entitlements Tab

Entitlement settings may be set on categories in different ways, for example, from the application, via the CSV or through a Kaltura API. The Category's Entitlements tab in the KMC is where content entitlement settings are managed by account administrators. The Entitlements tab only appears in KMC accounts that are set with the entitlement feature and in categories that were set to have entitlement settings for an application.



NOTE: The Entitlement Settings are added to categories as part of the MediaSpace installation. For other purposes entitlement settings can be added to categories from the Integration Settings page under the Settings tab. See [Adding Entitlements to Categories](#) for more information.

The following sections describe the different setting options available in the Entitlements tab and their impact on end-user entitlements in applications such as MediaSpace.



Workflow to set Entitlement Settings


1. Create a category. See [Adding/Editing a Specific Category](#).
2. Add Entitlements to categories. See [Adding Entitlement to Categories](#).
3. Go to the Content tab and select the Categories tab.
4. Click on a category or select Edit from the Actions drop down menu.
5. Select the Entitlements tab.
6. [Set the Entitlement Settings](#).

Setting the Entitlement Settings

Perform the tasks in the [workflow](#) to configure the KMC with Entitlement Settings.

To set Entitlement Settings

1. Set the Content Privacy. See [Content Privacy](#).
2. Select the [Category Listing](#).
3. Select the [Contribution Policy](#).
4. Select whether to inherit specific end-user permissions.
5. Set [Specific End User Permissions](#).
 - a. [Change Owner](#).
 - b. Click [Manage](#) to manage end-user permissions.
 - c. Configure [Additional Category Entitlement Settings](#).
6. Click Save & Close.



Content Privacy

The content privacy defines the visibility of content associated with a category, including its related metadata. The Content Privacy setting is applied to:

- Who has access to content published in channel pages
- Which content will be available to the user in the application global search results
- Who can access to a single media item in the application.

The Content Privacy options are:

- **No Restriction** – Content in the category is visible to everyone with access to the application page it is published in. **In MediaSpace** - this option is mostly relevant for setting Media Galleries that are open on the web and can be accessible by everyone, including anonymous viewers.
- **Requires Authentication** – Content in the category is visible only to authenticated end-users – **In MediaSpace** this option is mostly relevant for setting Media Galleries or Open/Restricted Media Channels that are available to all authenticated users (users of the company/Institution, customers with login etc.) User authentication is made by MediaSpace against the customer Identity Management system, or with using Kaltura's authentication services. In both cases, the authenticated user ID is then passed to the Kaltura server through the application session.
- **Private** – Content in this category is visible only to users with specific permission to access this category's content and to the owner of the content. **In MediaSpace** this option is mostly relevant for setting Private Media Channels - available only to a group of users.
- Note: With any content privacy option the owner of the content is entitled to access and manage his content

Visibility of Content Associated with Multiple Categories

For content associated with more than one category, the privacy and visibility of this content via global search or a direct link to the video page, is determined based on the category with the lowest restriction level the content is associated with (within the application category tree).

Examples

In a MediaSpace based media portal:

- A video that is published in a few private channels but also in at least one public gallery (Content Privacy = No Restriction) will be visible to everyone with access to the portal. Access to this video in this case is available to all from the public gallery page itself, via the portal's Global Search or via a direct link to the MediaSpace page of this video.
- A video that is published in a few private channels but also in at least one organizational shared gallery (Content Privacy = Requires Authentication), will be visible to all members of the organization (following login to the portal) from the organizational shared gallery page itself, but also via the portal's Global Search or via a direct link to the MediaSpace page of this video. This content will not be available to anonymous viewers with a direct link to the MediaSpace page of this video - a login page will be prompted in this case.
- A video that is published in a few private channels but is also set in Kaltura categories managed in the KMC account that are not integrated with the media portal (for example, categories integrated with Kaltura extensions to CMS/LMS, categories set by the account KMC administrator for different purposes, etc.). Access to the video via the Media Portal is determined only by the entitlements settings of the categories the Media Portal is integrated with. This is controlled by the application specific "privacy content" label set to these categories.
- A video that uploaded by an end-user but was not published in any gallery or channel in MediaSpace (private media), could only be accessed by the content owner.

Visibility of Content in Outside of the Application

When the entitlement feature is enabled for the account, an internal enforcement level is also set and managed by Kaltura.

The options for entitlement enforcement are:

- **Entitlement enforcement is enabled by default.**

When entitlement enforcement is enabled for the account - access to content under categories with entitlement is only possible via applications that implement entitlement and are integrated with these categories. This is the recommended setting in MediaSpace accounts for the highest level of content security.

Note: that embed codes that are grabbed by authorized users from within the MediaSpace application are bypassing the entitlement enforcement for the specific entry. Thus the entry will become publically available within the grabbed player outside of MediaSpace.

- **Entitlement enforcement is disabled by default and enabled by the application.**

When entitlement enforcement is disabled for account - access to content under categories with entitlement is possible via any application, including player embed codes that are grabbed from the KMC. With this option the application itself activate the entitlement enforcement so entitlement rules are kept within the application but all content in categories the application is integrated with can be accessed via other applications as well. This is the default setting for

Kaltura trial accounts.

Contact Kaltura to change the entitlement enforcement level for your account.

Category Listing

The Category Listing option defines who can see the category's name and metadata in MediaSpace. The Category Listing options are:

- **No Restriction** - With this option, the category name and metadata is visible to everyone with access to the application page it is listed in. **In MediaSpace** - this option is used for having MediaSpace Galleries always listed in the top menus and side navigation layout and for having MediaSpace open or restricted channels included in the Channels listing page.
- **Private** – With this option, the category name and metadata are visible only to users with permission to access the category and its content. In MediaSpace this option is used for having private channels visible only to group members.

Contribution Policy

The contribution policy option defines which end-users can add content to this category through applications. The applicative permission to publish in MediaSpace's shared Galleries is set from the MediaSpace Application Role of the user. See the [Kaltura MediaSpace Setup Guide](#) for more information. The category contribution policy adds the ability to have this type of authorization for publishing content in specific galleries/channels.

The Category Contribution Policy options are:

- **No Restriction** – With this option, any end-user authorized to publish content in MediaSpace can publish content in the gallery/channel associated with this category. In MediaSpace this option is used in shared galleries to which every user with a MediaSpace Admin Application Role can add content to, and in Open Channels to which all MediaSpace users with content can add their content to.
- **Private** - With this option, only end-users with specific permission to add content to this category are able to add content to it. In MediaSpace this option is used in Restricted/Private Channels.

Specific End-User Permissions

When any one of the Category Entitlement Options is set to Private, the respective access level is based on specific end-user permissions. User permissions to a category and content associated with it are set through 4 permission levels: Member, Contributor, Moderator, and Manager. The basic access permissions listed below are enforced by the Kaltura server. In MediaSpace the permission levels are used to control the availability of the relevant UI controls and user flows, for example, Channel Settings, Channel's moderation panel, Publish Module and others.

Permissions Permission Levels	View Content and Category	Add Remove Content to Category	Approve Content added to the category	Edit Category's settings, privacy options and user permissions	Remove Category
Member	X				
Contributor	X	X			
Moderator	X	X	X		
Manager	X	X	X	X	X

The settings of end-user permissions can be made from the KMC, in Bulk Process via a CSV formatted schema, or via Kaltura APIs.

In MediaSpace: Channel Managers are able to set their channel's groups members and may assign different permission levels to members of their group.

Note: the content owner has always full access and editing permissions to his own content. He is also able to remove his content from any category, regardless of the category's settings.

Tip: the category end-user permissions may also be used by applications when the category is not set as private – for granting category specific applicative permissions to specific users. **In MediaSpace:** users that is not set to with an Admin Application Role can still be granted with permission to publish content in specific galleries. In this case the category's contribution policy is set to **No Restriction** while ability to publish content in the respective gallery is granted by the application to all MediaSpace **Admin** users, but also to a few specific users that are set as contributors in the category.


End-User Permission Attributes

- **Status** – indication to the state of the user permission set to the category. This attribute may be used for supporting different applicative flows.
 - **Active** – Access permission is active and enforced
 - **Deactivated** – Access permission is not active anymore. (can be activated again)
- **Update Method** - indication on how a specific end-user permission is updated, this may be used for supporting automatic processes for setting permissions to channels from groups managed in on organizational information systems, while being able to set manual overrides to specific end-user permissions.
 - **Automatic** - user permission is updated via an automatic process (either via a CSV formatted schema or an API based integration). User permission level may be updated by the automatic process.
 - **Manual** – user permission is updated manually only and will not be updated by an automatic process.


Managing Categories' Specific End-User Permissions

 **To manage categories specific end-user permissions**

1. [Set the Entitlement Settings.](#)
The Specific End-User Permissions window is displayed.
2. Click Add Users.



3. Select the Permission Level. See [Specific End-Users Permissions.](#)
4. Select the Update Method. See [End User Permission Attributes.](#)
5. Select End Users. Enter user names.
6. Click Save & Close.




Bulk Actions for Managing Categories Specific End-User Permissions

 **To perform bulk actions on specific end-user permissions**

1. Check the box or multiple boxes next to the user name and select Bulk Actions on the bottom of the page.
2. Select one of the following options
 - o Deactivate – deactivates the specific end user permissions for the category
 - o Activate – activates the specific end user permissions for the category
 - o Set permission levels- overrides the permission level of all selected end-users
 - o Set to manual update method. See [End-User Permission Attributes](#).
 - o Set to automatic update method. See [End-User Permission Attributes](#).
 - o Delete- deletes specific end-user permission for the category.
3. Click Close.

Additional Category Entitlement Settings

The following additional settings are available at the lower part of the Entitlements tab:



Edit Category - Sports

Entitlements

- Requires Authentication** Content in this category is visible only to authenticated end-users
- Private** Visible only to users with specific permissions to access this category's content

- Category Listing:**
 - No Restriction** Category is visible to everyone with access to the application page
 - Private** Category is visible only to users with specific permission to access this category's content

- Who Can Add Content to this Category?**
 - No Restriction** Any authorized end-user
 - Private** Only end-users with specific permission to add content to this category

- Inherit Specific End-User Permissions from Parent Category?**
 - No** Set specific end-user permissions for this sub-category
 - Yes** Specific end-user permissions of parent category will automatically apply to this sub-category

Specific End-User Permissions:

Owner: johns123 [Change](#) | **Users:** 3 end-users have permissions to this category [Manage](#)

Default permission level: Member

Moderate Content?

- No
- Yes

[Save](#) [Save & Close](#) [< Previous Category](#) [Next Category >](#)

- Category Owner – a category attribute, for setting one of the channel managers as the channel owner for any applicative need. The category owner is automatically set with a manager permission level for the category. See Change Owner.
- Default Permission Level – a category attribute for setting a specific default permission level to the category, for supporting different applicative flows.
- Moderate Content - a category attribute, for supporting the moderation of content prior it's

publishing in the channel. (Moderation is configured through MediaSpace.)

Managing Categories

Media entries may be divided into categories. The different categories are built in a tree-like hierarchy where each category can include multiple sub-categories.

Categories provide a logical structure for your site and assist with content management. You can use categories, along with metadata and filters to create manually or dynamically generated playlists. Categories may also be used for setting content entitlements to end-users in various applications. See [Entitlement Settings](#).

Defining and Assigning Entry Categories

Categories are built in a tree-like hierarchy where each category can include multiple sub-categories. You can add, remove and edit categories from the Categories Tab. You can assign a media entry to a specific category from the Entries Tab.

To assign an entry to a specific category

1. Go to the Content tab and select the Entries tab.
2. Click on the Entry.
3. Enter the Category in the Metadata tab.
4. Click Save and Close.

To remove an entry from a category

1. Go to the Content tab and select the Entries tab.
2. Click on the Entry.
3. Remove the category settings in the Metadata tab.
4. Click Save.



NOTE: When you click Delete in the Entries table, the entry will be deleted from the account and not only from the category that is currently selected. See [Delete Entry](#).

Categories Table

The Categories Table lists the categories in your account and provides a way to edit the category's specific metadata and entitlement settings. You can edit each a specific category from the Edit Category window or apply actions on several categories simultaneously from the Bulk Actions Menu.

Adding/Editing a Specific Category

To add a category

1. Select the Content tab and then select the Categories tab.

2. Select Add Category.

The New Category window is displayed.

New Category

Metadata

Select the parent category under which the new category will appear

- No Parent
- KMS Root
- Adventure
- Foreign
- Drama
- Thriller
- Comedy
- Fantasy

Next >

Save Save & Close

3. Select No Parent if you want the category to be at the top level or select the parent category under which the new category should be created and select Next. We recommend that you minimize categories at the top level. The New Category window is displayed.

The screenshot shows a window titled "New Category" with a "Metadata" tab selected. The form contains the following fields:

- Name:** A single-line text input field.
- Description:** A multi-line text input field.
- Tags:** A multi-line text input field with the placeholder text "Enter tags".
- Reference ID:** A single-line text input field.

At the bottom of the window, there are two buttons: "Save" and "Save & Close".

4. [Add metadata](#) and click Save & Close.

Adding Metadata to a Category

You can add or edit metadata to a category or to multiple categories.

To add/edit metadata to a category

1. Select the Content tab and then select the Categories tab.
2. Click on a category. Edit Category window is displayed.
3. In the Metadata tab, add or edit the metadata information. Enter a
 - a. Name
 - b. Description (Optional).
 - c. Tags.(Optional)
 - d. Reference ID (Optional).

4. If you have Custom Data for categories, you can edit the Custom Data fields for the category. For multiple schemas, use the drop down Jump To menu to select the schema values you want to edit for the category. See [Managing Schemas](#) for more information.
5. Click Save & Close.

Editing the Entitlement Settings of a Category


When a category is set to have entitlement settings for an application, the category's Entitlements tab is displayed for editing. See [Managing Content Entitlement](#) for more information.



NOTE: Entitlement Settings are added to categories as part of the MediaSpace installation. For other purposes, Entitlement Settings can be added to categories from the [Integration Settings](#) page under the Settings tab.

To edit Entitlement Settings of a category

1. Select the Content tab and then select the Categories tab.
2. Click on a category. The Edit Category window is displayed.
3. In the Entitlements tab, edit the Entitlement Settings options, set a category owner and any specific end-user permissions you want to set to the category for your application. Informative tooltips are available for each one of the options. See [Managing Content Entitlement](#) for more information.
4. Click Save & Close.



Reordering Sub Categories

When a category has up to 50 sub-categories the Sub-Categories tab is available for editing. Use the Sub Categories tab to order the sub categories. Sub Categories will appear in the application as they are ordered.

Use the Sub- Categories tab to order MediaSpace Galleries. For other applications: the ordering set through the Sub- Categories tab can be used through the Kaltura API while [ordering category lists](#) based on the partnerSortValue category attribute.

To reorder sub categories

1. Select the Content tab and then select the Categories tab.
2. Click on a category. The Edit Category window is displayed.
3. Select the Sub-Categories Tab,
4. Set the order of the sub-categories. Position the sub categories as you want them to be ordered in your application.
5. Click Save & Close.

The screenshot shows a web interface titled "Edit Category - galleries". On the left, there is a sidebar with three tabs: "Metadata", "Entitlements", and "Sub Categories". The "Sub Categories" tab is selected. The main area is titled "Reorder this category's sub-categories" and contains a table with two columns: "Sub-Category" and "Position".

Sub-Category	Position
Events	<input type="button" value="v"/>
News	<input type="button" value="^"/> <input type="button" value="v"/>
Sports	<input type="button" value="^"/> <input type="button" value="v"/>
Education	<input type="button" value="^"/> <input type="button" value="v"/>
Cool Videos	<input type="button" value="^"/>


At the bottom of the interface, there are buttons for "Save", "Save & Close", and navigation links for "< Previous Category" and "Next Category >".

Editing Multiple Categories in Bulk

You can edit multiple categories in bulk.

To edit multiple categories in bulk

1. Select the Content tab and then select the Categories tab.
2. Check the boxes near the names of the categories you want to edit.
3. Select Bulk Actions at bottom of the list.



Use the Categories tab to:

- [Add Tags](#)
- [Remove Tags](#)
- [Move Categories](#)
- [Change Content Privacy](#) (available with entitlement configuration only)
- [Change Category Listing](#) (available with entitlement configuration only)
- [Change Contribution Policy](#)(available with entitlement configuration only)
- [Change Category Owner](#) (available with entitlement configuration only)
- [Delete Categories](#)

Add Tags to Categories

You can add tags to categories in the KMC that will propagate to other applications.

To add tags to a category listing

1. Select the Content tab and then select the Categories tab.
2. Select a category or multiple categories and select Bulk Actions on the bottom of the page.
3. Select Add Tags from the drop-down menu.
4. Enter tags to append to all selected categories.
5. Click Save Changes.

Add Tags ? ✕


Enter tags to be appended to all selected categories.
Use a comma to add multiple tags.

Remove Tags from Categories

You can remove tags from categories in the KMC. Tag deletion will propagate to other applications.

To remove tags from a category listing

1. Select the Content tab and then select the Categories tab.
2. Select a category or multiple categories and select Bulk Actions on the bottom of the page.
3. Select Remove Tags from the drop-down menu.
4. Select the tags to remove from the selected categories.
5. Click Remove.




Move Categories

You can move categories from one level to another.

To move a category to another parent category

1. Select the Content tab and then select the Categories tab.
2. Select a category or multiple categories that are currently under the same parent category and select Bulk Actions on the bottom of the page.
3. Select Move Categories from the Bulk Actions options.
4. Select the new parent category under which the selected categories will appear.
5. Click Apply.



Move Category

Select the parent category under which the selected category will appear.

No Parent

KMS Root

Adventure

Foreign

Drama

Thriller

Comedy

Fantasy

Apply

Following a Move Categories action, the category tree is updated on the Kaltura backend. When more than a few categories are affected, this operation may take a few minutes. Until the completion of this process, the editing options in the Categories page are disabled and are automatically released when the update process is completed.

Change Content Privacy

Content privacy is a category entitlement setting option that defines the visibility of content associated with a category. For more information see [Content Privacy](#).

This option is available with entitlement configuration only.

To change the content privacy

1. Select the Content tab and then select the Categories tab.
2. Select a category or multiple categories.

Select Bulk Actions on the bottom of the page and then select Change Content Privacy from the drop-down menu. The content privacy options are:

- **No Restriction** – Content in this category is visible to everyone with access to the application page it is published in.
 - **Requires Authentication** – Content in this category is visible only to authenticated end-users. User authentication is made by the application against the customer Identity Management system, or using Kaltura’s authentication services. In both cases access to content in this category requires that an authenticated user ID is passed to the Kaltura server through the application session.
 - **Private** – Content in this category is visible only to users with specific permission to access this category’s content.
3. Click Apply.

Change Content Privacy Settings ? ×

Change the Content Privacy settings for all selected categories

No Restriction

Requires authentication

Private

Note that the Changing the Content Privacy will only apply to categories that have entitlement settings.

Change Contribution Policy

The contribution policy is a category entitlement setting option that defines which end-users can add content to a category through applications. For more information see [Change Contribution Policy](#). This option is available with entitlement configuration only.

To change the contribution policy

1. Select the Content tab and then select the Categories tab.
2. Select a category or multiple categories and select Bulk Actions on the bottom of the page.
3. Select Change Contribution Policy from the drop-down menu.
4. Select one of the following options:
 - **No Restriction** – With this option, any end-user authorized by the application can add content to this category
 - **Private** - With this option, only end-users with specific permission to add content to this category are able to add content to it.
5. Click Apply.

Change Category Contribution Policy Settings ? ×

Change the Category Contribution Policy settings for all selected categories

No Restriction

Private

Note that the Change Category Contribution Policy action will only apply on categories that have entitlement settings.


Change Category Listing

The category listing is a category entitlement setting option that defines who can see the category's name and metadata in the application's category menus, navigations and listing or anywhere a category list is present. See [Category Listing](#) for more information.

This option is available with entitlement configuration only.

To change a category listing

1. Select the Content tab and then select the Categories tab.
2. Click on a category. The Edit Category window is displayed.
3. Select a category or multiple categories and select Bulk Actions on the bottom of the page.
4. Select Change Category Listing from the drop-down menu.
5. Select one of the following options:
 - **No Restriction** - The category name and metadata is visible to everyone with access to the application page it is listed in.
 - **Private** – The category name and metadata are visible only to users with permission to access the category and its content.
6. Click Apply.



Change Category Listing Settings ? x

Change the Category Listing settings for all selected categories

No Restriction

Private

Apply

Note that the Change Category Listing action will only apply on categories that have entitlement settings.



Change Category Owner

The Category Owner is a category entitlement option supporting applicative case in which an end-user should be set as the owner of the category. This will automatically set the user with a manager permission level for this category and enable the user to manage the category settings from the application.

This option is available with entitlement configuration only

To change the ownership on a category listing

1. Select the Content tab and then select the Categories tab.
2. Select a category or multiple categories and select Bulk Actions on the bottom of the page.
3. Select Change Category Owner from the drop-down menu.
4. Enter the new owner's User Name or User ID.



When the selected user is already listed in Kaltura, the user's ID or name appears in blue. When the selected user is not listed in Kaltura the typed text appears in red shape and after Saving, the user is added to Kaltura as the user ID.

5. Click Save.

Delete Categories

You can delete categories in the KMC. Category deletion is propagated to other applications.

When categories are deleted from the KMC, the entries in these categories are automatically added to the parent of the deleted category.

To delete categories

1. Select the Content tab and then select the Categories tab.
2. Select a category or multiple categories and select Bulk Actions on the bottom of the page.
3. Select Delete from the drop-down menu.
4. Select the categories to remove.
A warning message is displayed.
5. Click Remove.


Updating Categories' State

Some of the category related actions taken in the KMC may trigger a category update process on the Kaltura backend. This is mainly to allow continuous work through the KMC interface even when actions affect large portions of the category tree or apply on a very high number of categories.

While the Kaltura backend process is running, an 'Updating Categories' indication is set on the top right

Managing Categories

corner of the categories filter bar.



The 'Updating Categories' state may last a few minutes and until its completion. Some category settings and tree displays in the KMC may not be fully updated.

After the updating process is completed the 'Updating Categories' indication automatically disappears.

KMC Users and Roles

This section contains the following topic:

- [Roles and Permissions](#)
- [Content Moderation Workflows](#)
- [The Moderation tab](#)

Roles and Permissions

Roles and permissions enable organizations to define a user's ability to perform actions based on the user's responsibilities. Only users with admin permissions can add users, create roles and define permissions.

A publisher uses the roles and permissions infrastructure to specify actions that a user is allowed to perform. User roles define permissions granted to the user for the different KMC functionalities.


Adding a User

The following table lists the information that should be provided for adding a new KMC admin user. Please note that a limited number of users are allocated by default to each KMC account. If you reached the KMC users quota for your account and need to set additional users, please contact Kaltura with [a request for additional KMC admin users](#).

Field	Description
Email address	The user's email address serves as a unique identifier of the user in the Kaltura system, as the user login username and as a recipient address for system-generated messages. Upon the creation of a new user account, a welcome email notification will be sent to this email address with a link for setting the initial password.
First name, Last name	User's name
Publisher ID (Optional)	A unique identifier that may be in use by the publisher in different systems. This will serve as the KMC user identifier as content contributor in all KMC-related locations. When a publisher ID is not provided, the user email address will be used as a default value.
User Role	Defines the set of permissions granted to the user for the different KMC functionalities. This role should be set according to the tasks that the user needs to work on and the functionalities that the user needs access to within the KMC. The different KMC user roles are set (by users who are granted with permission to do so) from the KMC Roles page (under the Administration tab).

To add a user

1. Go to the Administration tab and select the Users tab.
2. Click Add User, and fill in the details in the Add User window.
3. Select a User Role from the drop-down menu.



4. (Optional) Click Add Role to create a custom role. See [Creating Custom Roles](#).
5. Click Save.

When a user is created, an email will be sent to the specified email address containing a link to set the account password.

Editing a User

After a user account is set in the system, the user's personal details can only be set by the user personally, from the **My User Settings** page in the **Settings** tab. See [My User Settings](#).

To edit user information

1. Go to the Administration tab and select the Users tab.
2. Click on a User and then select Edit from the drop down tab.

Only the Publisher User ID and the User Role may be edited in Edit User window. Please note that it is not possible to edit the user role that is defined as the Account Owner. In addition, a KMC user with access to user management functionalities cannot edit the user role selection in their account.

Deleting and Blocking Users


You can prevent users from logging into the KMC temporarily or permanently. Blocking a user will prevent the user from logging into the KMC. This restriction can be removed by applying the unblock action.

Deleting a user is a permanent action. The deleted user's content contribution records will be kept in the system.

To block or unblock a user

1. Select the Administration tab and select the Users tab.

2. Click on a User Name.
3. Select Block/Unblock from the Select Action drop-down menu to block a user temporarily.
4. Select Delete from the Select Action drop-down menu to remove a user permanently.




Purchasing a License for Additional Users

Each KMC account is allocated three users.

To request additional users

1. Select the Administration tab and then select the Users tab
The Current Status lists the number of KMC users and the number of available users.
2. Click on the Click here to upgrade your account link.




Creating Custom Roles

When you add a KMC admin user role to a specific publisher account, you should add the relevant set of permissions in the **Add Role** window. You can select which KMC functionalities are available to users with the defined role. Clicking the checkmark next to each permission group name will toggle the permission level for the specific KMC functionality to the following modes:

- **Full Permission** (checked) – Grants access to all KMC functionalities listed under the permission group.
- **View-Only Permission** (partially checked) –Only part of the functionality listed in the group is selected.
- **No Permission** (unchecked) – No access to the KMC pages that are relevant to the KMC functionalities listed under the permission group.

To create custom roles

1. Go to the Administration tab and select the Roles tab.
2. Click Add Role to create a custom role.



3. Enter the Role Name and provide a description.
After naming the role and providing a description you will be able to select the specific permissions required.
4. Most of the permissions are organized under KMC high-level functionalities. For granular permissions within each category click Expand All. Or click Advanced to open a more detailed list of the specific KMC functionalities related to the group.
5. Click Save.

You can edit, duplicate or delete any existing role via the using the Select action drop-down menu.

Role Management

After you create roles you can:

- Edit a role
- Duplicate a role.
- Delete a role.

To modify roles

1. Go to the Administration tab and select the Roles tab.
2. Click on a role.
3. Select an option from the Actions menu.
 - **Edit a role**

Editing a user role affects the access level of the KMC user associated with this role only after the user logs in to the KMC. We recommend that you edit an “in-use” role when users associated

with this role are not logged into the KMC.

- **Duplicate a role**

Duplicating a role is a quick way to create a new KMC user role with a similar, but not identical, set of permissions as an existing user role. The duplicated role is populated with the permission set of the duplication source role, so minor changes to this permission set can be easily made. After you duplicate a role, use the Edit option to modify the permissions.

- **Delete Role**

Deleting a role is a permanent action. It is not possible to delete a user role record as long as KMC admin users are associated with the role. In such cases, make sure to update the relevant KMC user accounts with another user role before attempting to delete their existing role.

Moderation and Editorial Workflows

This section contains the following topics:

- [Content Moderation Workflows](#)
- [The Moderation Tab](#)


Content Moderation Workflows

You can review content before it is published to eliminate spam and abusive content in User Generated Content (UGC) portals. You can also implement complex editorial workflows for your various editorial team roles.

The Moderation Tab

The Moderation tab located in the Content tab in the KMC, allows publishers to see the moderation queue, where all entries marked as pending, are waiting to be approved or rejected. Content moderators can change the moderation status (approve/reject).

This window displays a list of all content that has been flagged as inappropriate by users. By default, the list is filtered and sorted according to the amount of flags that each entry has received. You can sort the list by clicking on the various columns and scroll through the pages at the bottom of the list.



The screenshot shows the Kaltura Moderation interface. At the top, there are navigation tabs: Dashboard, Content, Studio, Analytics, Settings, Administration, and Upload. Below these are sub-tabs: Entries, Moderation (selected), Playlists, Syndication, and Categories. A search bar and filters for 'Pending moderation' and 'Flagged for review' are visible. The main area contains a table of content entries:

Categories	Thumbnail	ID	Name	Type	Player Loads	Plays	Created On	Flags
		0_kfpx9aja	Inuva 2		0	0	11/23/11 10:43	1
		0_wr19f4gu	aBlack_Source		0	0	05/03/12 11:43	2
		0_idm50bo6	trailer1_eng.mov (S		0	0	05/06/12 17:59	2
		0_041na5n	3568585_trailer1_e		0	0	05/06/12 19:57	1

At the bottom of the table, there are 'Bulk Actions' and pagination information: '1 1-4 of 4'. On the right side, there is a video player showing a black screen with a 'View full details' and 'Ban User' button below it.

To display content for moderation

1. Select the Content tab and then select the Moderation tab.

2. Click on the name of an entry.
The Edit Entry window is displayed. Similar to the Entries tab, the Filters bar to the left of the entries table is displayed.
3. Filter your moderation entry list according to various parameters and search criteria. See [Filtering Content in the Entries Table](#).
By default, the list is already filtered by content that was flagged for review. To change this, click on the "Additional Filters" button (see Use Additional Filters).

Previewing Content using the Moderation Tab

To preview content

1. Select the Content tab and then select the Moderation tab.
2. Click on the name of an entry.
The entry is displayed in the small player to the right of the list.
3. Click on the bottom right of the preview pane, "View full details" link for quickly reviewing or editing the content of an entry.

Rejecting Content using the Moderation Tab

To reject content (one or more entries)

1. Select the Content tab and then select the Moderation tab.
2. Select the relevant entries (for multiple choices, use either the CTRL key or the selection drop-down menu at the bottom of the page) and press the "Reject Selected" button.
You can reject more than one entry at a time, but only for entries appearing on the same page of the main list.

Approving Content using the Moderation tab

To approve content (one or more entries)

1. Select the Content tab and then select the Moderation tab.
2. Select the relevant entries (for multiple choices, use the CTRL key or use the selection drop-down menu at the bottom of the page) and press the "Approve Selected" button.
You can approve more than one entry at a time, but only for entries appearing on the same page of the main list.

Banning Users using the Moderation tab

To ban users

1. Select the Content tab and then select the Moderation tab.
2. Click on the "Ban User" link under the preview player. This triggers a notification to be sent to your website's CMS with a request to ban the specific user that created the selected entry.

Moderation and Editorial Workflows

The screenshot displays the Kaltura Moderation interface. At the top, there is a navigation bar with tabs for Dashboard, Content, Studio, Analytics, Settings, Administration, and Upload. Below this, the 'Moderation' section is active, showing a search bar and a 'Refresh' button. On the left, there is a 'Filter by Categories' sidebar with a tree view of categories like 'image', 'video', 'hd content', 'fish', 'sp-entertainment', 'MediaSpace Root', 'TVins', and 'media'. The main area contains a table of content items. A 'Bulk Actions' menu is open over the table, showing options: 'Reject Selected', 'Approve Selected', and 'Bulk Actions'. The table has the following data:

Thumbnail	ID	Name	Type	Plays	Created On	Flags	Moderation Status
	0_7mtd5dp	Sample Kaltura Logo	Image	0	05/30/12 17:10	0	Approved
	0_52vz27l	Sample Kaltura Animated Logo	Image	0	05/30/12 17:10	0	Auto Approved
	0_3zew371b	Sample HD Buck Bunny Trail	Video	0	05/30/12 17:10	0	Auto Approved
	0_5eaDyv8	Normal web quality video 1080	Video	0	05/30/12 17:10	0	Auto Approved
	0_881qg1t	Excellent web quality video 1080	Video	0	05/30/12 17:10	0	Auto Approved
	0_8mb0z9v	open_shuf	Video	0	06/04/12 15:56	0	Auto Approved
	0_7q2y6kfw	dibble_live	Video	0	06/04/12 16:14	0	Auto Approved
	0_8q3f0zw7	open_shuf	Video	0	06/04/12 16:17	0	Auto Approved
	0_50qk1ahb	open_shuf	Video	0	06/04/12 19:10	0	Auto Approved
	0_2m0ba66	open_shuf	Video	0	06/05/12 18:21	0	Auto Approved
	0_8a8w5d	Libras	Video	0	06/10/12 13:32	0	Auto Approved
	0_881qg1t	libras_NEW	Video	0	06/12/12 17:11	0	Auto Approved

At the bottom of the interface, there is a 'Search Categories' section, 'Additional Filters', and a 'User Manual Demo' link. The table footer shows '1-14 of 14' items and a 'Show rows: 50' dropdown.

Using Subtitles and Captions

This section contains the following topics:

- [Caption File Types](#)
- [Subtitles and Captions Terminology](#)
- [Adding Captions to an Entry](#)
- [Setting Up Captions for Display](#)

Caption File Types

You can upload multiple subtitle and caption files (SRT, DXFP, and XML) and transcripts (TXT), or reference an external link to a captions file in the KMC. Viewers can then select and toggle between different language subtitles and captions. Subtitles and captions are fully searchable as a metadata field. Kaltura's accessibility player plugin also makes the captions readable via screen readers and therefore helps organizations adhere to 508 compliancy regulations. Kaltura's "In Video Search" API allows users to for a specific phrase within a library of videos and within the search results directs the user to the exact point in the video where the phrase appears. For more information see [Kaltura Demo Apps for Captions](#).

You can also automate the creation of subtitles and captions, and transcriptions through our partners in Kaltura Exchange. For instance check out [3Play Media Interactive Transcript / Captioning Plugin](#).

Searching within Captions

Publishers can use the Kaltura API and code skeleton to search within the captions and point the viewer directly to the relevant point in time. The search is done across a catalogue of videos, making the discovery process easy and accessible, especially when searching in a large amount of content.

Contact your account manager to learn more on how to integrate this functionality into your website and environment.

Subtitles and Captions Terminology

A **caption file** contains *both the text and information* about when each line of text should be displayed.

A caption is synonymous with **subtitle** and is usually displayed at the bottom of the screen.

SRT and DXFP are text file formats that contain captions; **including the time** each subtitle should be displayed followed by the text of the subtitle.

If the caption includes non-dialog text, the file is considered a **closed caption**.

Transcriptions are files that contain text of the video without time stamps.

Captions can either be a form of written translation of a dialog in a foreign language or a written rendering of the dialog in the same language. Closed captions files contain added information to help viewers who are deaf and hard-of-hearing to follow the dialog, or people who cannot understand the spoken dialogue or who have accent recognition problems.

For greater accessibility and compatibility with equipment like screen readers, use Kaltura's 508 Compliant Player. For more information, see [508-Compliant Video Player](#).

Adding Captions to an Entry



Adding Captions to an Entry Workflow:

1. In the Upload tab, [upload an entry](#).
2. [Create a player](#) and [add content to the player](#).
3. Configure the player's [Subtitles and Transcriptions](#) options.
4. Select an entry and [add captions to the entry](#).
5. [View the entry with the captions](#).

You can add multiple captions files to each entry. For example, you can create subtitles captions in multiple languages and label each language.

To assign a caption file to an entry

1. Select the Content tab and click on an entry.
2. Select the Captions tab.
3. Click Add Another Caption.
4. Select the Type. Choose SRT or DFXP.
5. Paste an external URL in the File Location or click Upload File and upload an SRT or DFXP file from your computer.

Edit Entry - open_shut ? ✕

- [Metadata](#)
- [Thumbnails](#)
- [Access Control](#)
- [Scheduling](#)
- [Flavors](#)
- [Distribution](#)
- Captions**
- [Advertisements](#)
- [Related Files](#)
- [Clips](#)
- [Users](#)

You can add multiple captions files to each entry (e.g., for multiple languages).
To assign a file, either paste an external URL of the file or upload a SRT/DFXP file from your computer.

Add Another Caption

File Location	File Type	Language	Label	Status	Actions
<input type="text" value="http://www.kaltura.c"/>	SRT ▼	English ▼	<input type="text"/>	Saved	✕ Remove ⬇ Download file ✓ Set as Default

Save
Save & Close

[⏪ Previous Entry](#)
[Next Entry ⏩](#)

6. Assign a Language to the caption from the drop down menu.
7. Enter a Label that will appear in the player's captions drop-down menu. For example: Japanese.
8. In the Actions column click Set as Default.(optional – use for multiple languages)
9. Select Add Another Caption to add additional captions files and repeat steps 5 to 7.
10. Click Save.

Editing a Captions File

After you upload a captions file you can edit the file, remove it, or set it as the default captions file.

To edit a captions file


1. Select the Content tab and click on an entry.
2. Select the Captions tab.
3. In the Actions column, click Download File.
4. Edit the file and then upload the file again as described in [Adding Captions to an Entry](#).
5. Select Remove to delete the captions file.

Setting Up Captions for Display

You will need to enable captions in your player or select a player with captions already enabled.

To display captions during playback

1. Go to the Studio tab, and select Player or Create New Player.
2. Select a player and select Edit from the drop down menu.
3. In the Edit Player window, select the Features tab.
4. Scroll down and select Subtitles and Transcriptions.



5. Check one of the following:
 - **Subply Component** – Uses the PlyMedia solution. For more information, see [Plymedia](#) on the Kaltura Exchange site. Additional transcoding and captioning services can also be used. See the [Kaltura Exchange](#) for more information.
 - **Captions on video** - The subtitles/captions will be displayed as an overlay at the bottom of the video area. You can control the area where the captions will appear on the player.
 - **Captions for accessibility** – Creates a dedicated area under the video area to display captions. Check this option if you intend to use the 508 Player.
6. Click Options to modify the text style and background. See [Captions Options](#).
7. Click Apply.


Viewing an Entry with Captions in a Player

To view the captions in a player

1. Select the entry that you added the captions file to.
2. Click Preview and Embed.
3. In the Player window select the player to use to display this entry.
4. Use the URL indicated in the View as a standalone page with this player.

The following is an example of an entry with 2 subtitle files where the default language is English.

Embedding: open_shut



00:46 / 01:48

100%

Select Player: 508 player

Kaltura player includes both layout and functionality (advertising, subtitles, etc)

Select Flash Delivery Type: Progressive Download (HTTP)

Adaptive Streaming automatically adjusts to the viewer's bandwidth, while Progressive Download allows buffering of the content. [Read more](#)

Support Mobile devices by fall-forward to HTML5
This video does not have video flavors compatible with iPhone & iPad. [Read more](#)

Support Mobile devices by fall-forward to HTML5
This video does not have video flavors compatible with iPhone & iPad. [Read more](#)

Modify embed code to use HTTPS secure delivery

View a standalone page with this player: www.kaltura.co.cc/tiny/qc6l

Embed Code: `<object id="kaltura_player_1341837626"`

Select Code

Captions Options

The following lists the options you can use to customize your caption file display.

The image shows a screenshot of a configuration panel for captions. It includes several settings: a 'Text Effect' dropdown set to 'Background'; a 'Glow Color' color picker set to black; a 'Glow Blur' spinner set to 4; a 'Background Color' color picker set to black; a 'Font Size' spinner set to 12; a 'Font Family' dropdown set to 'Arial'; a 'Prompt' text field containing the word 'Captions'; and an empty 'Tooltip' text field.

Text Effect:
Background

Glow Color (applicable if "Glow" selected):
[Color Picker]

Glow Blur:
4

Background Color (applicable if "Background" selected):
[Color Picker]

Font Size:
12

Font Family:
Arial

Prompt (text that appears on captions selector):
Captions

Tooltip:
[Empty Text Field]

Live Streaming

This section contains the following topics:

- [Live Streaming Using the KMC](#)
- [Workflow for Setting up Live Streaming](#)

Live Streaming Using the KMC

Kaltura's Live Streaming solution is the easiest and most cost effective way to incorporate live streaming video into your website or application. Backed by world-class data centers, and fault tolerant software architecture, Kaltura is able to provide the reliability and capacity necessary to handle encoders that are supported by Akamai.

You can broadcast live streams through a Content Delivery Network (CDN) such as Akamai, through the KMC. The encoding software installed (such as FMLE) encodes your real-time camera signal and sends it out through a secure RTMP connection to the CDN. Then, using a Kaltura Player, you can embed the live broadcast in your websites. You can set the live stream entry metadata and specify broadcasting settings in the KMC in the same way VOD content is managed.

By using a CDN for live streaming, you guarantee a better experience for your viewers world-wide.



NOTE: In the Kaltura SaaS Edition, Live Streaming is an additional service. To add Live Streaming to your account, contact your Account Manager.

In Kaltura Community Edition, Live Streaming requires a Flash Streaming Server software installed such as Adobe FMS, Red5 and Wowza or alternatively, an Akamai CDN account.

To enable live streaming for your account

- [Contact us](#) or call +1-800-871-5224

After your account is enabled you can set up Kaltura's Live Streaming service.

Workflow for Setting up Live Streaming

This section describes how to set up the KMC, the encoder, and a device for the live streaming service.



1. [Set up the Hardware and Software.](#)
2. [Create a Live Streaming Entry in the KMC.](#)
3. [Configure the Live Streaming Parameters in the KMC](#)
4. [Set up the Broadcasting Computer.](#)
5. [View the Broadcasting Setup \(optional\).](#)

Setting up the Hardware and Software

To set up the hardware and software for live streaming

1. Download the Flash Media Live Encoder (FMLE) from [here](#).
2. Install the FMLE on your local Windows machine.




NOTE: Be certain that your system has the minimum requirements. See <http://www.adobe.com/products/flashmediaserver/flashmediaencoder/systemreqs/> for details.

3. Connect your camera to the installed computer.

Creating a Live Streaming Entry in the KMC

To create a live streaming entry in the KMC

1. Login into the KMC and go to the Upload tab.
2. Select Live Stream Entry.



The Add New Stream window appears.

3. Fill in the values and click Save.

The following table describes the input fields.

Field	Description
Name	The name of the stream that will appear in the KMC entries list.
Description	A description of the stream (optional).
Primary encoder IP	The public address that will be used for streaming (the computer where the client encoder such as Adobe FMLE is installed). Note: your IP address can be retrieved by browsing from the computer where the FMLE is installed to http://www.whatismyip.com/ 0.0.0.0 cannot be used as your IP address.
Secondary encoder IP	If you are using two encoders (for redundancy), fill in the secondary encoder IP. If you are using a single encoder, copy the Primary encoder IP to the Secondary encoder IP field.
Broadcasting password	This password is required in the client encoder (FMLE) software. If you do not enter a password the system will automatically create one for you and it will be displayed in the Live Stream tab of the entry details window under “Broadcasting credentials”.



NOTE: When using Kaltura’s SaaS edition, Kaltura will provision your new Live Stream with the CDN (for example, Akamai). The CDN will then populate the information about the new Live Stream to the CDN’s servers. This may incur up to a 20 minute delay, for the stream to become available for broadcasting. You should always provision your Live Stream ahead of time, and be certain that you have at least 20 minutes lead time to going live.

Kaltura's uses Akamai as the default CDN. You can also use a CDN other than Akamai, however, you will have to provision the stream via the CDN portal, or through technical support, and then ask Kaltura Support to create a live stream entry pointing to the provisioned stream.

Multiple Bitrate Encoding


To maintain the best possible viewing experience and video quality, it is often necessary to stream different versions of the encoded video to different clients using different devices and over variable connection speeds.

Multiple Bit Rate (MBR) encoding is designed to adjust to fluctuations in bandwidth while maintaining an acceptable quality. MBR combines several bit rates into a single encoded file. When the file is accessed, the player determines the appropriate bit rate based on the available bandwidth, and then retrieves the encoded file at the optimal bit rate. If the available bandwidth decreases for any reason, a stream at a lower bit rate can then be served. With a lower bit rate, there is often a decrease in quality. See [Video Delivery Settings](#) for more information.

Configuring the Live Stream Parameters in the KMC

To configure the live stream parameters

1. Go the Content tab in the KMC.
2. Click on the Live Stream Entry in the Entries table.
3. Select the Live Stream tab.



Edit Entry - DZ Live Stream test

Metadata

Thumbnails

Access Control

Scheduling

Live Stream

Custom Data

Distribution

Captions

Advertisements

Related Files

Broadcasting settings-Client Encoder

Broadcasting with a client encoder creates the best results but requires a dedicated hardware and software. The client encoder will require the parameters listed below. if you need help configuring your encoder, [please refer to our help section](#)

Broadcasting URLs

Primary URL: rtmp://p.ep50477.i.akamaientrypoint.net/EntryPoint

Backup URL: rtmp://b.ep50477.i.akamaientrypoint.net/EntryPoint

Stream name: 1_nhf21iak_%i@50477

bitrate configuration

This allows you to create multiple bitrates broadcast
In order to allow the player to select the optimal bitrate, these settings must be aligned with your client encoder (FME)

Bit Rate	300 Kbps	null	x	null
1. <input type="checkbox"/>	300	320	x	240
2. <input type="checkbox"/>	50	0	x	0
3. <input type="checkbox"/>	50	0	x	0

Broadcasting credentials

User Name: 77659

Password: 778b3114

Encoders IPs

Primary encoder IP: 62.219.132.160

Secondary encoder IP: 62.219.132.160

[Export XML to FME](#)

4. Set the MBR. (Optional)
 - a. When broadcasting with MBR the player will choose the most appropriate bitrate to

stream. Be certain that your client encoder is aligned with the same settings.

- b. Determining the right bit rates for your Live Stream is generally dependent on the quality of your video, the size of the player your viewers will use, the bandwidth your client encoder computer has and the bandwidth of your viewers. It is common to have widths of 240, 360, 480, 720 and 1080 with HD content streaming. If you are broadcasting a webcam, it is generally best to use the default KMC settings. To get professional assistance, please contact Kaltura's support.

Setting up the Broadcasting Computer


To set up the broadcasting computer

1. Connect your camera /recording device to the broadcasting computer.
2. Run the Adobe Flash Media Live Encoder (FMLE).
3. Select the relevant recording Device from the drop-down menu. Copy the details of the live entry to the Flash Media Live Encoder. You can copy the details manually, or use the "Export XML to FME" option.
 - a. Enter or copy the Primary URL in the FMS URL field, and the Backup URL in the Secondary URL as configured in the KMC.
 - b. Enter the Stream Name as displayed in the KMC.
 - c. Enter the MBR settings if you have defined them. See [Multiple Bitrate Encoding](#).
 - d. Use the Preset dropdown menu in the FMLE to select the MBR.
Enter the Bit Rates as configured in the KMC. If you select to Save to File, you must append %i to the file name.



NOTE: When using the FMLE, the Stream name includes the %i. If you are using an encoder other the FMLE, you must append "_1" to the Stream name.

4. Click Connect.
5. Enter the Broadcasting credentials, (User Name and Password) as configured in the KMC Live Stream tab and click OK. The system will prompt you twice for the Broadcasting credentials.



6. Click Start.
You are now broadcasting live.
7. When your broadcast is finished, click Stop.

Viewing the Broadcasting Setup (Optional)

To view the broadcasting setup

1. Return to the KMC and select the Content tab.
2. In the KMC Entries Table, click the Preview & Embed link for the live stream entry.

Name: DZ Live Stream test
Bitrates: 300 kbps, 320 x 240

Select Player: KDP3 Dark skin

Kaltura player includes both layout and functionality (advertising, subtitles, etc)

Support iPhone & iPad with HTML5
 If you enable the HTML5 player, the viewer device will be automatically detected. [Read more](#)
 View player outside KMC: www.kaltura.com/tiny/05qf

Embed Code: `<object id="kaltura_player_1323677732"`

Select Code

3. Select the player from the drop-down menu and copy the Embed Code.
4. Paste the Embed Code within an HTML page.
5. Browse to the page where the embed code was inserted and press Play on the video player.

Advanced Live Streaming Configuration Options

There are multiple factors that can influence the video quality for live streaming. To receive good results you should optimize the settings based on your specific needs.

The following table can be used as a starting point for optimization and setup. A rough estimate is provided for the different factors, based on the video dimensions.

Live Streaming

Video Dimensions	Bitrate Required (Mbps)	Camera Requirements	FMLE HW Requirements	Broadcaster Uplink, Viewer Downlink Requirements (Mbps)	Throughput example for 1000 concurrent viewers of 1 hour broadcast
320x240	0.3	support frame size & bitrate	Dual Core 2GB RAM	0.4	135 GB
640x480	1.4		Quad Core Xeon 3GB RAM	2	630 GB
1024x720	3.5		8 Core Xeon 3GB RAM	5	1600 GB

For more information about setting up these parameters in the Flash Media Live Encoder, as well as additional advanced configuration options, see the [FMLE guide](#).

Content Authoring Tools

This section contains the following topics:

- [The Content Tab](#)
- [Editing Entries](#)
- [Entries Table](#)
- [Clipping and Trimming Media Files](#)
- [Choosing a Thumbnail for your Video](#)

The Content Tab

The Content tab is used to manage your media library and provides all the tools you need, in one intuitive interface. You can organize your content and metadata, easily search media, edit, moderate, create playlists, and much more through the Content tab.

The Content Tab has the following tabs:

- [Entries Tab](#)
- [Moderation Tab](#)
- [Playlists Tab](#)
- [Syndication Tab](#)
- [Categories Tab](#)


Entries Tab

Your first step in the KMC is to upload files to the Entries Table. See [The Upload Tab](#).

After you upload content to the KMC you can perform various modifications to your content, for example, categorize, clip, and create ads. However, the most logical thing you may want to do is to embed your video into your website. See [Preview and Embed](#).

Entries Table

The Entries Table lists the entries in your account and provides a way to edit the entry's specific metadata and settings. You can perform several actions on a specific entry or several entries simultaneously. To choose multiple entries, check the boxes near the entry name and then, select Bulk Actions at bottom of the list. You can search through entries; delete entries, preview entries as well as other actions.



Use the Entries tab to perform the following actions on multiple entries:

- [Set Scheduling](#) – See [Content Scheduling](#) for applying scheduling to a single entry.
- [Set Access Control](#)
- Edit Tags
 - [Add Tags](#)
 - [Remove Tags](#)
- Edit Categories
 - [Add Categories](#)
 - [Remove Categories](#)
- Add to New Category Playlist
 - [Add to New Category](#)
 - [Add to New Playlist](#)
- [Change Owner](#)
- [Download](#)
- [Delete](#)

Set Scheduling

Set specific scheduling parameters for your content.

To set a scheduling for an entry

1. Select the Content tab and then select the Entries tab.
2. Select an entry or multiple entries and select Bulk Actions on the bottom of the page.
3. Select Set Scheduling from the drop-down menu.
4. Enter the scheduling times that should be applied to the selected entries.
5. Click Apply to all Selected Entries.

Set Scheduling ? x

This will override Scheduling settings for all selected entries

Any Time

Specific Range

Note: Time Zone used is (GMT+3)

Start Date: 12:00 am

End Date: 12:00 am

Clear Dates

Set Access Control

Set access control permissions for your entries. (See [Managing Access Control Profiles](#) for more details).

To set access control permissions for entries

1. Select the Content tab and then select the Entries tab.
2. Select an entry or multiple entries and select Bulk Actions on the bottom of the page.
3. Select Set Access Control from the drop-down menu.
4. Select the access control profile that should be applied to the selected entries or click Add Profile to create a profile. See [Creating an Access Profile](#).
5. Click Apply to all Selected Entries.

Set Access Control Profile ? x

This will override Access Control Profile settings for all selected entries

Access Control Profile: [Add Profile](#)

Profile Name: Default

Description: default access control profile

Domains: Any Domain

Countries: Any Country

IPs: Any IP


Advanced Security:

Edit - Add Tags to and Entry

You can add tags to entries in the KMC that will propagate to other applications.

To add tags to an entry

1. Select the Content tab and then select the Entries tab.
2. Select an entry or multiple entries and select Bulk Actions on the bottom of the page.
3. Select Add Tags from the drop-down menu.
4. Enter tags to append to all selected entries.
5. Click Save Changes.



Add Tags ? x


Enter tags to be appended to all selected entries.
Use a comma to add multiple tags.

Edit - Remove Tags from an Entry

You can remove tags from entries in the KMC. Removal will propagate to other applications.

To remove tags from an entry

1. Select the Content tab and then select the Entries tab.
2. Select an entry or multiple entries and select Bulk Actions on the bottom of the page.
3. Select Remove Tags from the drop-down menu.
4. Enter tags to append to all selected entries.
5. Click Save Changes.



Edit - Add Categories

You can add categories to entries in the KMC that will propagate to other applications.

To add categories to an entry

1. Select the Content tab and then select the Entries tab.
2. Select an entry or multiple entries and select Bulk Actions on the bottom of the page.
3. Select Add Categories from the drop-down menu.
4. Select or search for a category to apply to all the selected entries.
5. Click Apply.

Select Categories ✕


- KMS Root
- ▶ Adventure
- Foreign
- Drama
- Thriller
- Comedy
- Fantasy

Edit - Remove Categories

You can remove categories from entries in the KMC. Removal will propagate to other applications.

To remove categories from an entry

1. Select the Content tab and then select the Entries tab.
2. Select an entry or multiple entries and select Bulk Actions on the bottom of the page.
3. Select Remove Categories from the drop-down menu.
4. Check the categories to remove from the all selected entries.
5. Click Apply.



Add to New Category

You can select multiple entries in the entries list and then click "Add to New Category" to create a new category with the specific entries included. See [Adding Editing a Specific Category](#) for information on how to create categories.

Add to New Playlist

You can select multiple entries in the entries list and then click "Add to New Playlist" to create a new playlist with the specific entries included in the playlist. See the [Playlists Tab](#) for information on how to create playlists.

To create and add entries to a new playlist

1. Select the Content tab and then select the Entries tab.
2. Select an entry or multiple entries and select Bulk Actions on the bottom of the page.
3. Select Add to new Playlist from the drop-down menu.
4. Check the entries to add to the new playlist.
5. Click Apply.

Change Entry Owner

By default, channel managers are the channel owner for any applicative need. A channel owner cannot be deleted by other channel managers; however you can set a new owner for an entry.

Change Owner ? x

Set a new owner to this entry

Enter user name or user id

Cancel Save

Download Files

To download files to your computer for offline use

1. Select an entry and select Bulk Actions on the bottom of the page and select Download from the drop down menu.

Note that you can download more than one entry at a time, as long as the entries appear on the same page of the entries list.

A flavor (format/quality) selection window is displayed for the video files you select to download.

2. Select your preferred flavor from the drop-down menu and click "Submit" to proceed. A message will appear stating that links to your downloaded files will be sent to your email. Click "OK" to proceed.

Download ? x

You have selected 1 entry for download.

If you have selected to download a video, please choose the required format

Audio entries will be delivered in FLV format

Images will be delivered in their original format.

Source

Source
HD
High - Large
Standard - Large
Standard - Small

Submit

0_2m0a468 [open shut](#) 0 06/05/12

Delete Multiple Entries

You can delete multiple entries in the KMC.

To delete entries

1. Select the Content tab and then select the Entries tab.
2. Select an entry or multiple entries and select Bulk Actions on the bottom of the page.
3. Select Delete from the drop-down menu.


4. Select the entries to remove.
A warning message is displayed.
5. Click Remove.

Preview and Embed

To preview and get the embed code for entries in the Entries Table; click the "Preview & Embed" link under the Actions column on the main list of entries. In the new window that opens, you can preview the entry and select the player that you would like to use. See [Embedding a Player on your Site](#).

To preview and embed your content to a website

1. Go to the Content tab and select the Entries tab.
2. Click on an entry in the Entries table.
3. Select Preview and Embed in the actions drop down menu.
4. In the new window that opens, you can preview the entry and select the player that you would like to use. See [Embedding a Player on your Site](#).
5. Grab the embed code.



Editing Entries

To edit an entry

- Click on an entry name. The Edit Entry window is displayed. Use the Edit Entry window to manage all information relating to the entry.

Edit Entry - Inception New Featurette - The Characters

Metadata

Name: Inception New Featurette - The Characters

Description:

Tags: leonardo dicaprio × ellen page × marion cotillard × cillian murphy ×

Categories: Enter category names

Reference ID:

Entry ID: 0_1801h9td

Preview & Embed **Clip This** **Trim This**

Creator: ariel.hitron@kaltura.com

Created on: 06/23/2012

Landing Page:

Type: Video **Duration:** 02:00

Moderation: Auto approved

Plays: 0

Save **Save & Close** **← Previous Entry** **Next Entry →**

Edit Entry Tabs

- **Metadata:** Use to display the entry and edit basic metadata: Name, Description, Tags, Categories and Reference ID. See [Managing Metadata](#) for more information. For video and audio entries, you can also trim or clip the entry. You can see the Entry ID, type of entry (video, video mix, image or audio), moderation status (approved, flagged for review or rejected), flags, duration, date of creation, creator, rating, votes count and number of plays. In this tab you can also trim or create multiple clips from a single video. Each clip gets its own embed code and metadata, while remaining associated to the original video. Trimming and clipping tools are available both to administrators and site users. See [Clipping and Trimming Media Files](#). You can leverage metadata fields to tag, manage, search and expose content. Populate out-of-the-box fields, or create your own custom metadata schema.
- **Thumbnails:** Use to upload thumbnails, grab a thumbnail from video, crop thumbnails and select a default thumbnail. You can generate thumbnails from videos or upload external images. Capture, crop and adjust to get the best result. See [Choosing a Thumbnail for your Video](#).
- **Access Control:** Use to assign an access control profile to an entry. See [Managing Access Control Profiles](#).
- **Scheduling:** Use to specify date ranges for scheduling an entry. See [Content Scheduling](#).
- **Flavors:** Lists all related flavors. Use to convert an entry to additional flavors or to re-convert existing flavors. See [Transcoding and Processing](#).
- **Distribution:** Lists distribution channels associated with an entry and use to manage distributors. See [Content Distribution](#).
- **Captions:** Use to manage captions. Use to upload captions, link to external caption files, and to add additional captions to an entry. See [Subtitles and Captions](#).
- **Advertisements:** Use to create midrolls and overlays for each entry. Add cue points to your video files to enable time-based functionality such as chaptering, display of related files at specific points, and timed advertisements. See [Adding a Midroll](#).
- **Related Files:** Use to upload related files and to assign the files to an entry. See [Uploading and Modifying Related Files](#).

- **Clips:** Displayed if clips were created from an original video or audio entry. See [Clipping an Entry](#).
- **Users:** Use to add editing and publishing rights for additional end-users to work with this entry across applications. See [Users Tab](#).

Clipping and Trimming Media Files


You can create clips from existing videos, set in and out points. Each clip becomes its own media entry encoded to multiple flavors, and can be downloaded, distributed and played back on any device. You can also trim the length of a video directly from within the Kaltura Management Console. The clipping tool enables you to edit your videos visually or by setting the start time and end time of your clip. For additional information see [Server Side Clipping and Trimming](#).

Clipping creates a new entry from an existing entry and allows you to specify the start and end time for the new entry. For example you can clip an entry that can be used to create a 2 minute intro video to a long lecture, or clip part of an entry, such as homework assignments. You can also clip a long lecture to several shorter clips divided by subjects. The new entry will point to its source entry so that you can always identify the source entry for the clip.

Trimming does not create a new entry. Sometimes, you may want to trim the start and/or end of a video to remove redundant parts. Trimming is performed on the source flavor of the entry, modifying that video permanently.

To clip a media entry

1. Select the Content tab and then select an entry from the Entries Table.
2. In the Metadata tab, click Clip This.



Edit Entry - open_shut

Metadata

Name: open_shut

Description:

Tags: boys × twins ×

Categories: × Type in a category

Reference ID:

Entry Id: 0_ehtb0z9v

Preview & Embed **Clip This** Trim This

Creator: debbie.zioni@kaltura.com

Created at: 06/04/2012

Landing Page:

Type: Video Duration: 01:48

Moderation: Auto approved

Plays: 0

Save Save & Close < Previous Entry Next Entry >

The Clipping Tool window is displayed.

3. Click Add New Clip.

The screenshot shows the 'Clipping Tool' interface. It features a video player on the left with a play button and a timeline below it. The timeline has markers at 00:00, 00:15, 00:30, 00:45, 01:00, 01:15, 01:30, and 01:45. A grey bar on the timeline indicates a selected clip from approximately 00:05 to 00:15. Below the timeline are 'Set In' and 'Set Out' buttons. To the right of the video player is a form with the following fields:

- 'Add New Clip' button
- 'Start Time' field: 00:00:00:000
- 'End Time' field: 00:00:10:800
- 'Title' field: open_shut
- 'Description' field (empty)
- 'Preview' and 'Remove' links
- 'Save' button at the bottom center

4. Use the arrow to choose the granularity level for the display.
The choices are:
 - 100%
 - 5 sec
 - 1 sec
 - Frames.
5. Press Play and click Set In as the starting point of the video clip, or alternatively, select the start time.
6. Select Set Out as the end point of the video clip, or alternatively select the end time.
7. Provide a New name and Description for the clip (optional).
8. Click Save.

The new clip appears in the Entries Table.

This Clips tab is available after you create a clip. The read-only list of all created clips includes the following information:

- Name
- ID
- Creator
- Plays
- Duration

To trim a media entry

1. Select the Content tab and then select an entry from the Entries Table.
2. In the Metadata tab, click Clip This.
3. Select Add New Clip.
4. Use the trimming timeline or enter exact in and out times.
5. Press Play and click Set In as the starting point of the video clip or alternatively, select the start time.
6. Select Set Out as the end point of the video clip, or alternatively select the end time.
7. Provide a New name and Description for the clip (optional)
8. Click Save.

The trimmed video appears in the entries table.

Troubleshooting Trimming and Clipping

The Trim and Clip feature may be disabled if your transcoding profile does not include the flavor for the file you want to trim or clip.

When you upload content, new flavors are created from the Source flavor and transcoded to the flavors you define in your Transcoding Settings.

To add the Source flavor to your transcoding profile

1. Go to Settings tab and select the Transcoding Settings tab.
2. At the bottom of the page, click Switch to Advanced mode.
3. Click on the name of your default transcoding profile
4. In the Edit Transcoding profile check the Source flavor and then Save Changes.

Users Tab

The Users tab is displayed when your account is configured to support the end-user management feature.

The Users tab provides information about the users that are associated with the entry. The users are

- the creator of the entry in Kaltura - usually the person that uploaded the media
- the administrative owner of the entry - the user that is assigned with ownership to manage the entry. By default it is the entry creator, however you can assign ownership to a different user from this tab.

By editing the co-editors and co-publisher fields, you can add editing and publishing rights for additional end-users to work with this entry across applications.

To edit the entry's users settings

1. Go to the Content tab and then select an entry from the Entries Table.
2. Select the Users tab.

3. Click Change Owner.

4. Enter the new owner name and click Save.
5. The CoEditor(s) and Co-Publishers field is displayed only when configured in your account.
6. Click Save and Close.

Choosing a Thumbnail for your Video

You can select a thumbnail for your video after the file transfer is complete and the file is embedded in your website. Thumbnails are configured in the **Thumbnails** tab in the **Contents** tab. By default, a thumbnail is automatically grabbed from the first frames of the video. You can choose to have multiple thumbnails of different qualities associated with your video, or grab any frame from the video to use as a thumbnail.


You can search for a thumbnail and its dimensions, size, distributors and status and perform the following actions: Set as default, Download and Delete.

To edit the thumbnails associated with the video

1. Go to the Content tab and select the Entries tab.
2. Select an entry and select the Thumbnails tab.
3. Select Upload, Grab from Video or New Crop.
 - o Upload - uploads an external image as a thumbnail.
 - o Select Upload and specify the file location and name, then click Open.
 - o Grab from Video - Capture a new thumbnail from the video.

Play the video in the "Grab from Video" window. Pause on the frame you want to use and click the thumbnail capture icon (camera). A thumbnail will be captured from the highest quality video flavor. Exit to return to the Thumbnails tab.

- o New Crop - Modify thumbnail dimensions.
4. Select a thumbnail and create a thumbnail with a new position and size.
 5. Adjust the display area with the handles on the image and click **Generate Thumbnail**.



Dimensions	Size (KB)	Distributors	Status	Action
640 X 480	29	NOT REQUIRED	Ready	✓ Set as Default ✕ Download ✕ Delete

The default thumbnail is now displayed in the entries list.

Publishing to Your Site

This section contains the following topics:

- [Embedding a Player with a Single Entry on your Site](#)
- [Embedding a Player with a Playlist on your Site](#)
- [Adding the Flavor Selector Module](#)

Embedding a Player with a Single Entry on your Site

To embed a player on your site

1. Create a Player. See [Configuring the Player Basics Settings](#).
2. Add content (an entry) to the player. See [Adding Content to a Player](#).
The Entries table from the Content tab is displayed.
3. Click Preview and Embed.
The Embedding window is displayed to select the delivery options.

The screenshot shows the Kaltura Embedding interface. At the top, there's a title bar 'Embedding: kisses_NEW' with help and close icons. Below is a video player showing two children on a couch. The player has 'Play' and 'Share' buttons. Below the player are three dropdown menus: 'Select Player:' with 'KDP3 Dark skin', 'Select Delivery Type:' with 'Kaltura Auto', and 'Select Embed Code Type:' with 'Auto Embed'. There are explanatory text blocks for each dropdown. A checkbox 'Modify embed code to use HTTPS secure delivery' is present. Below that is a link 'View a standalone page with this player: www.kaltura.co.cc/tiny/qc6l'. At the bottom, there's an 'Embed Code' field containing a placeholder script tag and a blue 'Select Code' button.

4. Select your preferred player skin from the drop-down menu. See [Configuring the Player Features](#). Select the Delivery Type. See [Video Delivery Settings](#).
5. Check Modify embed code to use HTTPS secure delivery.
6. You can view a standalone page with this player by clicking on the provided link.
7. Click Select Embed Code Type.
8. Click CTRL+C (on a PC) or option+C on a Mac to copy the embed code to your clipboard, or grab the Embed Code, and add/paste it to your website HTML source.


Embedding a Player with a Playlist on your Site

After you've created a playlist, and have assigned the playlist to a player, see [Designing and Configuring A Player](#) you can publish the player to your site.


 **To embed a player with a playlist on your site**

Publishing to Your Site

1. Go to the Content tab and select the Playlists tab.
2. Locate the playlist you want to publish on your website and click Preview & Embed.



The Embedding window is displayed.



3. Select your preferred player skin from the drop-down menu. See [Configuring the Player Features](#).

4. Select the Delivery Type from the drop down menu. See [Video Delivery Settings](#) .
5. Select the [Embed Code Type](#).
6. If you want to stream through a secured CDN, check Modify embed code to use HTTPS secure delivery. This option changes the embed code to use HTTPS instead of HTTP.
7. (Optional) Click on the link provided to view as a standalone page with this player.
8. Click Select Code.
9. Click CTRL+C (on a PC) or option+C on a Mac to copy the embed code to your clipboard or grab the Embed Code, and add/paste it to your website HTML source or click Select Code.

Video Delivery Settings

You can choose between the following types of video delivery settings:

- [Kaltura Auto](#) - The default delivery type. Kaltura server chooses between HTTP Progressive Download and Akamai's HTTP Adaptive Streaming, the best format for your entry delivery and playback quality
- [HTTP Progressive Download Delivery](#)– Allows you to pause the video playback and wait for the content to download. Typically used where viewers have very limited bandwidth.and might experience more buffering than adaptive bitrate.
- [HTTP Streaming Based on Akamai's Technology](#)– HTTP streaming based on Akamai's technology. Allows adaptive bitrate so the player can adjust the video quality on the fly based on network and CPU conditions, formally called Akamai HD.
- [HTTP Streaming \(HDS\)](#) - HTTP streaming based on Adobe technology. Allows adaptive bitrate so the player can adjust the video quality on the fly based on network and CPU conditions.
- [RTMP Streaming](#) – RTMP streaming based on Adobe technology. Allows adaptive bitrate so the player can adjust the video quality on the fly based on network and CPU conditions.
- [Secure Transport \(RTMPE\)](#) - RTMP encrypted using Adobe's security mechanism which wraps the RTMP session in a lighter-weight encryption layer.

For more information see Best Practices for [Multi-Device Transcoding](#).

For Kaltura SaaS users, the default delivery format is Kaltura Auto.

For users using MP4 (new flavor set), Akamai HTTP Streaming is the default delivery format. For users using VP6, (old flavor set) Progressive download is the default delivery format..

Kaltura Auto

The Kaltura server internal logic chooses between two formats:

- HTTP Progressive Download
- Akamai's HTTP Streaming.


Based on entry's characteristics, before playback, the server decides which format is best for your video delivery and playback quality.

For a video length <5 minutes (short form) – delivery format will be Progressive Download.

For a video length >5 minutes (long form) – delivery format will be Akamai HTTP Streaming.

If you have defined an [Access Control Profile](#), the delivery format will be HDS .

Embedding: kisses_NEW



Select Player: KDP3 Dark skin

Kaltura player includes both layout and functionality (advertising, subtitles, etc)

Select Delivery Type: Kaltura Auto

Adaptive Streaming automatically adjusts of the content. [Read more](#)

Select Embed Code Type:

- Kaltura Auto
- HTTP Progressive Download
- HTTP Streaming (Akamai)
- HTTP Streaming (HDS)
- RTMP Streaming
- Secure Transport (RTMPE)

Modify embed code to use HTTPS secure delivery

View a standalone page with this player: www.kaltura.co.cc/tiny/qc6I


Embed Code `<script type="text/javascript"`

Select Code

HTTP Progressive Download Delivery

With HTTP Progressive download, the digital media begins downloading and after a specified amount of data becomes available to the video player, the media begins to play while the rest of the data continues to buffer.

Embedding: open_shut
?
✕



Select Player: KDP3 Dark skin

Kaltura player includes both layout and functionality (advertising, subtitles, etc)

Select Delivery Type: HTTP Progressive Download

Adaptive Streaming automatically adjusts to the viewer's bandwidth, while Progressive Download allows buffering of the content. [Read more](#)

Select Embed Code Type: Auto Embed

Auto embed is the default embed code type and is best to get a player quickly on a page without any runtime customizations. [Read more](#) about the different embed code types.

Modify embed code to use HTTPS secure delivery

View a standalone page with this player: www.kaltura.co.cc/tiny/qc6l

Embed Code <script type="text/javascript"

Select Code

HTTP Streaming (Based on Akamai's Technology)

Akamai's advanced adaptive bitrate streaming technology intelligently adjusts the bit rate of a video stream to ensure the optimum playback quality based on changing bandwidth conditions. It also allows for flavor switching without the loss of content. You can send streaming video over HTTP from an ordinary web server for playback on iPhone and iPad, or other devices, such as desktop computers, without the limitations of Progressive Downloads. An optional feature with this selected delivery setting is that the implementation also provides for media encryption and user authentication over HTTPS, allowing publishers to protect their work. The Akamai HD Network is designed and optimized for large-scale broadcasters and film distributors to increase audience engagement and expand revenues by complementing traditional mediums such as TV and DVD with the Internet.

Embedding: zoe_slide_NEW

Play Share

00:02 Auto KALTURA

Select Player: KDP3 Dark skin

Kaltura player includes both layout and functionality (advertising, subtitles, etc)

Select Delivery Type: HTTP Streaming (Akamai)

Adaptive Streaming automatically adjusts to the viewer's bandwidth, while Progressive Download allows buffering of the content. [Read more](#)

Select Embed Code Type: Auto Embed

Auto embed is the default embed code type and is best to get a player quickly on a page without any runtime customizations. [Read more](#) about the different embed code types.

Modify embed code to use HTTPS secure delivery

View a standalone page with this player: www.kaltura.co.cc/tiny/qc6l


Embed Code `<script type="text/javascript"`

Select Code

HTTP Dynamic Streaming (HDS) Based on Adobe

HTTP Dynamic Streaming (HDS) enables adaptive bitrate video delivery over regular HTTP connections.

Embedding: dad_ironing ? X



Select Player:

Kaltura player includes both layout and functionality (advertising, subtitles, etc)

Select Delivery Type:

Adaptive Streaming automatically adjusts to the viewer's bandwidth, while Progressive Download allows buffering of the content. [Read more](#)

Select Embed Code Type:

Auto embed is the default embed code type and is best to get a player quickly on a page without any runtime customizations. [Read more](#) about the different embed code types.

Modify embed code to use HTTPS secure delivery

View a standalone page with this player: www.kaltura.co.cc/tiny/qc6l

Embed Code

[Select Code](#)

RTMP Streaming

Adaptive Bit Rate (ABR) streaming is a technique of detecting a viewer's bandwidth capabilities in real time, and then adjusting the quality of the video stream accordingly, always delivering the best possible picture quality. ABR streaming results in less buffering, fast start time and an overall better experience for both high-speed and low-speed connections.

ABR dynamically shifts bandwidth to higher and lower levels based on availability. For Adaptive Bitrate Streaming to work, a video is first encoded at different bitrates to accommodate varying bandwidth connections. Each bitrate version is sliced up into tiny fragments — typically 2 to 10 seconds. The Kaltura player pulls fragments from the different encodings and inserts them into the stream as bandwidth dictates resulting in faster video start times and a continuous, uninterrupted video experience.

For example, a movie called The “Big Movie” is streaming. The end user would view a smoothly playing video. Unknown to the user, multiple streams are actually available and may be seamlessly switched to, if their connection drops lower or improves. The key here is “seamless”. When adaptive bit streaming is

Publishing to Your Site

done correctly, there should be no interruption of playback.

For The Big Movie, a player might be serving up the following all at once:

The Big Movie @ 2612 kbps

The Big Movie @ 1600 kbps


The Big Movie @ 1200 kbps

The Big Movie @ 800 kbps

USE CASE

If a user's connection dropped from over 2.5 Mbps to 1600kbps, the Kaltura player would switch, again seamlessly, from the 2612 bit rate down to the 1600. Often the Kaltura player is designed to begin playing using the lowest possible bit rate so that playback starts immediately. For this example, the 800 kbps stream might be served up first and then as the Kaltura player realizes that the user can handle a higher bitrate, the streaming rate would then be switched up higher.

Embedding: open_shut



Select Player:

Kaltura player includes both layout and functionality (advertising, subtitles, etc)

Select Delivery Type:

Adaptive Streaming automatically adjusts to the viewer's bandwidth, while Progressive Download allows buffering of the content. [Read more](#)

Select Embed Code Type:

Auto embed is the default embed code type and is best to get a player quickly on a page without any runtime customizations. [Read more](#) about the different embed code types.

Modify embed code to use HTTPS secure delivery

View a standalone page with this player: www.kaltura.co.cc/tiny/qc6l

Embed Code

Select Code

Secure Transport RTMPE

Kaltura supports various methods of securing delivery of video streams (like Progressive download over HTTPS, Akamai HD Network or SWF verification) RTMPE is one of them.

RTMP Encrypted uses Adobe's security mechanism which wraps the RTMP session in a lighter-weight encryption layer.

The screenshot shows the Kaltura Embedding interface for a video titled "Embedding: Debbie Test". The video player is currently paused at 00:00. Below the player, there are several configuration options:

- Select Player:** KDP3 Dark skin
- Select Delivery Type:** Secure Transport (RTMPE)
- Select Embed Code Type:** Auto Embed
- Modify embed code to use HTTPS secure delivery**
- View a standalone page with this player:** www.kaltura.co.cc/tiny/qc6l
- Embed Code:** `<script type="text/javascript">`
- Select Code** button

Embed Code Types

The following options are available:

- **Auto Embed** –(default) This is best for sites where SEO is already covered by other data in the page. Auto embed is concise code and is good for quickly getting a player or widget onto the page without any runtime customizations.

- **Dynamic Embed** – This is the preferred method to embed the Kaltura player into web sites and web applications. The advantages over an object or flash library rewrite are:
 - **Fast** - does not have to wait for dom ready to output the Flash or HTML5 player
 - **Clean** - uses JSON embed configuration, no long messy param strings
 - **Dynamic** - better supports dynamic HTML5 and Flash embed methods, responsive web design, and CSS inheritance
- **Thumbnail Embed** – This method takes the same arguments as the dynamic embed. Thumbnail embed passes the entire configuration to the `kWidget.embed` when the user "clicks" on the play button. This is the recommended method to use when you need to embed multiple players/entries in the same web page.
- **Legacy Flash Embed (Object Rewrite)** – The basic player rewrites works by including the JavaScript library followed by the Flash object tag embed. This option should be used only when JavaScript cannot be embedded or you don't require high performance HTML5 support.

Adding the Flavor Selector Module

Any entry is available in various transcoding flavors. The flavor selector module allows you to manually select the video flavor you want to watch, based on your preferences. The options are HD on or HD off. Note: If you are broadcasting with Adaptive RTMP then the flavor selector will be set to "auto".

To add the flavor's selector module

1. Go to Studio tab and create a new player or edit an existing one.
2. In the Features tab, go to the Features List and click Controls.
3. Check Flavor Selector.
4. Select Options (optional) to configure display options.
5. Click Preview to view your selection and click Save Changes to complete the process.

Edit Player - Hovering controllers

Basics

Features

Advertising

Style →

- Your Watermark [Options](#)
- Left Play Counter [Options](#)
- Right Play Counter [Options](#)
- Flavor Selector [Options](#)
- Full Screen Button [Options](#)
- On-video Play Button [Options](#)
- Play - Pause Button [Options](#)
- Volume Controller [Options](#)
- Scrubber [Options](#)

* Features that require additional configuration.

Viral & Distribution

UGC & User Interaction

Subtitles & Transcriptions

Custom Buttons*

Additional parameters and plugins

Player Size: 400 x 330 [Preview](#) Auto preview

Video screen size: 400 x 330

Video Ratio: 16 : 13.2 Standard video ratios are 16:9 and 4:3.
4 : 3.3 It is recommended that you optimize the video player size so that ratio is one of those.

your WATERMARK could be here

Play Share upload Download Thumb

Kaltura creating together

00:00 HD Off KALTURA

Save Changes

Mobile Support

If you require mobile display, you must configure a specific encoding flavor for mobile support (iPhone, iPad). To transcode a file to this flavor, go to the Edit Entry window's Flavors tab. See [Transcoding and Processing](#) and check the applicable mobile flavors.

Distribution and Syndication

This section contains the following topics:

- [Kaltura Distribution Module](#)
- [How Does Distribution Work?](#)
- [Scheduling a Video Package](#)
- [Content Syndication](#)
- [How Does Syndication Work?](#)
- [Setting Up Syndication](#)

Kaltura offers several advanced syndication and distribution services to ensure that publishers maximize their content's reach and increase their audience. Kaltura's tools help publishers save time and money by making content distribution to a wide range of video destination sites and search engines extremely easy and streamlined.

Kaltura Distribution Module

Kaltura's Distribution Module allows you to reach your users on the web and across any mobile device. The module provides a streamlined and simple workflow so you can distribute your content to distribution partners, such as YouTube, Hulu, Comcast, MySpace, MSN or an FTP drop folder, directly from within the KMC.

Key Benefits:

- Full control over where and when the content is presented.
- Manage all of your distribution partners through a single user-friendly interface
- Deliver assets automatically as they are added to your Kaltura account, or require a manual review, at your discretion
- Seamlessly push updates to distributed content from a central dashboard
- Control scheduling sunrise and sunset per asset and per distribution partner
- Track your content across all distribution partners
- Simple and straightforward pricing, with no hidden fees or "guesstimates"
- Kaltura's system validates content to make sure it's ready to be distributed to each distributor, and alerts about any errors that need to be fixed prior to distribution (missing thumbnails, missing metadata, etc.)
- Successful delivery to each distribution partner is confirmed for each asset (if supported by the partner)



How Does Distribution Work?

Distribution ensures that your content is viewed by as many customers as possible across multiple video destination sites and improves total views for your content. Kaltura pushes the actual contents of the video assets to distribution partners for them to host on their sites. Each distribution channel is unique and depends on the distributor’s capabilities and the extent of their desired exposure.

The Kaltura Distribution Module supports several workflows. You can configure simple as well as complex asset information to distribute. For example, simple asset information may include the entry name, description and tags, or metadata alone, that may be used for example, to configure ads based on metadata. More complex distribution data is configurable by your project manager and depends on the distributor’s capabilities.

You can define the destinations for each video package and control aspects such as the video qualities, number and size of thumbnails, metadata, and scheduling data for each distribution destination.

You can display distributors for each entry, the distribution start and end dates, submission status.



NOTE: You can distribute ALL videos to be pushed automatically to the destination or you can distribute selected entries MANUALLY to be sent to the destination.



NOTE: Tag based or Rule Based distribution options are currently not available. You can either distribute ALL entries or NONE. If none, you can manually select which entries will be distributed to the destination.

A sample distribution configuration may contain the following components for an entry: video, metadata, thumbnail, scheduling, content availability by Kaltura and removal of distributed content.

The Distribution Module can be configured to update distributed content for metadata, so that the most updated information is propagated to the distribution site. Other customizable parameters may be configured for distribution. The Distribution Module also can be configured to remove distributed content for metadata, so that information that was propagated to the distribution site can be retracted.

With the Kaltura Distribution Module, administrators can control the destinations for each video package, and for each distribution destination. In addition, administrators can control video transcodes, multiple thumbnails in different sizes, metadata translations, scheduling data, and more.

The Distribution Module is an add-on module to the KMC, and incurs additional fees based on the amount of distribution destinations supported for your account. Additional connectors to distribution destinations

can also be developed as custom work. Contact your Kaltura project manager or sales representative for complete pricing.


Adding a Distributor to an Entry



NOTE: To enable automatic distribution of all new entries, [contact us](#), or call +1-800-871-5224. To add more distribution destinations, contact your project manager.

To add a distributor

1. Go to the Content tab and select the Entries tab.
2. In the Entries Table, click the name of the entry you want to distribute.
3. In the Edit Entry window, select the Distribution tab.
4. Click Add / Remove Distributors.



Distributor	Start Date	End Date	Submission Status	Action Available

The Add/Remove Distributors window is displayed.

Add / Remove Distributors
✕

Distributors

Select below which Distributors you would like to send the entry to, and check the box on the right if you would like the entry to be distributed automatically when ready. Alternatively, you can manually click the "Distribute" button on the previous screen.

Distributor All / None	Distribute Automatically All / None
<input checked="" type="checkbox"/> YouTube	<input type="checkbox"/>

To add distributor destinations to your account

- Contact your account manager.

To select distributors

1. Check the distributors from the Distributor list. Click All or None at the top of the column to select or clear all the items in a column.
2. Check the Distribute Automatically column to distribute an entry as soon as it is ready. Click All or None at the top of the column to select or clear all the items in a column.

All includes all distributors. For example, if you have configured Daily Motion and YouTube as distributors, content will be distributed to both destinations.


3. Click Apply to save your changes and return to the Distribution tab.
4. Click Save Changes to complete the process.

Scheduling a Video Package


By default, an entry's general scheduling is inherited by all distributors. The instructions here are for setting scheduling for a specific distributor. A Remote ID is the ID assigned to the distributed content in the distributor, and is only available after content has been distributed. The Remote ID may be used as a response from the distributor as well as a reference, for example, to reach the page where the distributed content appears in the distributor.

To schedule when an entry should be distributed

1. Select the Content tab and select the Entries tab.
2. In the Entries Table, click the name of the entry that you want to schedule.
3. In the Edit Entry window, select the Distribution tab and then select the name of a distributor.



The Distribution Details window is displayed.



4. Set the Start Date and End Date and enter the hour.
5. Click Save to return to the Distribution tab.


6. Click Save and Close to complete the process.

Validating a Video Package

Errors may occur when you specify a video package distributor.

To find and resolve errors

1. Go to the Content tab and select the Entries tab.
2. In the Entries Table, click the name of an entry for which you added a distributor.
3. In the Edit Entry window, go to the Distribution tab and click the error name in the Submission Status column to display a description of the error.



Edit Entry - World News (01.04.10)

Metadata

Thumbnails

Access Control

Scheduling

Flavors

Mixes


Custom Data

Distribution

Distributor	Start Date	End Date	Submission Status
YouTube	03/31/2011	04/01/2011	Missing Thumbnail

You can also click on the Distributor in the Distribution tab, and then click the error name in the Distribution Details window.

4. Follow the instructions in the error description.



03/31/2011 | 04/01/2011 | Missing Thumbnail

Missing Thumbnail

The selected entry is missing the following thumbnail dimensions: 480 X 270

In order to finalize this distribution, you must go to the Thumbnails tab and create thumbnails for each of the dimensions listed above.

[Go to Thumbnails Tab](#)

The following errors may occur:

Missing Flavor Error

 **To add a flavor:**



NOTE: If you click "Go to Flavors Tab" in the error description, skip to step 4.

1. Go to the Content tab and select the Entries tab.
2. In the Entries Table, click the name of the entry that is missing a flavor.
3. In the Edit Entry window, go to the Flavors tab.
4. In the Action column, click Convert or Reconvert for each transcoding flavor specified in the error description, and click Save Changes.

Edit Entry - kisses_NEW
?
x

- Metadata
- Thumbnails
- Access Control
- Scheduling
- Flavors
- Distribution
- Captions
- Advertisements
- Related Files
- Users

Current state: All required Transcoding Flavors are available. Entry is ready for publishing.

Replace Video: Upload File Import File Link to Remote Storage

Click the Action dropdown menu below to manage the Transcoding Flavors for this entry. Refresh

Asset ID	Transcoding Flavo	Format	Codec	Bitrate(kbps)	Dimensions	Size(KB)	Status	Action
0_29gijvtl	Editable	flv		0	272 x 480	5314	OK	Select Action
0_4afmdgzv	iPad	mp4		0	272 x 480	4833	OK	Select Action
0_nue6r9zj	HD	flv		0	272 x 480	8529	OK	Select Action
0_68wnbrhf	Mobile (H264)	mp4		0	272 x 480	4198	OK	Select Action
0_9cn7eeyf	Mobile (3GP)	3gp		0	272 x 480	5304	OK	Select Action
	High - Large				null x 720			Select Action
	Standard - Large				null x 720			Convert
	Standard - Small				null x 352			Upload
	HQ MP4 for Export				null x 720			Link
	Basic - Small (H264)				null x 352			Import
	Basic - Small (ISM)				null x 352			Select Action
								Select Action

Save
Save & Close
Previous Entry
Next Entry

Metadata Error

 **To correct metadata:**



NOTE: If you click "Go to Metadata Tab" in the error description, skip to step 4.

1. Go to the Content tab and select the Entries tab.
2. In the Entries Table, click the name of the entry that has a metadata error.
3. In the Edit Entry window, go to the Metadata tab or the Custom Data tab.
4. Modify the information in the metadata field specified in the error description, and click Save and Close.

If the submission status error is still displayed in the Edit Entry window's Distribution tab: go back to the Edit Entry window, and select the Custom Data tab.

5. Add the missing information specified in the error description, and click Save and Close.


Missing Thumbnail Error

To add a thumbnail



NOTE: If you click "Go to Thumbnails Tab" in the error description, skip to step 4.


1. Go to the Content tab and select the Entries tab.
2. In the Entries Table, click the name of the entry that is missing a thumbnail.
3. In the Edit Entry window, go to the Thumbnails tab.
4. Click Add Thumbnail and select Grab from Video.



Dimensions	Size (KB)	Distributors	Status	Action
480 X 270	-	YouTube	-	Set as Default Download Delete

5. If you have a thumbnail file, select Upload, specify the file location and name, and click Open.
6. Play the video, pause on the frame you want, and click the thumbnail capture button (camera). A thumbnail will be captured from the highest quality video flavor.

Grab from Video ✕




Pause the video on the appropriate frame and click the thumbnail capture button

7. Exit to return to the Thumbnails window.

To modify the thumbnail dimensions

1. In the Edit Entry window, click **Add Thumbnail** and select New Crop.
2. Select the Thumbnail to modify.
3. Check the Lock aspect ratio and scale to option and select the values specified in the error description.
4. Adjust the display area with the handles on the image.
5. Click Generate Thumbnail, and exit to return to the Thumbnails window.




6. Click Save Changes to complete the process.

Removing a Distributor from a Video Package


You may want to change your distribution destinations for video packages.

To remove a distributor from a video package

1. Go to the Content tab and select the Entries tab.
2. In the Entries Table, click the name of the entry with a distributor that you want to remove.
3. In the "Edit Entry" window, go to the "Distribution" tab and click "Add / Remove Distributors".



4. In the "Add / Remove Distributors" window, clear a distributor checkbox.
To clear all items in a column, click "None" at the top of the column.



5. Click Apply to save your changes and return to the Distribution tab.
6. Click Save Changes to complete the process.

Managing Distributor Details

To manage an entry's distributor details

1. Click the distributor's name on the "Distribution" tab.
In the "Distribution Details" window, you can see the distributor's distribution details (status, remote ID and schedule), the entry's metadata details, the available thumbnails and the video flavors.
2. In the "Distribution Details" section:
 - a. To fix an error, click the error name to display an error description and follow the instructions.
 - b. To schedule when an entry is available at the distributor, set the start and end dates and times, and click "Save".

You can set scheduling separately for each distribution so that the same content may have a different schedule depending on the distributor.
3. In the "Thumbnails" section, Thumbnails are matched to the distribution point's required thumbnail size. If you have multiple thumbnails of the same size, click "Swap" to manually select the one you want.
4. In the "Video Flavors" section, to preview the entry in a specific flavor, click "Preview" and play the entry in the "Flavor Preview" window.

The Syndication Tab

Details on how to syndicate your content to specific destinations are included here.

Content Syndication

Content syndication is a way of making your content available to multiple other sources. This creates a form of leverage that gives you the ability to create your content once while maximizing your exposure on

the Internet by distributing your content in many places at the same time. Content syndication is a win-win for both the publisher and the webmaster. As a result of this type of distribution, publishers receive increasingly more exposure for their content and webmasters receive new source for additional content.

Kaltura allows you to create video feeds in multiple formats that are ready for submission to 3rd party platforms such as Google, Yahoo!, iTunes and other video sharing sites and social networks. Videos are distributed via playlist feeds (such as MRSS) to the channels of your choice. The content remains on the Kaltura host.

RSS syndicates your web content to other sites and builds inbound links, making RSS one of the most effective SEO strategies today. Using RSS as part of your SEO strategy is advantageous. If you need help with web content syndication, contact your account manager.

Syndicating to Google in the KMC is used mainly to create video site maps to submit into Google search engines for indexing.

iTunes syndication in the KMC is used to show content in iTunes and to create a feed for iTunes.

How Does Syndication Work?

Kaltura provides syndication to the following out of the box formats:

- [Google](#)
- [Yahoo](#)
- [iTunes](#)
- [TubeMogul](#)

Partners and developers can also syndicate content in Flexible Feed Format, or you can contact Professional Services to create a customize feed in XSLT or XML. See [Flexible Feed Format](#).

Kaltura's MRSS Feeds and Syndication services allow publishers to syndicate and track their videos on a wide range of video sharing sites and social networks via playlist feeds managed through the Kaltura Management Console. Publishers can then track their videos and tweak their programs and campaigns based on the results.

Publishers can set up MRSS feeds into major video search engines including Google, Yahoo! and iTunes from within the KMC. You can create a feed based on all of the content in your KMC account, or a subset of the content that is determined by a specific playlist see the [Playlists Tab](#). You can then add the selected content to a feed by selecting its destination site. The content of a playlist can change, for example a rule-based playlist can be modified by changing a rule, or a manually created playlist may be modified by manually adding content to the playlist. The feed will automatically change according to the modifications. Feeds are cached in the Kaltura server for 24 hours. The feed refresh is automatic, and the changes are available after that time.

You can shorten the caching time by limiting the feed size.

To shorten the caching time for a syndication feed

- Manually add the parameter (`&limit=50`) to the feed URL.
Adding this parameter will limit the feed size to up to 50 items and will reduce the caching time to 30 minutes

Syndicating to a Standard MRSS Feed (Yahoo)

Yahoo is the standard MRSS feed type which can be used by any MRSS reader for various use cases. Yahoo also uses the standard MRSS feed to submit site maps. For example, if you create an MRSS, you

can place the link in your site and allow end users to subscribe to the feed, or use the feed for your own integration. You can create your own video galleries that refresh when you update the feed, as well as integrate the feed to your site, and extract data from the feed to display the content, depending on fields you define. There are many clients (for example all browsers), and desktop applications, and site integrations that know how to read MRSS feeds.

Search Engine Optimization (SEO)

Submitting feeds to major search engines helps to increase your content's SEO, and ultimately direct more traffic to your website. See [Maximizing Video SEO With Kaltura](#).


Key benefits

- Setting up a new feed is simple and quick - easily set-up multiple playlists in the KMC to be distributed, videos within each playlist are automatically distributed to the relevant channels on the video sharing sites.
- Automatic updates – after a one-time set-up, any additional videos that are added to the selected playlist will automatically be syndicated accordingly based on the feed's specific configuration. There is no need for manual updates to the feed.

Setting Up Syndication

To configure syndication settings

1. Go to the Content tab and select the Syndicate tab.



Syndication Feeds

Here you can maximize your content's reach and generate traffic back to your site via external syndication. Through Kaltura's integration with multiple distribution partners, you can distribute and track your videos on a wide range of search engines, video sharing sites and social networks.

ID	Name	Type	Content	Feed URL
<input type="checkbox"/> 0_1o5lp64	vv	Google		http://devtests.kaltura.co.cc/api_v3/getFeed.php?partnerid=346151&feedid=0_1o5lp64
<input type="checkbox"/> 0_o6tuv84n	test save player - google	Google	Only From Playlist: playlist with same entry twic	http://devtests.kaltura.co.cc/api_v3/getFeed.php?partnerid=346151&feedid=0_o6tuv84n
<input type="checkbox"/> 0_mecwznlke	ppp	Yahoo		http://devtests.kaltura.co.cc/api_v3/getFeed.php?partnerid=346151&feedid=0_mecwznlke
<input type="checkbox"/> 0_zjwk559x	pupuk	Google		http://devtests.kaltura.co.cc/api_v3/getFeed.php?partnerid=346151&feedid=0_zjwk559x
<input type="checkbox"/> 0_37@#ftc	aaaa	Google		http://devtests.kaltura.co.cc/api_v3/getFeed.php?partnerid=346151&feedid=0_37@#ftc
<input type="checkbox"/> 0_rp6yge1g	new feed	iTunes		http://devtests.kaltura.co.cc/api_v3/getFeed.php?partnerid=346151&feedid=0_rp6yge1g
<input type="checkbox"/> 0_0qyihzdz	feed10	Google		http://devtests.kaltura.co.cc/api_v3/getFeed.php?partnerid=346151&feedid=0_0qyihzdz
<input type="checkbox"/> 0_4ox32fd4	feed9	Google		http://devtests.kaltura.co.cc/api_v3/getFeed.php?partnerid=346151&feedid=0_4ox32fd4
<input type="checkbox"/> 0_h5ayob3	feed8	Google		http://devtests.kaltura.co.cc/api_v3/getFeed.php?partnerid=346151&feedid=0_h5ayob3
<input type="checkbox"/> 0_4pbvk63p	feed7	Google		http://devtests.kaltura.co.cc/api_v3/getFeed.php?partnerid=346151&feedid=0_4pbvk63p

Delete 1 2 Next 1-10 of 17 Show rows: 10

2. Click Create New Feed.
3. Enter the Feed Name (required).
4. Select the content to syndicate.
 - All Content – syndicates all entries.
 - Only content from this playlist – syndicates content from the playlist you select.
5. Select the Feed Type.

? ×

Add Video Feed

***Feed Name:**

Select Content:

All Content

Only content from this playlist

▼

Feed Type:

Google

Google

Yahoo!

ITunes

TubeMogul

Flexible Format Feed

Google Parameters:

Content Flavor:

***Landing Page:**

Enter the URL template that you would like to appear in the Google search results for each video in this feed. The system will append the specific entry id for each entry. For example: "http://mysite.com?videoid="

Playback directly from Google?: Yes and use this video player:

Dark player

This player will appear within the Google search results page

No, only linkback to my site

Adult Content: This feed includes adult content

Add Feed

Syndicating to Google

You can submit your videos to the Google search engine which will ultimately direct more traffic from Google to your website. Submission of video feeds to Google is free of charge, yet requires some technical knowledge. It is recommended that your website's webmaster be available for assistance. Google syndication is used mainly for submitting your site map and being certain that your media is indexed by Google.

The workflow for setting up Google syndication is divided into two tasks:

- Google Webmaster tasks
- KMC Publisher tasks

Google Webmaster Tasks

- To configure syndication settings for Google**

The Syndication Tab

1. Setup a [Google Webmaster](#) account for your website.
2. Setup your website in the Google Webmaster Tool.
[Follow the directions here](#). Make sure your site is valid based on the Google instructions.
3. Submit the Feed to a URL.
Create a server page on your website that redirects to this feed URL.
For example, for a php implementation, save a php file named redirect.php with the following content (replace the XXXX with your feed URL):

```
<?php  
Header( "HTTP/1.1 301 Moved Permanently" );  
Header( "Location : XXXX" );  
?>
```
4. [Login to the Google Webmaster Tool](#).
5. In the Google Webmaster Tool, go to Site configuration > Sitemaps > Submit a sitemap.
6. Submit the feed as your redirect page in your site, for example:
<http://mysite.com/redirect.php>.

KMC Publisher Tasks for Google Syndication

To configure syndication settings for Google

1. Configure the Syndication Settings. See [Setting Up Syndication](#).
2. Select Google from the Feed Type drop-down menu.
The Google parameters are displayed.
3. Enter the Google Parameters, see [Google: Feed Parameters](#) and click Add Feed.

? x

Add Video Feed

'Feed Name: →

Select Content:

All Content

Only content from this playlist

Feed Type: →

Google Parameters:

Content Flavor: Add to default transcoding profile

'Landing Page:

Enter the URL template that you would like to appear in the Google search results for each video in this feed. The system will append the specific entry id for each entry. For example: "http://mysite.com?videoid="

Playback directly from Google?:

Yes and use this video player:

This player will appear within the Google search results page

No, only linkback to my site

Adult Content: This feed includes adult content

Add Feed

Google videos Advanced Video Search
Moderate SafeSearch is on

Videos > eurosport.fr Result of about 94





Tennis - I love Australian Open Entry Name

14 days ago
video.eurosport.fr Link goes to landing page, with entry id appended

Tennis - Serena "pète les plombs"


3 months ago
Serena Williams n'y a pas été de main morte avec la juge de ligne lors de sa demi-finale face à Kim Clijsters. L'Américaine l'aurait même menacé de mort selon les médias outre ... Entry Description

video.eurosport.fr If selected "playback directly from google", play button will appear.

Tennis - R

01:05 - 2
Victoria Azarenka a craque dans sa quete aux demi-finales des Masters de Doha en abandonnant face à Agnieszka Radwanska 4-6, 7-6, 4-1. La Biélorusse de 20 ans servait pourtant ...
video.eurosport.fr

When Moderate SafeSearch is on (Google Default) will not show content of feeds marked as "adult"



Google: Feed Parameters

Field	Description
Content Flavor	The format and quality of the content to be syndicated
Landing page	The URL template that you would like to appear in the Google search results for each video in this feed. The system will append the specific entry ID for each entry. See feed example below.
Add to default transcoding profile	Check to add the chosen Content flavor to content that will be uploaded subsequently, using the default transcoding profile
Playback directly from Google -	Select if you prefer for Google to display a link to your website only or if you'd like Google to display the actual video directly within the search results page (see screenshot below). If you allow Google to playback the videos directly from the search results page, you can select the player that will be used for playback. The player may include your branding, watermark, etc.
Adult content	If selected, videos in this feed should be available only to users with SafeSearch turned off.

Syndicating to TubeMogul

Kaltura and TubeMogul have partnered to provide a premium syndication service at the most attractive pricing available.

This service allows you to seamlessly syndicate your content to over 20 video portals including YouTube, Daily Motion, Metacafe, etc. and to receive aggregated analytics across video portals.

Each time you add a video to your syndicated content, it will be automatically distributed to your channel in the video portal you selected.

To learn more about this feature and pricing information [contact us](#) or call +1-800-871-5224.

KMC Publisher Tasks for TubeMogul Syndication

-  **To configure syndication settings for TubeMogul**

1. Configure the Syndication Settings. See [Setting Up Syndication](#).
2. Select TubeMogul from the Feed Type drop-down menu.
The TubeMogul parameters are displayed.
3. Enter the TubeMogul Parameters, see [TubeMogul: Feed Parameters](#) and click Add Feed.
The URL for the feed is generated.

Add Video Feed ? x

***Feed Name:**

Select Content:

All Content

Only content from this playlist

▼

Feed Type: ▼

TubeMogul Parameters:

Content Flavor: ▼ Add to default transcoding profile

Categories: ▼

These categories will be use when pushing your content to the various sharing websites

TubeMogul: Feed Parameters

Field	Description
Content flavor	The format and quality of the content to be syndicated.
Add to default transcoding profile	Check to add the chosen Content flavor to content that will be uploaded subsequently, using the default transcoding profile.
Feed categories	These categories will be used when pushing your content to the various sharing websites

TubeMogul Webmaster Tasks

To submit the video feed to TubeMogul

1. Copy the feed URL you obtained after you added the feed. See [KMC Publisher Tasks for TubeMogul Syndication](#).

If you already have a Kaltura-TubeMogul account submit this feed to TubeMogul by following these steps:

1. Copy the feed URL

2. Login to your [Kaltura-TubeMogul account](#).
3. Go to Advanced Tools, select More Tools, and then select MRSS Feed Manager.
4. Submit your feed.

Syndicating to iTunes

You can submit your content to the iTunes Store as a podcast. You will need an active Apple ID and the iTunes application installed. The flavors for feeds for iTunes must either be MP4, or a flavor that is compatible with Apple iTunes.

KMC Publisher Tasks for iTunes Syndication

To configure syndication settings for iTunes

1. Configure the Syndication Settings. See [Setting Up Syndication](#).
2. Select iTunes from the Feed Type drop-down menu.
The iTunes parameters are displayed.
3. Enter the iTunes Parameters, see [iTunes: Feed Parameters](#) and click Add Feed.

This feed is ready for submission
?
✕

You can transcode any entry to H.264 for Export by going to the manage section of the item, then open the specific entry that you would like to transcode, go to the Flavors tab, and select the "Convert" option.

If you wish to transcode multiple entries into HQ MP4 for Export, please contact Kaltura professional services: <http://corp.kaltura.com/support/form/project/13>

In order to test this feed before submitting to the iTunes Store, please follow these steps (Note that you will need the iTunes application installed):

1. Copy the feed URL
2. Launch the iTunes application installed on your desktop
3. Inside iTunes go to "Advance > Subscribe to podcast" and submit the feed URL there

In order to submit this feed to the iTunes Store as a podcast/ video podcast, please follow these steps (Note that you will need an active Apple ID and the iTunes application installed):

1. Copy the feed URL
2. Go to <https://phobos.apple.com/WebObjects/MZFinance.woa/wa/publishPodcast>
(launches iTunes application in the right page)
3. Submit your feed

iTunes: Feed Parameters

Field	Description
Name	Name of the feed.
Content selection	You can either select all content, or create a feed of a specific playlist only.
Content flavor	The format and quality of the content to be syndicated. iTunes supports these formats: .m4a, .mp3, .mov, .mp4, and .m4v. Refer to here for more information.
Add to Default Transcoding Profile	Check to add the chosen Content flavor to content that will be uploaded subsequently, using the default transcoding profile.
Landing page	The URL template that you would like to appear in the iTunes Store for each video in this feed. The system will append the specific entry ID for each entry. The following parameters will be presented in the iTunes store, as demonstrated in the illustration below: Feed Author Feed Landing Page (link back to your website) Feed Category (will direct iTunes store how to categorize your feed)

Field	Description
	<p>Feed Description</p> <p>Feed Image URL (should be 600x600)</p> <p>In addition, the system will add the following relevant information for every entry: Name, Duration, Create date, Description.</p>
Contact information	The name and email you enter for the feed will be used for iTunes Store to contact you if necessary. This information will not be presented in the iTunes Store.
Language	The language of the videos/ audio files in this feed.
Adult content	If you select this, an "explicit" parental advisory graphic will appear next to your podcast artwork on the iTunes Store, and in the Name column in iTunes.

To test the feed before submitting to the iTunes Store

1. Copy the URL you obtained after adding the feed.
2. Launch the iTunes application installed on your desktop.
3. Go to Advance > Subscribe to podcast and submit the feed URL.

To submit the feed to the iTunes Store as a podcast/ video podcast:

1. Copy the feed URL.
2. Go to <https://phobos.apple.com/WebObjects/MZFinance.woa/wa/publishPodcast>(launches iTunes application in the right page)
3. Submit your feed.

Syndicating to Yahoo

Syndicating to Yahoo in the KMC is used mainly to create standard MRSS feeds. Yahoo syndication can also be used to create site maps to submit into Yahoo search engines for indexing.

KMC Publisher Tasks for Yahoo Syndication

To configure syndication settings for Yahoo

1. Configure the Syndication Settings. See [Setting Up Syndication](#).
2. Select Yahoo from the Feed Type drop-down menu.
The Yahoo parameters are displayed.
3. Enter the Yahoo Parameters, see [iTunes: Feed Parameters](#), [Yahoo: Feed Parameters](#) and click Add Feed.

Add Video Feed
?
x

***Feed Name:**

Select Content:

All Content

Only content from this playlist

Feed Type:

Yahoo Parameters:

Content Flavor: Add to default transcoding profile

***Landing Page:**
Enter the URL template that you would like to appear in the Yahoo search results for each video in this feed. The system will append the specific entry id for each entry. For example: "http://mysite.com?videoid="

Playback directly from Yahoo?: Yes and use this video player:

This player will appear within the Yahoo search results page

No, only linkback to my site

***Web Site:**

Feed Description:

Yahoo Webmaster Tasks

To submit the video feed to Yahoo

1. Copy the feed URL you obtained after you added the feed. See [KMC Publisher Tasks for Yahoo Syndication](#).
2. Go to <http://video.search.yahoo.com/mrss/submit>.
3. Fill in the form and submit your feed as a "Full feed".

Yahoo: Feed Parameters

Field	Description
-------	-------------

The Syndication Tab

Field	Description
Name	Name of the feed.
Content selection -	You can either select all content, or create a feed of a specific playlist only.
Content flavor	The format and quality of the content to be syndicated
Add to Default Transcoding Profile	Check to add the chosen Content flavor to content that will be uploaded subsequently, using the default transcoding profile.
Landing page	The URL template that you would like to appear in the Yahoo search results for each video in this feed. The system will append the specific entry ID for each entry.
Playbacks directly from Yahoo	Select if you prefer for Yahoo to display a link to your website only or also if you'd like Yahoo to display the actual video directly within the search results page. If you allow Yahoo to playback directly from within the search results page, you can select the player that will be used for playback. This player may include your branding, watermark, etc.
Adult content	If selected, videos in this feed should be available only to users with SafeSearch turned off.

The table below maps categories between the different websites.

TubeMogul	Arts & Animation	Comedy	Entertainment	Music	News & Blogs	Science & Technology	Sports	Travel & Places
5min	Arts/Others	People/Others	Home/Entertaining	Music/Others	Business/Others	Tech/Others	Sports/Others	Wheels/Others
Blip.tv	Art	Comedy	Movies and Television	Music and Entertainment	The Mainstream Media	Technology	Sports	Travel
Break	Animation	Funny Videos	Entertainment	Entertainment	News Videos	Entertainment	Sports Videos	Entertainment
DailyMotion	Arts	Funny	Film & TV	Music	News & Politics	Science & Technology	Sports & Extreme	Travel
eBaums World	Arts Animation	Comedy	Entertainment	Music	News Blogs	Science Tech	Sports	Travel Places
Graspr	Arts & Crafts	Other	Other	Music	Other	Computers & Internet	Sports & Recreation	Travel
GrindTV	N/A	N/A	N/A	music	N/A	N/A	N/A	N/A
Howcast	Animation Techniques	Humor & Comedy	General Performing Arts	Making Music Videos	Politics & Citizenship	General Technology	General Sports	General Travel
i2TV	Arts, Film, Animation	Comedy	Entertainment	Music	News	Technology	Sports & Games	Travel & Places
Metacafe	Art & Animation	Comedy	Entertainment	Music & Dance	News & Events	Science & Tech	Sports	Travel & Outdoors

The Syndication Tab

TubeMogul	Arts & Animation	Comedy	Entertainment	Music	News & Blogs	Science & Technology	Sports	Travel & Places
MSN Video	Movies	Movies	TV	Music	News	Web	Sports	Events
MySpace	Animation/CGI	Comedy and Humor	Entertainment	Music	News and Politics	Science and Technology	Sports	Travel and Vacations
Sclipo	Arts / Design	Other	Other	Music	Other	Science / Technology	Sports	Hobby / Games
StreetFire	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
StupidVideos	Just Plain Stupid: Laugh Out Loud	Just Plain Stupid: Laugh Out Loud	Just Plain Stupid: Laugh Out Loud	Just Plain Stupid: Laugh Out Loud	Just Plain Stupid: Office/Workplace	Just Plain Stupid: Laugh Out Loud	Sports: Other	Just Plain Stupid: Laugh Out Loud
Veoh	Animation	Comedy	Entertainment	Music	News	Tech & Gaming	Sports	Travel & Culture
VideoJug	Creative & Culture	Humour & Bizarre	Entertainment	Music	Current Affairs	Technology & Cars	Sports & Outdoors	Travel
Yahoo	Art & Animation	Funny	Entertainment	Music	News	Technology & Products	Sports & Games	Travel
YouTube	Film & Animation	Comedy	Entertainment	Music	News & Politics	Science & Technology	Sports	Travel & Events

Flexible Feed Format

Developers may to create custom syndication feeds. You can customize syndication feeds by creating an XSLT.

Flexible feed format allows for greater flexibility for creating syndication feeds. You can transform your feed into any format programmatically and include additional data such as custom data fields, system data fields, and other fields. For example, you may want to re-format a standard MRSS field, to move a media item's description place, or, for example, add the entry duration.

Flexible feed format allows you to determine what content goes into the feed field and the location of the field. You can change the structure and the content of the feed.

Advertising and Ad Networks

This section contains the following topics:

- [Overview of Advertising with Kaltura](#)
- [Connecting with an Ad Server](#)
- [Creating Kaltura Video Ads](#)
- [Adding the VAST Ad Server](#)
- [Configuring VAST Ads](#)
- [Creating Bumper Ads](#)
- [Configuring Third Party Ad Plugins](#)
- [Configuring Companion Ads](#)

Overview of Advertising with Kaltura

Kaltura's monetization features contain a comprehensive set of advertising tools, pay-per-view, subscription models, and built-in reports that let you optimize your strategy based on viewer behavior.

You can target viewers with ads on live videos or VOD, and across multiple devices such as mobile, PC and set-top-box. With support for a wide range of video ad formats (including all major IAB standards), and integrated plugins for video ad networks, such as Google DoubleClick DART, FreeWheel, Ad Tech, Eye Wonder, AdapTV, Tremor Video and others, managing you can optimize your monetization.

The Kaltura Player supports pre-rolls, mid-roll post-rolls, Flash companion ads and HTML companion ads. The Kaltura Player is VAST-compliant, supports custom SWFs, bumper videos, and has plugins for AdapTV, Tremor, and Eyewonder.

Player Branding

Players can be designed and skinned to match any brand and used for your own brand or for advertisers on your site. See [Configure the Player Features](#).

Connecting with an Ad Server

Integrating your Ad Server with the KMC is a one-time activity performed when you initially set up video advertising. The ad server has to be VAST compliant or available as a Kaltura plugin. You may also create a custom swf for the Kaltura Player to support.

After you have selected an ad server and set up an account with that ad server, you integrate the ad server with the KMC by establishing a connection between that ad server and KMC. After the connection is established, all ad requests generated by the Kaltura Dynamic Player are in a format which the ad server expects, allowing seamless communication between the Kaltura Player and the ad server.

The Digital Video Ad Serving Template (VAST) is an industry standard for the XML response from an ad server. Most of the leading Ad Servers and Ad Networks are VAST compliant, and support IAB standard (VAST 1.0 / VAST 2.0).

Popular ad servers include DoubleClick, Dart For Publisher (DFP), Microsoft Atlas, OpenX, ScanScout.

To see the full list of servers and networks that comply with VAST, refer to the IAB website:

http://www.iab.net/iab_products_and_industry_services/508676/compliance/679253

In general, ads, tracking, scheduling, and other parameters, are configured on the ad server side. With VAST, other parameters need to be configured through the KMC or Kaltura Player. Ad parameters are configured through the Studio tab in the KMC.

Kaltura Player and Ad Plugins

Kaltura partners have the ability to create a custom .swf file to stream ads from their own ad server to the Kaltura Player. The .swf file acts as an ad plugin. The configured key-value pairs must be defined to play the relevant ads.

You have to subscribe to an ad server and configure the ads on the ad server side.

Supported Ad Servers

All VAST compliant ad servers are supported. For more information see [Kaltura's Generic Ads Player Plugin for VAST](#).

The Kaltura Player all VAST compliant ad servers and supports the following ad plugins:

- [AdapTV](#)
- [Tremor](#)
- Eyewonder
- DoubleClick
- FreeWheel

For more information see [Configuring Third Party Ad Plugins](#).

Ad Terminology

Ad tracking – the ability to define which/if ads play based on specific metadata.

Overlay – an ad that appears as an image (usually with text) over a video, while the video is playing.

Companion ad– a banner ad that accompanies the ad that plays over the video player – this can either be located in the list area of the playlist or somewhere else on the HTML page.

Ad Tag URL – a URL that is XML that contains all the information about the ad(s) that should be displayed. VAST works with an ad tag URL system. The XML needs to conform to VAST standard in order to be considered “VAST-compatible”. That means that it needs to have the proper tags.

The following is an example of a VAST ad tag URL:

http://ad3.liverail.com/?LR_PUBLISHER_ID=1331&LR_CAMPAGN_ID=229&LR_SCHEMA=vast2

To see the example, insert this URL into your browser.

Ad Cue Points – time based points on an entry that can be used to view mid- roll advertisements.

Creating Kaltura Video Ads

The following is the workflow for configuring a KMC VAST compliant ad.

- [Adding the VAST Ad Server](#)

- [Configuring VAST Ads](#)

Adding the VAST Ad Server


 **To add an ad server that supports the VAST standard**

- Obtain an Ad tag URL from your ad server. See [How to Locate the Ad Tag URL](#).

Configuring VAST Ads

 **To configure VAST Ads**

1. Select the Studio tab and select an existing player or create a new one. See [Designing and Configuring a Player](#). The player is configured to display VAST ads only.
2. Select the Advertising tab.



The screenshot shows the 'Edit Player - DZ_multiplaylist' interface. On the left is a sidebar with tabs: Basics, Features, Advertising (selected), Style, and Content. The main area is divided into two sections: 'Advertising Status' and 'Ad Source Configuration'. In the 'Advertising Status' section, there is a label 'Request ads for this player:' followed by two radio buttons: 'Yes' (which is selected) and 'No'. The 'Ad Source Configuration' section has three input fields: 'Ad Source:' with a dropdown menu showing 'VAST Ad Server', 'Custom SWF URL:' with a text box containing 'http://', and 'Key Value Pairs: separate with ;' with a text box containing 'key=value format'.

3. Enable Request ads for this player.
4. Configure the Ad Source as VAST Ad server.

Configuring VAST Pre-roll Ads

Pre-roll ads are ads that appear prior to an online video.

 **To configure pre-roll ads**

1. [Configure the Player Advertising Settings](#).
2. Click on Pre-Roll Ads.
3. Toggle on Request PreRoll Ads Enabled.
4. Paste the Ad Tag URL received from the ad server. See [How to Locate the Ad Tag URL](#).
5. Select the Display options.
6. Display X ads assumes that there is more than one ad configured in the ad tag URL.

- Before every X video starting with the X video assumes that there is either a playlist on the page or a gallery. This functionality works with galleries as well as playlists.


The screenshot shows the 'Create New Player' interface with the 'Advertising' tab selected. The 'Ad Timeline' section displays a sequence of video elements: PreRoll Ads, Bumper Video, Video Content (with an 'Ads' sub-section), and PostRoll Ads. Below the timeline, the 'Request PreRoll Ads' option is set to 'Enabled'. The 'Ad tag URL' field contains 'http://'. The 'Display' dropdown is set to '1', and the 'PreRoll ad/s before every' dropdown is set to '1st'. The 'video starting with the' dropdown is also set to '1st'.

Configuring VAST Post Rolls

PostRoll ads are ads that appear after an online video.

To configure PostRoll ads

- Configure the Player Advertising Settings.
- Click on PostRoll Ads.
- Toggle on Request PostRoll Ads Enabled.
- Paste the Ad Tag URL received from the ad server. See [How to Locate the Ad Tag URL](#).
- Select the Display options.




Adding a Midroll


Midrolls and overlays are cue points that are defined on an entry level in the player configuration section of the Studio Advertising tab.

To add a midroll


1. [Configure the Player Advertising Settings.](#)
2. Select the Content Tab and select an entry.
3. Select the Advertisements tab.



4. Select the method to obtain the midroll add from the File Actions drop down menu.
5. Choose the granularity level for the time-based display. The choices are:
 - 100%
 - 5 sec
 - 1 sec
 - Frames.



6. Identify the exact scene or frame to display the advertisement and insert a cue. This can be done on the timeline:



7. To edit a cue point, select whether the advertisement will be a video or an overlay.

- a. For a video - the entry will stop playing, the ad will play, and then the entry will resume.
For an overlay - while the entry is playing, a banner will appear on the screen. The entry never stops playing.
- 8. For both video and overlay, there are 2 options in the provider section: VAST and OTHER. VAST allows a user to insert a VAST ad tag URL. OTHER is for customers who have created a custom plugin that allows for creating cue points. Other, does NOT refer to existing ad plugins such as Tremor, Adap.tv, etc.
- 9. If you select overlay, the display time will be indicated next to the Overlay option:

The screenshot shows a form element with a label 'Type' on the left. To its right is a dropdown menu with 'Overlay' selected. Further right is a duration field displaying '00:00:04.000' with up and down arrow buttons on the right side.

You can modify the amount of time you want the overlay to appear on the video using the up and down arrows.

- 10. To apply the selected cue points to the player, create a new player or edit an existing one under the “Studio” tab. Within the advertisement portion of the player, make sure that the “Request Ads From Entry’s Cue points” is set to “Yes”.

Adding an Overlay

An overlay ad is an ad banner that is displayed over the video.

To add an overlay at the entry level

1. [Configure the Player Advertising Settings.](#)
2. Select the Content Tab and select an entry.
3. Select the Advertisements tab.
4. Click on the + icon to add an overlay.
5. Select the method to obtain the overlay add from the File Actions drop down menu.
6. (Required) Select the Ad Type (video/overlay).
For Video the Duration is the length of the video and the field will be greyed out.
For Overlay – enter the amount of time to display in the Duration field.
7. Enter the provider name: VAST or Other and optional values.
8. For VAST enter the Tag URL and a descriptive name for the Midroll or Overlay, For other providers enter values that you want to pass to the player.
9. Click Save.

To configure an overlay on the player level

1. [Configure the Player Advertising Settings.](#)
Within the advertisement portion of the player, make sure that the “Request Ads From Entry’s Cue points” is set to “Yes”.
2. Click on Ads.
3. Toggle on Request Overlay Ads Enabled.
4. Paste the Ad Tag URL received from the ad server. See [How to Locate the Ad Tag URL.](#)
5. Select the Display options.

The screenshot shows the 'Create New Player' interface with the 'Advertising' tab selected. The 'Ad Timeline' section displays a sequence of four elements: PreRoll Ads, Bumper Video, Video Content (with an 'Ads' overlay), and PostRoll Ads. Below the timeline, there are configuration options for overlay ads:

- Request Overlay Ads:** Radio buttons for 'Enabled' and 'Disabled' (currently 'Disabled' is selected).
- Ad tag URL:** A text input field containing 'http://'.
- First overlay request after:** A time selector set to '02:00' (minutes:seconds).
- Following overlay ads after every:** A time selector set to '03:00' (minutes:seconds).
- Display overlay ad for:** A time selector set to '00:05' (minutes:seconds).


Creating Bumper Ads

Bumpers are videos that act as ads and do not use an ad server. Bumper videos uploaded to Kaltura can be inserted before or after a video, to function as pre-rolls or post-rolls. Bumper videos are associated with a player, and are not associated with a specific video. Bumper videos are independent of actual pre/post-rolls and can be played in addition to ads. Bumper videos are helpful for Kaltura partners that would like to advertise their logo, or other information, before or after a video, and for smaller partners that would like to advertise, but do not expect to monetize from their ads.


Bumper videos can be configured in addition to any other ads that are configured. On the bottom of the Advertising tab, the option to add bumper videos only is available.

To configure a Bumper ads

1. Go to the Studio tab and select or create a player.
2. Select the Advertising tab.
3. In the Ad Timeline section, click on Bumper Video.
4. Toggle on Bumper Video Enabled.
5. Paste the Kaltura Entry ID that will be used as the bumper.
6. Enter the URL in the Click URL field.



A Kaltura partner also has the ability to enable ONLY bumper ads by choosing Bumper Only as the Ad Source:



While in the Advertising tab, you can also configure bumper pre-rolls, and or bumper post-rolls.

To configure bumper post-rolls

1. Create a bumper video. See [Creating Bumper Ads](#).
2. In the Features tab on the left, select the [Additional Parameters and Plugins](#) section. Enter the following:

```
postbumper.plugin=true&postbumper.width=0&postbumper.height=0&postbumper.lockUI=false&postbumper.playOnce=false&postbumper.path=bumperPlugin.swf&postbumper.relativeTo=video&postbumper.position=before&postbumper.includeInLayout=false&postbumper.preSequence=false
```

3. Click Go.

Whenever both pre-rolls and bumper videos are enabled, pre-rolls will always play before the bumper video. This is because the pre-roll is configured as, `preSequence=1`, and the bumper video is, `preSequence=2`. You can change the play order via the `uiconf`. Post-roll ads will always play AFTER the bumper post-rolls.

Configuring Third Party Ad Plugins

This section describes how to configure third party ad plugins.

Tremor Media

Tremor Media is an ad network that acts as a connector between ad companies/servers and their customers. Tremor Media connects with numerous ad sources and partners from a single control center and works with their customers to provide the appropriate ads from the appropriate ad servers.

To configure the Tremor Media plug in

1. Go to your Tremor account; define ads, scheduling, targeting, etc. on the Tremor end.
2. Go to the Studio tab and edit an existing player or create a new one.
3. Select the Advertising tab.
4. Enable ads for the selected player.
5. Select Tremor as the Ad Source.


Ad Source Configuration

Ad Source:	Tremor
Custom SWF URL:	Custom swf
Key Value Pairs: separate with ;	Tremor
	AdapTV
	Eye Wonder
	VAST Ad Server


6. In the key=value section, enter the policy ID. Type in progId=[policy ID].



NOTE: TremorMedia allows users to utilize other ad sources.



NOTE: Tremor also allows users to utilize a different ad source as a fallback.



The Tremor plugin is in charge of displaying specific ads, and all the configurations are done on the Tremor end.

Tremor Media Added Functionality

The following lists functionality that has been added to the Tremor plugin.

Functionality	Description	Example
Passing dynamic data	By inserting specific key-value pairs in the uivars, a Kaltura partner can	<pre>: <var key="customAd.paramKey1"</pre>

Functionality	Description	Example
	<p>define that any Kaltura metadata gets passed to TremorMedia via the TremorMedia plugin. Then, using the Tremor ad server, the partner can decide how to target ads via the metadata.</p> <p>To enable this functionality, a custom ad path must be inserted into the uiconf.</p>	<pre>value="duration" /> <var key="customAd.paramValue1" value="{mediaProxy.entry.dura tion}" /> <var key="customAd.paramKey2" value="entryId" /> <var key="customAd.paramValue2" value="{mediaProxy.entry.id}" /> <var key="customAd.paramKey3" value="categories" /> <var key="customAd.paramValue3" value="{mediaProxy.entry.cate gories}" /> <var key="customAd.paramKey4" value="ContentRating" /> <var key="customAd.paramValue4" value="{mediaProxy.entryMetad ata.ContentRating}" /> <var key="requiredMetadataFields" value="true" /></pre> <p>Note: The Content Rating custom data field, has a slightly different value from the rest of the metadata.</p>
<p>Internal companion ads</p>	<p>The ability to insert a companion ad directly on the list part of the playlist.</p> <p>The companion ad must be inserted as a custom ad path via the uiconf or via Additional Parameters and Plugins.</p>	
<p>Capping ads</p>	<p>A Kaltura partner can cap ads via the KMC based on the creation date.</p> <p>To configure the Tremor plugin with the startDateOffset, with the parameter key maxAge, add the following 2 attributes to the XML (if the file is maintained manually):</p> <pre>paramKey1="duration" paramValue1="{tremor.create dAtOffset}"</pre> <p>or the equivalent uivars/flashvars line</p> <pre>paramKey1=duration&paramVal uel={tremor.createdAtOffset }</pre> <p>This is based on the assumption that the Tremor xml node has the id set to 'tremor'. If using a studio player the id would be 'customAd'.</p>	


AdapTV

AdapTV has two different models – the standard model and the marketplace. The standard model allows Kaltura partners to define their own ads. The marketplace provides the customer the ability to connect with all sorts of ad companies to choose the most fitting ads.

To configure the AdapTV ad plug in

1. Go to your AdapTV account; define ads, scheduling, targeting, and other parameters, on the AdapTV end.
2. Go to the Studio tab and edit an existing player or create a new one.
3. Select the Advertising tab.
4. Enable ads for the selected player.
5. Select AdapTV as the Ad Source.

6. Enter the Custom SWF URL.
The Kaltura partner administrator should contact their ad server company to obtain the SWF URL and the proper Key-Value Pairs to insert.
7. In the key-value section insert key=[your AdapTV key]. In AdapTV, many users utilize the zone to differentiate between different ads. In this case, the customer needs to insert zone=[zone name] in the key-value section as well.
8. To utilize the latest AdapTV plugin (the current out-of-the-box plugin is utilizing AdapTV's legacy integration of AS2, the new plugin utilizes AS3 integration): in the [Additional Parameters and Plugins](#) section of the player, insert key=customAd.path value=<http://cdnbakmi.kaltura.com/flash/kdp3/v3.5.7.6/plugins/adaptvas3Plugin.swf>




Configuring Companion Ads

Companion Ads are “text, display ads, rich media, or skins that wrap around the video experience, and can run alongside either or both the video or ad content. The primary purpose of the Companion Ad product is to offer sustained visibility of the sponsor throughout the video content experience.” See http://www.iab.net/wiki/index.php/Companion_Ad

VAST

Kaltura’s platform makes it easy to add Companion Ads in either HTML or Flash. After you’ve configured your player (see [Designing and Configuring a New Player or Playlist](#)), edit the player and navigate to the Advertising tab. Scroll down to the “Player Configuration” section


Choose whether to configure HTML or Flash-based Companion Ads.



Companion Ads in HTML

To add companion ads in HTML

1. Click on the “Add companion div” text in the “Player Configuration” section. Entry fields to enter the CSS “id” of your companion ad and the dimensions in pixels appear.
2. Enter the CSS div id and dimensions (in pixels) for each ad region. Be certain to enter the dimensions to match the dimensions of your served ads.
3. Click on the “Add companion div” text multiple times to enter more ad regions.



Configuring Companion Ads

In the web page where your Companion Ads will display, you need to include a JavaScript file as well as a corresponding HTML <div> tag with a matching id for each region you create.


```
<html>
<body>
<head>
...
<script src="http://www.kaltura.com/javascript/VAST/companionAdFunc.js" type=
  "text/javascript"></script>
...
</head>
<body>
...
<object id="kaltura_player" name="kaltura_player" type="application/x-shockwave-
  flash" ..... </object>
<div style="width: 234px; height: 60px;" id="myCompanionAd">
</div>
...
</body>
</html>
```

Companion Ads in Flash

To add companion ads in Flash

1. Click on the “Add companion div” text in the “Player Configuration” section. You’ll get entry fields to enter the CSS “id” of your companion ad and the dimensions in pixels. Be certain to enter the dimensions to match the dimensions of your served ads.

Click on the “Add companion div” text multiple times to enter more ad regions:



Edit Player - Dark Player

Player Configuration

Request ads from entry's cuepoints: Yes No

Show Notice Text: Yes No

Notice Text:

Allow Skip : Yes No

Skip Text:

Timeout Configuration: (in seconds)

Companion Ads in HTML


Companion Ads in Flash

Element ID	Dimensions	Remove
Controls	234 x 60	✕ Remove


[Add companion element](#)

There are either two or three possibilities for the “Element ID” pulldown menu. If you created a Kaltura Playlist Player, you will see three options:

Configuring Companion Ads




If you created a regular (non-Playlist) Player, you will see two options:




The “Custom” option is not available. If your companion ad will appear in the regular player window above the player controls, then select “Controls”. If your ad will overlay the Playlist, then select “Playlist”. Enter the dimensions of your ad (in pixels) in the “Dimensions” text fields.

Example

Here’s a Kaltura Playlist Player in a horizontal configuration:



In the following example, the same player plays a preroll ad in the main player area while a Flash Companion Ad is displayed in the playlist area:



Tremor

To configure companion ads with Tremor Media.

The companion ad needs to be enabled on the Tremor end. Perform the following steps.

1. Add the following script to your page:

```
<!-- script type="text/javascript"
  src="http://cdna.tremormedia.com/acudeo/banners.js"></script>
<script type="text/javascript">
  function displayCompanionBanners(banners) {
    tmDisplayBanner(banners, "adCompanionBanner", 300, 250);
  }
  function hideCompanionBanners(banners) {
    tmHideBanner("adCompanionBanner")
  }; </script -->
```

2. Add the following script import:

```
<script type="text/javascript"
  src="http://cdna.tremormedia.com/acudeo/banners.js"></script>
```

3. Add this div that will act as the ad.

```
<div id="adCompanionBanner300x250"></div>
```

AdapTV

To configure companion ads

1. Add this code to the [Additional Parameters and Plugins](#).

```
key: adaptv.companionId
value: companiondiv
```

2. Add a div with a matching id in the HTML that holds the following player:

```
<div id="companiondiv" style="width: 300px; height: 250px;">
</div>
```

Custom SWF

The Kaltura partner should contact their ad server in order to understand what JavaScript code needs to be implemented on their page in order to enable companion ads.

Targeting with an Ad Server


While ads targeting is performed within the ad server, Kaltura's VAST advertising module is designed to pass all the relevant targeting information to the ad server.

Targeting information can be set in several levels:


- Targeting per player and ad slot – you can add additional key value pairs within the adtag URL. The ad server will use these for targeting.
- Targeting per content item - The Kaltura VAST module supports dynamic pulling of metadata from the content item, and passes it to the ad server. For example for targeting a specific content category.

To target information


1. Drag content items into the category within the KMC.



2. Define the additional parameter in your ad server.
For example, in OpenX set the “category” parameter through “Site - Variable”



3. Add category template `category={mediaProxy.entry.categories}` into the AdTag URL. At runtime this template will be populated with the actual values for each video played.



The following targeting templates are available for targeting

- `category={mediaProxy.entry.categories}`
- `tags={mediaProxy.entry.tags}`
- `name={mediaProxy.entry.name}`
- `id={mediaProxy.entry.id}`

Targeting per Viewer


In some cases targeting information is not defined per content item, but per viewer. To support these cases the Kaltura VAST module dynamically pulls metadata from the website via flashvars passed to the player. For example targeting per a specific age group. This example assumes that the hosting site has a user database and would like to further target known users.

To target per viewer

1. Pass the variable (for example, viewer age) from your internal DB to the player via Flashvar.

```
<object id="kaltura_player" name="kaltura_player" t
="always" height="333" width="680" xmlns:dc="http://
resource="http://www.kaltura.co.cc/index.php/kwidge
"http://www.kaltura.co.cc/index.php/kwidget/cache_s
"allowNetworking" value="all" /><param name="allowS
<param name="flashVars" value="&viewerAge=34">
```

2. Define the additional parameter in your ad server. For example in OpenX, set the "viewerAge" parameter through "Site - Variable"



3. Add the flashvar template into the AdTag URL, this template will be populated in runtime with the actual values. The template is `FLASHVAR_NAME={configProxy.flashvars.FLASHVAR_NAME }` and in the viewerAge example it would be: `viewerAge={configProxy.flashvars.viewerAge}`

Ad Targeting via ad plugin

Each ad plugin individually defines which metadata the Kaltura Player passes to the plugin. Generally, it is very basic metadata such as entry ID. Additional metadata enables the Kaltura user to target ads with that specific metadata.

Ad Targeting with Tremor

Passing dynamic data

By inserting specific key-value pairs in the uivars, a Kaltura partner can define that any Kaltura metadata gets passed to Tremor via the Tremor plugin. Then, through the Tremor ad server, the partner can decide how to target ads via the metadata.

Examples:

```
<var key="customAd.paramKey1" value="duration" />
<var key="customAd.paramValue1" value="{mediaProxy.entry.duration}" />
<var key="customAd.paramKey2" value="entryId" />
<var key="customAd.paramValue2" value="{mediaProxy.entry.id}" />
<var key="customAd.paramKey3" value="categories" />
<var key="customAd.paramValue3" value="{mediaProxy.entry.categories}" />
```


Configuring Companion Ads

```
<var key="customAd.paramKey4" value="ContentRating" />  
<var key="customAd.paramValue4" value="{mediaProxy.entryMetadata.ContentRating}" />  
<var key="requiredMetadataFields" value="true" />
```

Note that ContentRating, which is a custom data field, has a slightly different value from the rest of the metadata.

To enable the custom data field, you must insert a custom ad path into the uiconf.

Advertising for Mobile Devices

The advertising settings applied to your player will also apply for mobile delivery. Visit the advertising section for more information on advertising. As a general rule, VAST ads fully support ads in mobile. However, the ads will only play in a mobile device if the ad has the proper mobile flavors.


The following table summarizes current advertising support for mobile:

Device	Supported Ad type	Notes & Limitations
iPhone	VAST Pre-roll Bumper video VAST Post-roll	Ads are played back in the native player Player controls are not disabled during playback (user can skip the ads) Ads are not clickable Ads must be encoded for the iPhone (H264)
iPad	VAST Pre-roll Bumper video VAST Overlay VAST Post-roll	Ads must be encoded for the iPad (H264)
Android (ver 2.2 and up)	All	Android from version 2.2 supports Flash playback with all ads integration as in Flash player.

How to Locate the Ad Tag URL

DFP

In DFP there is a "Tag Generator" utility in the dashboard to generate the ad tag url. The ad tag url (<http://ad.doubleclick.net/pfadx/mysite.com/>.) is at the bottom of the widget.



OpenX

In OpenX the adtag URL is linked to an OpenX Zone, in the following format:

```
http://[OPENX_INSTALL]/fc.php?script=bannerTypeHtml:vastInlineBannerTypeHtml:vastI
nlineHtml&source=&format=vast&charset=UTF_8&nz=1&zones=z1=[ZONE_ID]
for openX hosted, the URL is dl.openX.org. ,
from within your OpenX account you can retrieve the zone Id.
for example for zone id 150750 in openX hosted the ad tag url would be:
http://dl.openx.org/fc.php?script=bannerTypeHtml:vastInlineBannerTypeHtml:vastInli
neHtml&source=&format=vast&charset=UTF\_8&nz=1&zones=z1=150750
```

AdapTV (via VAST)

Copy the “Specific Ad Tag” from the Ad screen

Create/Edit Ad

Name
Ariel Test

Display
VAST Video

Delivery & Pricing
Live

View Targeting
Zone

Spot Targeting
2 ad spot(s)

Name: Ariel Test

ID: 7796

Description: [Empty]

Specific Ad Tag: `http://u-ads.adap.tv/a/u/0nlacdECbg6bR8gVjcXLMsjmV9TQvY6?cb=[CACHE_BREAKER]`


Ad Labels ⓘ

Save and View Forecast Save Cancel

Connecting with Ad Servers and Networks via adap.tv


To add adap.tv's service to your Kaltura players

1. Sign up with adap.tv ([Contact us](#) to learn more) – you will then receive an adap.tv Partner Key.
2. Go to the Studio tab and edit an existing player or create a new one
3. Go to the Advertising section
4. Enable ads for this player
5. Select adapTV from the “Ad Source” drop down
Enter your adap.tv Partner Key in “Key Value Pairs” section, in the following format “key=[YOUR ADAPTV KEY]”



6. Target, manage and customize your ads via the [adapt.tv console](#).
7. Via adapt.tv you can also connect to additional ad servers & ad networks such as AdTech, Atlas, DART, OpenX, Advertising.com, ScanScout , SpotExchange, Google AFV, AdBrite, AdDynamic, AdEngage, AdFish, AdoTube and over 20 other networks and servers.

For example connecting to DART via adapt.tv would simply require pasting the Ad Tag URL that the AdTech Server supplies.



Connecting with Tremor Media

To add Tremor Media’s service to Kaltura players


1. Sign up with Tremor Media ([Contact us](#) to learn more) – you will receive a Tremor Media Program ID.
2. Go to the Studio tab and edit an existing player or create a new one.
3. Go to the Advertising section.
4. Enable ads for this player.
5. Select Tremor from the “Ad Source” drop down
6. Enter your ACUDEO Ad Policy ID as your Program ID in the “Key Value Pairs” section.

Program ID’s are available in the program list and are displayed as Ad Policy IDs in the ACUDEO Console. Select “Ad Policy ID” in the “Show Ad Policies with” drop down menu.

Use the following format:

```
progId=your ACUDEO Ad Policy ID.
```

Additional targeting parameters should be separated with semicolons.



You can specify ad sources for each ad slot within your content through the Tremor Media’s ACUDEO console.

7. Target, manage and customize your ads via the [Tremor Media console](#) (Acudeo).

The screenshot shows the ACUDEO Kaltura Management Console interface. At the top, there are navigation tabs: HOME, AD POLICIES, VIDEO APPLICATIONS, AD ROTATOR, REPORTING, and ACCOUNTS. Below these, there are buttons for 'VIEW AD POLICIES' and 'CREATE NEW AD POLICY'. A search bar is present with the text 'Show Ad Policies with Ad Policy ID' and a 'GO' button. The main content is a table with the following columns: Ad Policy Name, ID, Modified By, Date Created, Date Modified, Preview, Modify, and Duplicate. The ID column is circled in yellow. The table contains 20 rows of ad policies, each with a unique ID and a 'Modified By' field containing the email address 'eitan.avgil@kaltura.com'. The footer of the page includes '© 2010 Tremor Media' and 'powered by tremor media'.

Ad Policy Name	ID	Modified By	Date Created	Date Modified	Preview	Modify	Duplicate
overlay after 15 sec	4c4c4b66e721b	eitan.avgil@kaltura.com	07/25/10 10:34 AM	07/25/10 10:34 AM	⌘	✎	🔄
pre_roll every 2nd	4c27908cb91dd	eitan.avgil@kaltura.com	06/27/10 01:55 PM	06/27/10 02:38 PM	⌘	✎	🔄
Atar - post_overlay	4c1a21ec7d676	eitan.avgil@kaltura.com	06/17/10 09:23 AM	07/25/10 10:26 AM	⌘	✎	🔄
Atar - mid only	4c1a1c25270b5	eitan.avgil@kaltura.com	06/17/10 08:59 AM	06/17/10 09:01 AM	⌘	✎	🔄
Atar - pre_mid_post_overlay	4c19d3ffb12d7	eitan.avgil@kaltura.com	06/17/10 03:51 AM	06/17/10 03:54 AM	⌘	✎	🔄
AmirN pre+mid	4b962fa654fb4	eitan.avgil@kaltura.com	03/09/10 07:23 AM	03/09/10 07:23 AM	⌘	✎	🔄
mid_roll time based	4b7960f9a06e4	eitan.avgil@kaltura.com	02/15/10 10:58 AM	02/15/10 10:59 AM	⌘	✎	🔄
Ariel Test program	4b584e8b0181f	eitan.avgil@kaltura.com	01/21/10 08:54 AM	01/21/10 10:32 AM	⌘	✎	🔄
ariel test	4b572ea432ac3	eitan.avgil@kaltura.com	01/20/10 12:26 PM	01/20/10 02:03 PM	⌘	✎	🔄
eran pre + post	4a530e2200a52	eitan.avgil@kaltura.com	07/07/09 04:58 AM	07/07/09 04:58 AM	⌘	✎	🔄
moran	4a51b2e101ca9	eitan.avgil@kaltura.com	07/06/09 04:16 AM	07/06/09 04:16 AM	⌘	✎	🔄
50 Percent	4a2fa1854fd5a	eitan.avgil@kaltura.com	06/10/09 08:05 AM	06/10/09 08:05 AM	⌘	✎	🔄
pre_roll timeout 8	4a12a53f457bd	eitan.avgil@kaltura.com	05/19/09 08:25 AM	05/19/09 08:25 AM	⌘	✎	🔄
midroll X 5	4a12a4ca7902d	eitan.avgil@kaltura.com	05/19/09 08:23 AM	05/20/09 05:02 AM	⌘	✎	🔄
AmirN All - Pre-roll / Mid-roll + Overlay / Post-Roll	4a1294f4b728d	eitan.avgil@kaltura.com	05/19/09 07:16 AM	06/21/10 11:01 AM	⌘	✎	🔄
eran_end	4a129492db314	eitan.avgil@kaltura.com	05/19/09 07:14 AM	05/19/09 10:51 AM	⌘	✎	🔄
eran_mid_end	4a128d6d0c165	eitan.avgil@kaltura.com	05/19/09 06:43 AM	05/19/09 06:43 AM	⌘	✎	🔄

Different Types of Ad Servers

There are additional ad servers that Kaltura supports, which are a bit more complex than just plugins. For example, Kaltura is now fully integrated with **DoubleClick** and **Freewheel**. Their integrations are more complex since there is a server-side connector that allows you to define the metadata to submit to the ad server for ad targeting purposes. The Kaltura metadata gets mapped to ad server's metadata. Then, just like with a distribution module, see [Kaltura Distribution Module](#), when a Kaltura partner wants an entry to be included in the ad server, it is marked as such in the KMC. The ad server connector passes all of the metadata to the ad server, where the Kaltura partner can then decide how ads should be targeted based on the metadata.

Kaltura Player Additions Related to Ads

If a Kaltura partner wants to create their own type of ad targeting and prevent pre-rolls from playing on specific entries, they can utilize the `flashVar vast.preSequence=0`, defined in the embed code in the additional parameters and plugins.

Advanced functionality is enabled to provide for a better workflow of ad plugins. The Kaltura Player build its UI only when the plugin is completely ready, enabling for a smooth loading of player and plugin together after the plugin is ready.

Troubleshooting

Here are a few helpful steps to configure advertising:

For VAST ads:

1. Check that you have a working ad tag URL. Be certain that VAST 2.0., 1.0 are also supported for


the media file content.

- An example of a working ad tag URL is at: <http://ox-d.hbr.org/v/1.0/av?aid=35998>
 - In addition to this, a very helpful site that has working VAST ad tag URLs can be found here: http://www.iab.net/iab_products_and_industry_services/508676/digitalvideo/vast/vast_xml_samples.
- Put the ad tag URL in your browser. You should see an XML that clearly shows that it is a VAST XML. Various other criteria will appear in the URL. An important tag to look for is the media file. Take the URL of the media file and make sure it plays properly.

```
<?xml version="1.0" encoding="UTF-8" ?>
- <VAST version="2.0">
- <MediaFiles>
  <MediaFile id="74565" delivery="progressive" type="video/x-flv"
    width="640" height="360">http://i.cdn.openx.com/c85/c85e92f5-1481-4244-843d-41d9aa03dc88/cf2/cf25d8fab21ab337420b8e60ff8cfc00.flv</MediaFile>
```


If the URL is not a VAST XML or if the media file does not play properly, create a working VAST XML with a working media file on your ad server.

- If the VAST ad tag URL looks valid and the media file plays properly, the next step is to go to Fiddler. (Debugger) The first important thing to look for here is to make sure that the crossdomain is working properly. Here is a working Fiddler response:



- If the Crossdomain request/response is red or has some abnormal result like 404, you will need to enable your domain's crossdomain to allow Kaltura to access it. Here is Kaltura's crossdomain.xml, which can be provided as an example of a proper crossdomain.xml : <http://www.kaltura.com/crossdomain.xml>.

The next steps are to make sure that the ad is properly being called via Fiddler:



Creating and Tracking Analytics

Use the Analytics tab to track and display analytical information for bandwidth usage, video content usage and to produce user and community reports. You can extract and analyze data from the publisher level to information for a specific user as well as from account's content level to any specific entry.

This section contains the following topics:

- [Content Reports](#) - display information about the entire content of the account, for example which is the most viewed video or which videos were 100% play-through.
- [User and Community Reports](#) - display information about all the end-users of this account, for example who was the excel content contributor.
- [Bandwidth Usage Reports](#) – provide clear visibility into the resources (storage, bandwidth) used by the publisher or the user.
- User Level Reports - displays reports for a specific user (which video was watched in a given time frame and for how long) and per specific content (which users watched the video and for how long).
- [Exporting Analytics to a CSV File](#)

Content Reports

Content reports display aggregated analytics showing how well your content is performing across your sites. Use the content reports to gain business insights and learn if your content discovery and exposure strategies have paid off or when things need to be tweaked to improve outreach or user engagement.


The following Content Reports are available'

- [Top Content](#)
- [Content Drop-off](#)
- [Content Interactions](#)
- [Content Contributions](#)

Top Content Reports

Top Content reports display the following data for your most popular content:

- Plays – The number of times a user clicked "Play"
- Minutes Viewed – The sum of minutes that were viewed
- Average View Time – The average time calculated by dividing the minutes viewed by number of views
- Player Impressions – The number of times the video player was loaded
- (Not included in the line chart) Player to Impression Ratio – The number of plays divided by the number of impressions.



To display Top Content Reports

1. Select the Analytics tab and then select Content Reports.
2. Click Top Content.
3. Select a date range in the drop-down menu or enter dates in the Dates field.
4. Select one of the following for the Playback Context:
 - All** (default) – uses all the categories defined in your account
 - Select Categories** – uses selected categories in your account for filtering report data
 - o In the Categories window: Select the name of a category. Use the CTRL key to select multiple categories.
 - o Click Filter.
To clear the category filter, click All.
5. Click on the links to the video's Drop-off and Interactions reports. (See [Content Drop-off Reports](#) and [Content Interactions](#)).
6. (Optional) In the Search Filter field, enter text that appears in content Names, Tags or Descriptions, and click Apply.
The filter description is displayed above the report.
To clear the filter, delete the text from the Search Filter field and click Apply.
7. In the drop-down menu, select one of the data types for the line chart report.
8. (Optional) Export the line chart report to a CSV file. See [Exporting Analytics to a CSV File](#).
9. In the line chart, hover over the data to display the exact data quantity for the date.

Under the line chart, a summary is followed by reports that display total and individual video results.


For the individual video table, you can:

- Scroll through the pages at the bottom of the table.
- Select the number of rows to display per page (10 to 500).
- Click a video name to display the Specific Entry Report for the video

Specific Entry Report

Specific Entry reports display the following data for a specific entry:

- Plays- The number of times a user clicked "Play".
- Minutes Viewed – The sum of minutes that were viewed
- Average View Time – The average time calculated by dividing the minutes viewed by number of views
- Player Impressions – The number of times the video player was loaded
- (Not included in the line chart) Player to Impression Ratio – The number of plays divided by the number of impressions.



To display a Specific Entry Report

1. Create a Top Content report. See [To display Top Content Reports](#).
2. Click a video name to display the [Specific Entry Report](#) for the video.
3. Select one of the following for the Playback Context:
 - All** (default) – uses all the categories defined in your account
 - Select Categories** – uses selected categories in your account for filtering report data
 - In the Categories window: Select the name of a category. Use the CTRL key to select multiple categories.
 - Click Filter.
To clear the category filter, click All.


(Optional) Click the links to the video's Drop-off and Interactions reports. (See [Content Drop-off](#) and [Content Interactions](#)).
4. Select the Application from the drop-down menu. The choices presented are the applications delivered by the publisher during playbacks.
5. (Optional) In the Search User field, enter text that appears in content Names, Tags or Descriptions, and click Apply.
The filter description is displayed above the report.
To clear the filter, delete the text from the Search Filter field and click Apply.
6. In the drop-down menu, select one of the data types for the line chart report.

7. (Optional) Export the line chart report to a CSV file. See [Exporting Analytics to a CSV File](#).
8. Click on the video's Name to preview the entry.
9. In the line chart, hover over the data to display the exact data quantity for the date.

Content Drop-off Reports

Content Drop-off reports display the following data for play-through by viewers of your content:

- Plays – The number of times a user clicked "Play"
- 25 per cent play-through – The number of plays that reached 25% of the video
- 50 per cent play-through – The number of plays that reached 50% of the video
- 75 per cent play-through – The number of plays that reached 75% of the video
- 100 per cent play-through – The number of plays that reached 100% of the video
- (Not included in the bar chart) Play-through Ratio – The percentage of completed plays. The number of 100% play-throughs divided by the total number of plays.



To display Content Drop-off Reports

1. Select the Analytics tab and then select Content Reports.
2. Click Content Drop-off.
3. Select a date range in the drop-down menu.
4. Select one of the following for the Categories
 - All** (default) – uses all the categories defined in your account
 - Select Categories** – uses selected categories in your account for filtering report data
 - In the Categories window: Select the name of a category. Use the CTRL key to select multiple categories.
 - Click Filter.
To clear the category filter, click All.
5. (Optional) In the Search Filter field, enter text that appears in content Names, Tags or Descriptions, and click Apply.
The filter description is displayed above the report.
To clear the filter, delete the text from the Search Filter field and click Apply.

- (Optional) Export the line chart report to a CSV file. See [Exporting Analytics to a CSV File](#).


For the individual video table, you can:

- Scroll through the pages at the bottom of the table.
- Select the number of rows to display per page (10 to 500).
- Click a video name to display the [Specific Entry Content Drop-off Report](#).
- Sort the table by clicking the column headings.
- Click a video name to display:
 - [Specific Entry Content Drop-off reports](#) for the video.

Specific Entry Content Drop-off Reports

Specific Entry Content Drop-off reports display the following data for your most popular content:

- Unique Known Users – Sum of unique users, for which a user ID was passed from the publisher
- Plays – The number of times a user clicked "Play"
- 25 per cent play-through – The number of plays that reached 25% of the video
- 50 per cent play-through – The number of plays that reached 50% of the video
- 75 per cent play-through – The number of plays that reached 75% of the video
- 100 per cent play-through – The number of plays that reached 100% of the video
- Play-through Ratio (not one of the bar chart views) – The percentage of completed plays. The number of 100% play-throughs divided by the total number of plays.



To display a Specific Entry Content Drop-off report


1. Create a Content Drop-off report. See [Content Drop-off Reports](#).
2. Click a video name to display the Specific Entry Content Drop-off Report for the video.
3. Select a date range in the drop-down menu.
4. Select one of the following for the Playback Context (the categories in which the movie was played from):
 - All** (default) – uses all the categories defined in your account
 - Select Categories** – uses selected categories in your account for filtering report data

- In the Categories window: Select the name of a category. Use the CTRL key to select multiple categories.
 - Click Filter.
To clear the category filter, click All.
5. Click the links to the video's [Specific Entry Report](#) and [Specific Content Interactions Report](#).
 6. Select the Application from the drop-down menu. The choices presented are the applications delivered by the publisher during playbacks.
 7. (Optional) In the Search Filter field, enter text that appears in content Names, Tags or Descriptions, and click Apply.
The filter description is displayed above the report.
To clear the filter, delete the text from the Search Filter field and click Apply.
 8. (Optional) Export the line chart report to a CSV file. See [Exporting Analytics to a CSV File](#).
 9. Click on the video's Name to preview the entry.

Content Interactions Reports

Content Interactions reports display the following data for viewer interaction with your content:

- Plays – The number of times a user clicked "Play"
- Edits – The number of clicks on the "Edit" button
- Shares (Viral) – The number of clicks on the "Share" button
- Downloads – The number of clicks on the "Download" button
- Reports of Abuse – The number of clicks on the "Report" button



To display Content Interaction Reports

1. Select the Analytics tab and then select Content Reports.
2. Click Content Interactions.
3. Select a date range in the drop-down menu.
4. Select one of the following for the Categories:
 - All** (default) – uses all the categories defined in your account
 - Select Categories** – uses selected categories in your account for filtering report data

Creating and Tracking Analytics

- In the Categories window: Select the name of a category. Use the CTRL key to select multiple categories.
- Click Filter.
To clear the category filter, click All.
5. (Optional) In the Search User field, enter text that appears in content Names, Tags or Descriptions, and click Apply.
The filter description is displayed above the report.
To clear the filter, delete the text from the Search Filter field and click Apply.
6. In the drop-down menu, select one of the data types for the line chart report.
7. (Optional) Export the line chart report to a CSV file. See [Exporting Analytics to a CSV File](#).
8. In the line chart, hover over data to display the exact data quantity for the date.
9. Click on the video's Name to preview the entry.

Under the line chart, a summary is followed by reports that display total and individual video results.


For the individual video table, you can:

- Sort the table by clicking the column headings.
- Scroll through the pages at the bottom of the table.
- Select the number of rows to display per page (10 to 500).
- Click a video name to display a Specific Content Interactions Report for the video.

Specific Content Interactions Report

Specific Content Interactions reports display the following data for your most popular content:

- Unique Known Users – Sum of unique users, for which a user ID was passed from the publisher
- Plays – The number of times a user clicked "Play"
- Edits – The number of clicks on the "Edit" button
- Shares (Viral) – The number of clicks on the "Share" button
- Downloads – The number of clicks on the "Download" button
- Reports of Abuse – The number of clicks on the "Report" button




To display a Specific Content Interactions report

1. Create a Content Interaction Report. See [Content Interaction Reports](#).
2. Click a video name to display the Specific Content Interaction Report for the video
3. Select a date range in the drop-down menu.
4. Select one of the following for the Playback Context (the categories in which the movie was played from):
 - All** (default) – uses all the categories defined in your account
 - Select Categories** – uses selected categories in your account for filtering report data
 - o In the Categories window: Select the name of a category. Use the CTRL key to select multiple categories.
 - o Click Filter.
To clear the category filter, click All.
- Click the links to display the [Specific Entry Report](#) for the video and the [Specific Entry Content Drop-off Report](#).
5. Select the Application from the drop-down menu. The choices presented are the applications delivered by the publisher during playbacks.
6. (Optional) In the Search Filter field, enter text that appears in content Names, Tags or Descriptions, and click Apply.
The filter description is displayed above the report.
To clear the filter, delete the text from the Search Filter field and click Apply.
7. (Optional) Export the line chart report to a CSV file. See [Exporting Analytics to a CSV File](#).
8. Click a video name to display the entry's preview.

Content Contributions Report

The Content Contributions reports display the following data for media entry contributions by your users:

- Total – The number of media entries contributed, including video, audio, image and mix.
- Video – The number of video entries contributed.
- Audio – The number of audio entries contributed.
- Image – The number of image entries contributed.
- Mix – The number of mixes created.
- (Not included in the individual source table) UGC – The number of media entries contributed by "User"-type users
- (Not included in the individual source table) Admin – The number of media entries contributed by "Admin"-type users that includes all uploads from the KMC.



To display Content Contribution reports

1. Select the Analytics tab and then select Content Reports.
2. Click Content Contributions.
3. Select a date range in the drop-down menu.
4. In the drop-down menu, select one of the data types for the line chart report.
5. (Optional) Export the line chart report to a CSV file. See [Exporting Analytics to a CSV File](#).
6. In the line chart, hover over data to display the exact data quantity for the date.

Under the line chart, a summary is followed by reports that display total and individual results.


For the individual video table, you can:

- Sort the table by clicking the column headings.
- Scroll through the pages at the bottom of the table.
- Select the number of rows to display per page (10 to 500).
- Click a source name to display a Specific Entry Media Source Contributions Report for the source.

Specific Entry Media Source Contributions Report

Specific Entry Media Source Contributions reports display the following data for your most popular content:

- Total- number of media entries contributed, includes, video, audio, images and mixes
- Video- Number of video entries contributed
- Audio – Number of audio entries contributed
- Image – Number of image entries contributed
- Mix – Number of mixes created
- UGC - Number of media entries created by users that are type User (not admin)
- Admin – Number of media entries created by users that are type admin - this includes all uploads via KMC



To display a Entry Media Source Contributions report


1. Create a Content Contributions report. See [To display Content Contribution Reports](#).
2. Click a video name to display the Specific Entry Media Source Contributions Report for the video
3. Select a date range in the drop-down menu or enter dates in the Dates field.
4. In the drop-down menu, select one of the data types for the line chart report.
5. (Optional) Export the line chart report to a CSV file. See [Exporting Analytics to a CSV File](#).
6. In the line chart, hover over the data to display the exact data quantity for the date.

User and Community Reports

User and Community reports display demographics and User Generated Content related reports of where content was contributed, played and shared.

- Total – The number of media entries contributed, including video, audio, image and mix
- Video – The number of video entries contributed
- Audio – The number of audio entries contributed
- Image – The number of image entries contributed
- Mix – The number of mixes created

Top Contributors Report



To view Top Contributors Reports

1. Select the Analytics tab and then select User and Community Reports.
2. Click Top Contributors.
3. Select a date range in the drop-down menu or enter dates in the Dates field.
4. In the drop-down menu, select one of the data types for the line chart report.
5. (Optional) Export the line chart report to a CSV file. See [Exporting Analytics to a CSV File](#).
6. In the line chart, hover over the data to display the exact data quantity for the date.

Under the line chart, a summary is followed by reports that display total and individual contributor results.

For the individual contributor table, you can:

- Sort the table by clicking the column headings.
- Scroll through the pages at the bottom of the table.
- Select the number of rows to display per page (10 to 500).

Geographic Distribution Reports

Geographic Distribution reports display the following data for play-through according to the geographic location of your content viewers:

- Plays – The number of times a user clicked "Play"
- 25 per cent play-through – The number of plays that reached 25% of the video
- 50 per cent play-through – The number of plays that reached 50% of the video
- 75 per cent play-through – The number of plays that reached 75% of the video
- 100 per cent play-through – The number of plays that reached 100% of the video
- Play-through Ratio – The percentage of completed plays. The number of 100% play-throughs divided by the total number of plays.

Geographic Distribution

Date Range: Last 30 days | Dates: 05/03/2012 | 06/02/2012

10 plays came from 1 geographic regions

Plays	25% Play-through	50% Play-through	75% Play-through	100% Play-through	Play-through Ratio
10	6	7	6	4	40.00%

Region	Plays	25% Play-through	50% Play-through	75% Play-through	100% Play-through	Play-through Ratio
-	10	6	7	6	4	40.00%

To view Geographic Distribution reports

1. Select the Analytics tab and then select User and Community Reports.
2. Click Geographic Distribution.
3. Select a date range in the drop-down menu or enter dates in the Dates field.
4. (Optional) Export the line chart report to a CSV file. See [Exporting Analytics to a CSV File](#).

A summary is followed by reports that display total and individual regional results. For the individual regional table, you can:

- Sort the table by clicking the column headings.
- Scroll through the pages at the bottom of the table.
- Select the number of rows to display per page (10 to 500).
- Click a region name to display:
 - Geographic Distribution reports for the region's zones (for example, state, province, district or city)
 - The date range options for the reports. Specific Geographic Region Distribution Report

Specific Geographic region Distribution reports display the following data for play-through for a specific geographic location of your content viewers:

- Plays – The number of times a user clicked "Play"
- 25 per cent play-through – The number of plays that reached 25% of the video
- 50 per cent play-through – The number of plays that reached 50% of the video
- 75 per cent play-through – The number of plays that reached 75% of the video
- 100 per cent play-through – The number of plays that reached 100% of the video
- Play-through Ratio – The percentage of completed plays. The number of 100% play-throughs divided by the total number of plays.

To display a Specific Geographic Region Distribution report

1. Create a Geographic Distribution report. See [To display Geographic Distribution Reports](#).
2. Click on Region name to display the [Specific Geographic Region Distribution Report](#) for the


video.

3. Select a date range in the drop-down menu or enter dates in the Dates field.

Top Syndications

Top Syndications reports display the following data for the most popular syndicators of your content:

- Plays – The number of times a user clicked "Play"
- Minutes Viewed – The sum of minutes that were viewed
- Average View Time – The average time calculated by dividing the minutes viewed by the number of views
- Player Impressions – The number of times the video player was loaded
- (Not included in the line chart) Player to Impression Ratio – The number of plays divided by the number of impressions.



To display Top Syndication reports

1. Select the Analytics tab and then select User and Community Reports.
2. Click Top Syndications.
3. Select a date range in the drop-down menu or enter dates in the Dates field.
4. In the drop-down menu, select one of the data types for the line chart report.
5. (Optional) Export the line chart report to a CSV file. See [Exporting Analytics to a CSV File](#).


For the individual syndicator table, you can:

- Sort the table by clicking the column headings.
- Scroll through the pages at the bottom of the table.
- Select the number of rows to display per page (10 to 500).
- Click on a Syndicator to display the [Specific Syndicator Reports](#).

Specific Syndicator Reports

Specific Syndicator reports display the following data for the most popular syndicators of your content:

- Plays – The number of times a user clicked "Play"
- Minutes Viewed – The sum of minutes that were viewed
- Average View Time – The average time calculated by dividing the minutes viewed by the number of views
- Player Impressions – The number of times the video player was loaded
- (Not included in the line chart) Player to Impression Ratio – The number of plays divided by the number of impressions.




To display a Specific Syndicator report

1. Create a Top Syndication report. See [Top Syndication Reports](#).
2. Click on a syndicator to display the Specific Syndicator Reports.
3. Select a date range in the drop-down menu or enter dates in the Dates field.
4. (Optional) Export the line chart report to a CSV file. See [Exporting Analytics to a CSV File](#).

User Engagement Reports

User Engagement reports display the following data for the most:

- Unique Known Users - - Sum of unique users, for which a user ID was passed from the publisher
- Unique Videos - - Sum of unique entries that had at least 1 player impression or 1 play in the given timeframe
- Plays – The number of times a user clicked "Play".
- Minutes Viewed – The sum of minutes that were viewed.
- Average View Time – The average time calculated by dividing the minutes viewed by the number of views.
- Player Impressions – The number of times the video player was loaded.
- Player to Impression Ratio – The number of plays divided by the number of impressions.



To display User Engagement reports

1. Select the Analytics tab and then select User and Community Reports.
2. Click User Engagement.
3. Select a date range in the drop-down menu or enter dates in the Dates field.
4. Select one of the following for the Playback Context:
 - All** (default) – uses all the categories defined in your account
 - Select Categories** – uses selected categories in your account for filtering report data
 - o In the Categories window: Select the name of a category. Use the CTRL key to select multiple categories.
 - o Click Filter.
 - To clear the category filter, click All.
5. Select the Application from the drop-down menu. The choices presented are the applications delivered by the publisher during playbacks.
6. (Optional) In the Search User field, enter text that appears in content Names, Tags or Descriptions, and click Apply.
 - The filter description is displayed above the report.
 - To clear the filter, delete the text from the Search Filter field and click Apply.
7. In the drop-down menu, select one of the data types for the line chart report.
8. (Optional) Export the line chart report to a CSV file. See [Exporting Analytics to a CSV File](#).
9. In the line chart, hover over the data to display the exact data quantity for the date.

Under the line chart, a summary is followed by reports that display total and individual user engagement results.

For the individual video table, you can:

- Scroll through the pages at the bottom of the table.
- Select the number of rows to display per page (10 to 500).
- Click a Unique Known User to display:
 - o The [Specific User Engagement Report](#) for the video

Specific User Engagement Report

The Specific User Engagement report displays the following data for a specific user.

- Plays – The number of times a user clicked "Play"
- Minutes Viewed – The sum of minutes that were viewed
- Average View Time – The average time calculated by dividing the minutes viewed by the number of views
- Player Impressions – The number of times the video player was loaded
- (Not included in the line chart) Player to Impression Ratio – The number of plays divided by the number of impressions.

To display the Specific User Engagement Report

1. Create a User Engagement Report. See [To display User Engagement](#) reports.
2. Click on a Unique Known User.
3. Select a date range in the drop-down menu or enter dates in the Dates field.
4. Select one of the following for the Playback Context:
 - All** (default) – uses all the categories defined in your account
 - Select Categories** – uses selected categories in your account for filtering report data
 - In the Categories window: Select the name of a category. Use the CTRL key to select multiple categories.
 - Click Filter.
To clear the category filter, click All.
5. (Optional) Export the line chart report to a CSV file. See [Exporting Analytics to a CSV File](#).

Bandwidth Usage Reports


Bandwidth usage reports include helpful information about resources the publisher has been using for their account

Publisher Bandwidth and Storage Report

The Publisher Bandwidth and Storage report presents the bandwidth and storage used in the account level.

The report displays the following data:

- Bandwidth Consumption – the amount of consumed bandwidth in the given timeframe.
- Average storage – the average storage used in the given timeframe.
- Peak Storage – the highest storage consumed in the given timeframe.
- Added storage – the storage change (added or removed) in the given timeframe.
- Combined Bandwidth and Consumption – the sum of the average storage and bandwidth consumption.



To display the Publisher Bandwidth and Storage report


1. Select the Analytics tab and then select Bandwidth Usage Reports.
2. Click Publisher Bandwidth and Storage Report.
3. Select a date range in the drop-down menu or enter dates in the Dates field.
4. Select the Time Units: Monthly or daily.
The report displays the total amount of bandwidth in gigabytes used on each day of the month you selected, or the total amount of bandwidth in gigabytes used in each month of the year you selected.
5. Hover over a day's or month's data to display the exact usage for the day/month.
6. In the drop-down menu, select one of the data types for the line chart report.
7. (Optional) Export the line chart report to a CSV file. See [Exporting Analytics to a CSV File](#).

End Users Storage Report

The End Users Storage Report displays the amount of storage end-users used.

The report displays the following data:

- Added entries - Sum of added entries owned by the user in the given timeframe.
- Total Entries - Sum of entries owned by the user.
- Added Disk Space - Total added disk space of the user owned entries in the given timeframe.
- Total Disk Space - Total disk space of the user owned entries.
- Added Minutes - Total duration of the entries owned by the user that was added in the given timeframe.
- Total Minutes - Total duration of the entries owned by the user.



To display the End User Storage report

1. Select the Analytics tab and then select Publisher and Bandwidth Usage Reports.
2. Click End Users Storage Report.
3. Click on a user name to display the [Storage Report for a Specific User](#).
4. Select a date range in the drop-down menu or enter dates in the Dates field.
5. Select the Time Units: Monthly or daily.


The report displays the total amount of bandwidth in gigabytes used on each day of the month you selected, or the total amount of bandwidth in gigabytes used in each month of the year you selected.
6. Hover over a day's or month's data to display the exact usage for the day/month.
7. In the drop-down menu, select one of the data types for the line chart report.
8. (Optional) Export the line chart report to a CSV file. See [Exporting Analytics to a CSV File](#).

Storage Report for a Specific User

The Storage Report for a Specific User displays the amount of storage a specific user used

The report displays the following data:

- Added entries - Sum of added entries owned by the user in the given timeframe
- Total Entries - Sum of entries owned by the user
- Added Disk Space - Total added disk space of the user owned entries in the given timeframe
- Total Disk Space - Total disk space of the user owned entries
- Added Minutes - Total duration of the entries owned by the user, that were added in the given timeframe
- Total Minutes - Total duration of the entries owned by the user.



To display the Storage Report for a Specific user

1. Select the Analytics tab and then select Bandwidth Usage Reports.
2. Click End Users Storage Report.
3. Click on a user name to display the [Storage Report for a Specific User](#).
4. Select a date range in the drop-down menu or enter dates in the Dates field.
5. Select the Time Units: Monthly or daily.

The report displays the total amount of bandwidth in gigabytes used on each day of the month you selected, or the total amount of bandwidth in gigabytes used in each month of the year you selected.

6. Hover over a day's or month's data to display the exact usage for the day/month.
7. In the drop-down menu, select one of the data types for the line chart report.
8. (Optional) Export the line chart report to a CSV file. See [Exporting Analytics to a CSV File](#).

Date Ranges for Analytical Reports

You can specify the date range for each analytical report you generate.

The date ranges are:

- Yesterday
- Last 7 days
- This week
- Last week
- Last 30 days (default)
- This month
- Last month
- Last 12 months
- This year
- Custom: Click the calendar icons to specify a range.

Exporting Analytics to a CSV File

To export a report to a CSV file

1. Click Export to CSV on the top right of the line chart.
A message is displayed: "The file is ready for download".
2. Click OK to proceed.
3. Select a location and file name for the CSV file, and click Save.

Sending Analytics Events to Third Parties

After you create a Kaltura Player,, you can configure [third party plug-ins](#) to view analytics information.

Kaltura Player Supported Plug-ins

The following lists some of the third party plug-ins supported by the Kaltura Player.

- [Google](#)
- [Omniture](#)
- [Nielson](#)
- [Comscore](#)



NOTE: When you create a player through the **Studio** tab in the KMC, the Kaltura Analytics configuration is automatically included

All other plug-ins must be added manually. For more information about using third party Analytics providers see [Configuring Third Party Analytics Provider Plug-ins](#). To learn how to implement a player plugin that sends Analytics data to third-party servers, contact Kaltura.

Account Information

This section describes the following topics:


- [Account Settings](#)
- [Integration Settings](#)
- [Access Control](#)
- [Transcoding Settings](#)
- [Custom Data](#)
- [My User Settings](#)
- [Account Upgrade](#)

Account Settings

The Account Settings information includes the data you submitted during the registration process and is accessed through the **Settings** tab. You can change or update any of the details in this section. Multiple content categories can be selected by holding down the CTRL key.

To view your account information

- Select the **Settings** tab and then select the **Account Settings** tab.



The screenshot shows the Kaltura Management Console (KMC) interface. At the top, there is a navigation bar with tabs for Dashboard, Content, Studio, Analytics, Settings (selected), and Administration. Below this is a sub-navigation bar with tabs for Account Settings (selected), Integration Settings, Access Control, Transcoding Settings, Custom Data, My User Settings, and Account Upgrade. The main content area is titled "Account Info" and contains a form with the following fields:

Partner ID:	745771
Name of Publisher / Company *	<input type="text" value="Kaltura Writers Team"/>
Name of Account Owner *	<input type="text" value="Kaltura Writers Team"/> ▼
Email of Account Owner	<input type="text" value="zohar.babin@kaltura.com"/>
Phone *	<input type="text" value="6462416580"/>
Website	<input type="text" value="http://corp.kaltura.com"/>
Describe Yourself	<input type="text" value="Other"/> ▼

* Required Fields

The following table describes the fields for account information.

Field	Description
Partner ID	Your Kaltura Publisher Account id. This id is required in every call to the Kaltura API.
Name of Publisher/Company-	This field contains the name of your organization.
Name of Account Owner	The user who created the KMC account and is the recipient of account level email communication. The drop-down menu lists the names of all users of the KMC account who are associated with the 'Publisher Administrator' role (Full permission to account's KMC functionalities), so it is possible to set a different account owner, when needed.

Integration Settings

This tab displays the Integration settings for the KMC. Integration settings contain the information that provides unique IDs to Kaltura, including your partner ID, which is your site's identification and ticket to the Kaltura platform and API. Your Partner ID enables you to connect to Kaltura, display media, upload media and experience all of Kaltura's functionality.

Account Info

The account info displays account information. The Partner ID is your Kaltura account identification number. The Sub Partner ID is generally deprecated and kept for backward compatibility of older Kaltura based applications.

The Administrator Secret and User Secret are the API private keys used to generate authentication tokens for sessions with the Kaltura servers when using the API. Since the keys can be used to run API commands on your content in Kaltura, you should keep these secret. Usually, the user secret is enough for all activities and therefore this is the key that should be provided to parties wishing to access your Kaltura account via API. The Admin Secret can be used to login as an administrator, and therefore can be used to perform any action on your account.

For more information, please refer to the [Kaltura API documentation](#).

Account Info

Partner ID:	745771
Sub Partner ID:	74577100
Administrator Secret:	206ad31744fc52bd8524c581fb595c47
User Secret:	5b773e230dd12426342a51fa02bc4f20

[Advanced Settings](#)

To view additional low-level account settings information

- Click **Advanced Settings** to open the advanced Account Settings display. Changing the advanced settings will take effect only for new content ingested (from the moment changes have been saved) and is not retroactive.

Entitlement Settings

Entitlement settings may be added to categories integrated in applications to support content entitlement.

From the Integration Settings page you control to which categories in your account, entitlement settings are added and enforced. See [Managing Content Entitlement](#) for more information.

The Entitlement Settings option in the Integration Settings page is available with entitlement account configuration only.

Adding Entitlement to Categories

Use the "Privacy Context" to add entitlement to categories.

Privacy Context is a free text label that indicates to which application the entitlement settings apply, for example, "MediaSpace". The Privacy Context label is used for specific indexing of categories and content associated with it, and should also be configured in the application session (KS) itself. The Privacy Context configuration for an application guarantees the following:

- User's entitlements to content in the application are determined based on the specific categories the application is integrated with.
- Categories that are not directly integrated with the application can be used for any content organization and applicative classification purposes. A content item can be shared with such categories with no impact on their visibility to end-users through the application.

In the common case, a single Privacy Context should be set to an entire 'branch' within the category-tree, and indicate the application integrated with it.

In more complex scenarios, multiple privacy contexts can be set to categories to enable access to content shared between multiple applications within the account, and under the same organizational context.



NOTE: The Privacy Context is set to categories as part of the MediaSpace installation process. Following this configuration, the MediaSpace categories can be edited to include entitlements settings.

For any other purposes, entitlements and privacy context can be added to categories from the Integration Settings page in the KMC.

To add entitlements to categories

1. Select the Settings tab and then select Integration Settings.
2. In the Entitlement Settings sections click Add Entitlements to Categories.

Entitlement Settings

The Entitlement Settings are set as part of the MediaSpace installation. For other purposes: To add entitlement settings for categories select the root category integrated with your application and label it below.

Note: The Privacy Context Label of each category defined here, will be automatically applied to its sub categories. The same label should be set as part of the application's session (KS) privileges. [Read More](#)

Application's Root Category	Privacy Context Labels	Actions
MediaSpaceRootCategory	MediaSpace1	Change X Remove

[+ Add Entitlements to Categories](#)

3. Enter the name of the root category integrated with your application/s.
4. Enter the privacy context label. Multiple labels can be separated by commas. In MediaSpace, the privacy context label is visible through the MediaSpace configuration panel.

Add Entitlements To Categories
? x

Category Name

MediaSpaceRootCategory x

Privacy Context Labels

MediaSpace1

Save

Cancel

5. Click Save.
Following this action the categories tree is updated in the Kaltura backend, and the privacy

context is gradually propagated into all sub categories. This operation may take a few minutes.



NOTE: If entitlement enforcement is enabled by default in your account, after you complete this step, all content under the category that was set with entitlements (including all sub-categories) will only be accessible through an application that was updated to work with Kaltura's entitlement services and that is set with the defined privacy context label as part of its session privileges.

Notifications

When creating Kaltura applications or integrating various Kaltura features into existing applications or sites, it is often required that the application be notified of various actions that occurred in Kaltura. For example: When a user on your site uploads a new video file, you might want your site code to be notified of when Kaltura has finished processing the video file and made it ready for publishing.

While it is possible to easily query the Kaltura API periodically, Kaltura's API Notifications utilize a "push" methodology where a code on your site will be called automatically by Kaltura whenever a certain actions occur like video upload or media status changes.

Kaltura provide two types of Notifications:

- **Kaltura Client Notifications** – Notifications that are sent from the Kaltura widget (e.g. Kaltura Contribution Wizard) when a user performs an action like uploading a new video file. The notification will be called from the Kaltura widget directly to the publisher's notification handler code hosted on the publisher's server.
- **Kaltura Server Notifications** – Notifications that are sent from the Kaltura server to the publisher's server using http post requests. The publisher is expected to host a notification handler script on his server, to which the Kaltura server will call providing information about the actions that occurred.

To setup client and/or server notifications

1. Enter the Notification URL.
2. Select the type of notifications from the displayed list.

Notifications

Do you want to receive server notifications? Yes No

Enter Notification URL:

Notification Name	Sent by Client	Sent by Server
Add Entry	<input type="checkbox"/>	<input type="checkbox"/>
Update Entry Permissions	<input type="checkbox"/>	<input type="checkbox"/>
Delete Entry	<input type="checkbox"/>	<input type="checkbox"/>
Block Entry	<input type="checkbox"/>	<input type="checkbox"/>
Update Entry	<input type="checkbox"/>	<input type="checkbox"/>
Update Entry Thumbnail	<input type="checkbox"/>	<input type="checkbox"/>
Update Entry Moderation	<input type="checkbox"/>	<input type="checkbox"/>

For more information about the various notifications and how to implement a notification handler script on your server, refer to: http://www.kaltura.com/api_v3/testmeDoc/index.php?page=notifications

Access Control

See [Access Control Profiles](#) for more information.

Transcoding Settings

See [Editing and Creating Transcoding Profiles](#) for more information.

Custom Data

See [Kaltura Custom Metadata Functionality](#) more information.

My User Settings

All KMC admin users can change their personal details - name, email address (KMC login) and password from the My User Setting page.

To change personal details

1. Select the Settings tab and then select My User Settings.
2. Click on Edit to modify the information.

For authentication purposes, you will need to provide your current password before being able to make any changes in the system.

To change your password

1. Select the Settings tab and then select My User Settings.
2. Click on Change KMC Password to modify the information.

Account Upgrade

To learn more and upgrade your account, fill in the online form and our Sales Team will contact you.

To upgrade your account

1. Select the Administration tab and then select Users.
2. Click on “Click Here” or go to <http://site.kaltura.com/Request-Users.html> to upgrade your account.